

Irish Standard I.S. EN ISO 23953-2:2015

Refrigerated display cabinets - Part 2: Classification, requirements and test conditions (ISO 23953-2:2015)

© CEN 2015 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN ISO 23953-2:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

EN ISO 23953-2:2015

2015-11-18

This document was published under the authority of the NSAI

ICS number:

and comes into effect on:

97.130.20

2015-12-06

NOTE: If blank see CEN/CENELEC cover page

NSAI 1 Swift Square,

T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie Sales: T +353 1 857 6730 F +353 1 857 6729

Northwood, Santry E stand Dublin 9 W NSAI

W NSAI.ie W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

#### **National Foreword**

I.S. EN ISO 23953-2:2015 is the adopted Irish version of the European Document EN ISO 23953-2:2015, Refrigerated display cabinets - Part 2: Classification, requirements and test conditions (ISO 23953-2:2015)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

# **EUROPEAN STANDARD**

## EN ISO 23953-2

# NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

November 2015

ICS 97.130.20

Supersedes EN ISO 23953-2:2005

#### **English Version**

# Refrigerated display cabinets - Part 2: Classification, requirements and test conditions (ISO 23953-2:2015)

Meubles frigorifiques de vente - Partie 2: Classification, exigences et méthodes d'essai (ISO 23953-2:2015)

Verkaufskühlmöbel - Teil 2: Klassifizierung, Anforderungen und Prüfbedingungen (ISO 23953-2:2015)

This European Standard was approved by CEN on 3 October 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## EN ISO 23953-2:2015 (E)

| Contents          | Page |
|-------------------|------|
|                   |      |
| European foreword | 3    |

EN ISO 23953-2:2015 (E)

#### **European foreword**

This document (EN ISO 23953-2:2015) has been prepared by Technical Committee CEN/TC 44 "Commercial refrigerated cabinets, catering refrigerating appliances and industrial refrigeration", the secretariat of which is held by UNI, in collaboration with Technical Committee ISO/TC 86 "Refrigeration and air-conditioning"

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2016, and conflicting national standards shall be withdrawn at the latest by May 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 23953-2:2005.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 23953-2:2015 has been approved by CEN as EN ISO 23953-2:2015 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. I.S. EN ISO 23953-2:2015

# INTERNATIONAL STANDARD

ISO 23953-2

Second edition 2015-11-01

# Refrigerated display cabinets —

Part 2:

# Classification, requirements and test conditions

Meubles frigorifiques de vente —

Partie 2: Classification, exigences et méthodes d'essai



ISO 23953-2:2015(E)



# **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

# ISO 23953-2:2015(E)

| Co  | ntent | S                                                                                  | Page |
|-----|-------|------------------------------------------------------------------------------------|------|
| For | eword |                                                                                    | v    |
| 1   | Scop  | e                                                                                  | 1    |
| 2   | Norn  | native references                                                                  | 1    |
| 3   |       | is, definitions, symbols and abbreviated terms                                     |      |
| J   | 3.1   | General                                                                            |      |
|     | 3.2   | Compression-type refrigeration systems                                             |      |
|     | 3.3   | Indirect refrigeration-type systems                                                |      |
| 4   | Regu  | irements                                                                           | 3    |
| 7   | 4.1   | Construction                                                                       |      |
|     | 1.1   | 4.1.1 General                                                                      |      |
|     |       | 4.1.2 Materials                                                                    |      |
|     |       | 4.1.3 Thermal insulation                                                           |      |
|     |       | 4.1.4 Refrigerating system                                                         |      |
|     |       | 4.1.5 Electrical components                                                        |      |
|     |       | 4.1.6 Temperature display                                                          |      |
|     | 4.2   | Operating characteristics                                                          |      |
|     |       | 4.2.1 Absence of odour and taste                                                   |      |
|     |       | 4.2.2 Classification according to temperature 4.2.3 Defrosting                     |      |
|     |       | 4.2.4 Water vapour condensation                                                    |      |
|     |       | 4.2.5 Energy consumption                                                           |      |
|     |       | 4.2.6 Specific Energy Consumption                                                  |      |
| 5   | Toote |                                                                                    |      |
| 5   | 5.1   | General                                                                            |      |
|     | 5.2   | Tests outside test room                                                            |      |
|     | 5.2   | 5.2.1 Seal test for doors and lids on low temperature applications                 | 9    |
|     |       | 5.2.2 Linear dimensions, areas                                                     | 9    |
|     | 5.3   | Tests inside test room                                                             |      |
|     |       | 5.3.1 General conditions                                                           |      |
|     |       | 5.3.2 Preparation of test cabinet and general test procedures                      |      |
|     |       | 5.3.3 Temperature test                                                             |      |
|     |       | 5.3.4 Water vapour condensation test                                               |      |
|     |       | 5.3.5 Electrical energy consumption test.                                          | 51   |
|     |       | 5.3.6 Heat extraction rate measurement when condensing unit is remote from cabinet | 51   |
|     |       |                                                                                    |      |
| 6   |       | report                                                                             |      |
|     | 6.1   | General                                                                            |      |
|     | 6.2   | Tests outside test room                                                            |      |
|     |       | 6.2.2 Linear dimensions, areas and volumes                                         |      |
|     |       | 6.2.3 Test for absence of odour and taste                                          |      |
|     | 6.3   | Tests inside test room                                                             |      |
|     | 0.0   | 6.3.1 General test conditions                                                      |      |
|     |       | 6.3.2 Cabinet preparation                                                          |      |
|     |       | 6.3.3 Temperature test                                                             | 62   |
|     |       | 6.3.4 Water vapour condensation test                                               |      |
|     |       | 6.3.5 Electrical energy consumption test                                           | 63   |
|     |       | 6.3.6 Heat extraction rate measurement when the condensing unit is remote          |      |
|     |       | from the cabinet                                                                   |      |
| 7   | Marl  | ring                                                                               |      |
|     | 7.1   | Load limit                                                                         |      |
|     | 7.2   | Marking plate                                                                      | 66   |

#### This is a free page sample. Access the full version online. $\pmb{\text{I.S. EN ISO 23953-2:2015}}$

## ISO 23953-2:2015(E)

| 7.3 I           | nformation to be supplied by the manufacturer                            | 66 |
|-----------------|--------------------------------------------------------------------------|----|
| Annex A (norm   | ative) Total display area (TDA)                                          | 68 |
| Annex B (inform | mative) Comparison between laboratory and in-store conditions            | 76 |
| Annex C (inform | native) Test for absence of odour and taste                              | 78 |
|                 | ative) Performance and energy rating of commercial refrigerated cabinets | 80 |
| Ribliography    |                                                                          | 89 |

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 86, *Refrigeration and air-conditioning*, Subcommittee SC 7, and by Technical Committee CEN/TC 44, *Commercial refrigerated cabinets, catering refrigerating appliances and industrial refrigeration* in collaboration.

This second edition cancels and replaces the first edition (ISO 23953-2:2005 and ISO 23953-2:2005/Amd 1:2012), which has been technically revised as follows:

- editorial and technical improvements, corrections and/or clarifications throughout the text to better apply the standard
- addition of a new <u>Annex D</u> "Performance and energy rating of commercial refrigerated display cabinets"

ISO 23953 consists of the following parts, under the general title *Refrigerated display cabinets*:

- Part 1: Vocabulary
- Part 2: Classification, requirements and test conditions

This is a free page sample. Access the full version online.  $\pmb{\text{I.S. EN ISO 23953-2:2015}}$ 

# Refrigerated display cabinets —

### Part 2:

# Classification, requirements and test conditions

#### 1 Scope

This part of ISO 23953 specifies requirements for the construction, characteristics and performance of refrigerated display cabinets used in the sale and display of foodstuffs. It specifies test conditions and methods for checking that the requirements have been satisfied, as well as classification of the cabinets, their marking and the list of their characteristics to be declared by the manufacturer. It is not applicable to refrigerated vending machines. It is also not applicable to cabinets intended for use, for instance, in catering or non-retail refrigerated applications nor does it cover the choice of the types of foodstuffs chosen to be displayed in the cabinets.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 817, Refrigerants — Designation and safety classification

ISO 5149-2:2014, Refrigerating systems and heat pumps — Safety and environmental requirements — Part 2: Design, construction, testing, marking and documentation

ISO 23953-1:2015, Refrigerated display cabinets — Part 1: Vocabulary

IEC 60335-1, Household and similar electrical appliances - Safety - Part 1: General requirements

IEC 60335-2-89, Household and similar electrical appliances - Safety - Part 2-89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant unit or compressor

#### 3 Terms, definitions, symbols and abbreviated terms

#### 3.1 General

| $t_{ m run}$  | running time — time during which compressor is running (or solenoid valve is open) or secondary refrigerant is circulating (or solenoid valve is open), within 24 h, expressed in hours                                         |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| $t_{ m stop}$ | stopping time — time during which compressor is not running (or solenoid valve is closed) or secondary refrigerant is not circulating (or solenoid valve is closed), within 24 h and excluding defrost time, expressed in hours |
| $t_{deft}$    | defrost time — time during defrost during which compressor is not running (or solenoid                                                                                                                                          |

valve is closed) or secondary refrigerant is generally not circulating, within 24 h, but not considered as stopping time, expressed in hours

 $q_m$  mass flow rate of liquid refrigerant or secondary refrigerant in kilograms per second

 $\Delta t$  time between two consecutive measuring samples, in hours



**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation