

Standard Recommendation S.R. CR 13903:2000

General guidance on the equipment used for inhaled nitric oxide therapy

© NSAI 2000

No copying without NSAI permission except as permitted by copyright law.

S.R. CR 13903:2000

Incorporating amendments/o	corrigenda issued since pu	ıblication:		
The National Standards Authority documents:	y of Ireland (NSAI) produc	es the following categ	ories of formal	
.S. xxx: Irish Standard – na subject to public consultation.	ational specification based	d on the consensus of	an expert panel and	
S.R. xxx: Standard Recomm panel and subject to public consu	endation - recommendati ltation.	on based on the conse	nsus of an expert	
SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.				
This document replaces:				
This document is based on: CR 13903:2000	<i>Published:</i> 20 September, 2000)		
This document was publishe under the authority of the N and comes into effect on: 24 September, 2011			ICS number: 11.040.10	
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie		
Údarás um Chaighdeáin Náisiúnta na hÉireann				

This is a free page sample. Access the full version online.

S.R. CR 13903:2000

CEN REPORT CR 13903

RAPPORT CEN

CEN BERICHT September 2000

ICS

English version

General guidance on the equipment used for inhaled nitric oxide therapy

This CEN Report was approved by CEN on 23 March 2000. It has been drawn up by the Technical Committee CEN/TC 215.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Contents

For	reword	4
Intr	roduction	4
1.	General	4
1.1	Background	4
1.2	Physiology	4
1.3	Intended medical use	5
1.4	Concentration/dose of inhaled nitric oxide in medical use	5
1.5	Pharmacokinetics	6
1.6	Side effects of inhaled nitric oxide	6
1.7	References	7
2	Chemical and physical properties	7
2.1	Chemical properties	7
2.2	Physical properties	8
2.3	Toxicity (Personnel)	8
2.4	Occupational safety limits	8
2.5	References	9
3.	Compatibility of materials with nitric oxide	9
3.1	General	9
3.2	List of examples of materials	9
3.3	The use of soda lime to absorb nitric oxide and nitrogen dioxide	10
3.4	Literature	10
4.	Supply systems	11
4.1	Design criteria for supply systems for nitric oxide/nitrogen mixtures	11
4.2	Characteristics of the components of the supply systems	12
4.3	Pipeline systems	13
4.4	Use of anaesthetic gas scavenging systems	13

S.R. CR 13903:2000

Page 3 CR 13903:2000

4.5	Supply systems for emergency and transport	14
4.6	References	14
5.	Delivery systems for nitric oxide/nitrogen mixtures	15
5.1	Sudden withdrawal of nitric oxide in dependency situations	15
5.2	Examples of nitric oxide delivery systems	15
5.3	Monitoring	15
5.4	Effects of nitric oxide on the ventilator	15
5.5	Further reading	16
6.	Transportation of neonates	16

S.R. CR 13903:2000

Page 4 CR 13903:2000

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 215 "Respiratory and anaesthetic equipment", the secretariat of which is held BSI.

Introduction

It gives information on the properties and medical uses of nitric oxide and guidance on medical equipment through which this gas passes before and after administration to the patient. This report is primarily intended for those involved in the standardization and manufacture of such medical equipment and for those concerned with the practice of inhaled nitric oxide therapy.

1. General

1.1 Background

Nitric oxide for inhalation (NO) is a new medical gas. It is regarded as a new medicinal product for use in investigation and treatment of patients on a compassionate basis. It has not received marketing authorisation in any country in the European union or in the USA.

Nitric oxide in nitrogen is supplied as a ready to use mixture intended to be administered to patients together with oxygen using a suitable supply and delivery system. In this document concentrations of nitric oxide/nitrogen are given as ' \leq 1000 μ l/l'. At this stage of drafting, it is not possible to give a fixed value because European medicines licensing authorities have not yet registered this mixture as a medicinal product.

Nitric oxide is used in clinical studies approved by ethics committees, and those using it should be familiar with its properties and the potential problems which may arise during use. Such studies may establish dosing recommendations and may lead to regulatory approval for use in specified situations.

Before approval is granted, situations may occur where clinical use of nitric oxide inhalation outside clinical studies is considered justified by the treating physician. The format for treatment of individual patients in these cases is compassionate use. The use of unapproved medicinal products in individual patients is subject to national legislation in most countries and may require notification to or approval by the relevant Authority.

1.2 Physiology

1.2.1 General

In 1987 it was verified that the endothelium derived relaxing factor EDRF is nitric oxide (1,2). Since then there has been a considerable interest in research of the various effects of endogenously formed nitric oxide.

Endogenous nitric oxide seems to be involved in the control and action of a great number of organ functions, including platelet aggregation, neurotransmission, and antitumour and antimicrobial activity, and not only in the control of vascular tone.

1.2.2 Vascular control – Nitric oxide as a paracrine messenger

Endothelial cells produce small amounts of nitric oxide that diffuse from the endothelial cells to the smooth muscle cells causing relaxation of the vascular smooth muscle. The low pulmonary vascular tone of normal lungs appears to be partly maintained by endogenous synthesis of nitric oxide (3).



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation