



NSAI
Standards

Irish Standard
I.S. EN 60444-11:2010

Measurement of quartz crystal unit parameters -- Part 11: Standard method for the determination of the load resonance frequency f_L and the effective load capacitance C_{Leff} using automatic network analyzer techniques and error correction (IEC 60444-11:2010 (EQV))

I.S. EN 60444-11:2010

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN 60444-11:2010	<i>Published:</i> 5 November, 2010
This document was published under the authority of the NSAI and comes into effect on: 22 November, 2010		ICS number: 31.14
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60444-11

November 2010

ICS 31.140

English version

**Measurement of quartz crystal unit parameters -
Part 11: Standard method for the determination of the load resonance
frequency f_L and the effective load capacitance C_{Leff} using automatic
network analyzer techniques and error correction
(IEC 60444-11:2010)**

Mesure des paramètres des résonateurs à
quartz -
Partie 11: Méthode normalisée pour la
détermination de la fréquence de
résonance à la charge f_L et de la capacité
de charge efficace C_{Leff} utilisant des
analyseurs automatiques de réseaux et
correction des erreurs
(CEI 60444-11:2010)

Messung von Schwingquarz-Parametern -
Teil 11: Standardverfahren zur
Bestimmung der Lastresonanzfrequenz f_L
und der effektiven Lastkapazität C_{Leff} mit
automatischer Netzwerkanalysatortechnik
und Fehlerkorrektur
(IEC 60444-11:2010)

This European Standard was approved by CENELEC on 2010-11-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 49/852/CDV, future edition 1 of IEC 60444-11, prepared by IEC TC 49, Piezoelectric, Dielectric and Electrostatic Devices and Associated Materials for Frequency Control, Selection and Detection, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60444-11 on 2010-11-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2011-08-01 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2013-11-01 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60444-11:2010 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60122-1	2002	Quartz crystal units of assessed quality - Part 1: Generic specification	EN 60122-1	2002
IEC/TR 60444-4	-	Measurement of quartz crystal unit parameters by zero phase technique in a pi- network - Part 4: Method for the measurement of the load resonance frequency f_L , load resonance resistance R_L and the calculation of other derived values of quartz crystal units, up to 30 MHz	EN 60444-4	-
IEC 60444-5	1995	Measurement of quartz crystal unit parameters - Part 5: Methods for the determination of equivalent electrical parameters using automatic network analyzer techniques and error correction	EN 60444-5	1997

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 General concepts	6
3.1 Load resonance frequencies f_{Lr} and f_{La}	6
3.2 Effective load capacitance C_{Leff}	6
4 Reference plane and test conditions.....	7
4.1 General.....	7
4.2 Principle of measurement.....	7
4.3 Evaluation of errors	10
Bibliography.....	14
Figure 1 – Admittance of a quartz crystal unit	6
Figure 2 – X_C as a function of frequency (solid line) in the vicinity of f_L	9
Figure 3 – Level of drive of a crystal in a π -network vs. frequency	9
Figure 4 – Error of the load resonance frequency due to the inaccuracy of the measured voltages (dashed line) and the calibration resistances (soft line)	11
Figure 5 – C_L -error resulting from f_L error (due to inaccuracy of the measured voltages and the calibration resistances) for the same crystal as in Figure 4.....	11
Figure 6 – Frequency error due to noise of the measured voltages	12
Figure 7 – Error of load resonance frequency f_L at 30 pF and 10 pF for typical equivalent parameters of quartz crystal units	12
Figure 8 – Error of C_{Leff} for typical equivalent parameters of quartz crystal units	13

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MEASUREMENT OF QUARTZ CRYSTAL UNIT PARAMETERS –**Part 11: Standard method for the determination of the load resonance frequency f_L and the effective load capacitance C_{Leff} using automatic network analyzer techniques and error correction**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60444-11 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

The text of this standard is based on the following documents:

CDV	Report on voting
49/852/CDV	49/883/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60444 series under the general title *Measurement of quartz crystal unit parameters* can be found on the IEC website.

The committee has decided that the contents of this amendment and the base publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

MEASUREMENT OF QUARTZ CRYSTAL UNIT PARAMETERS –

Part 11: Standard method for the determination of the load resonance frequency f_L and the effective load capacitance C_{Leff} using automatic network analyzer techniques and error correction

1 Scope

This part of IEC 60444 defines the standard method of measuring load resonance frequency f_L at the nominal value of C_L , and the determination of the effective load capacitance C_{Leff} at the nominal frequency for crystals with the figure of merit $M > 4$.

M , according to Table 1 of IEC 60122-1:2002, is expressed in the following equation:

$$M = \frac{Q}{r} = \frac{1}{\omega C_0 R_1} \quad (1)$$

This gives good results in a frequency range up to 200 MHz. This method allows the calculation of load resonance frequency offset Δf_L , frequency pulling range $\Delta f_{L1,L2}$ and pulling sensitivity S as described in 2.2.31 of IEC 60122-1:2002. In contrary to the simple method of IEC 60444-4, this measurement technique avoids the use of physical load capacitors, and allows higher accuracy, better reproducibility and correlation to the application. It extends the upper frequency limit from 30MHz by the method of IEC 60444-4 to 200MHz approximately. This method is based on the error-corrected measurement technique of IEC 60444-5:1995, and therefore allows the measurement of f_L and C_{Leff} together with the determination of the equivalent crystal parameters in one sequence without changing the test fixture.

With this method the frequency f_L is searched where the reactance X_C of the crystal has the opposite value of the reactance of the load capacitance.

$$X_C = -X_{CL} = \frac{1}{\omega C_L} \quad (2)$$

Furthermore this method allows to determine the effective load capacitance C_{Leff} at the nominal frequency f_{nom} .

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60122-1:2002, *Quartz crystal units of assessed quality – Part 1: Generic specification*

IEC/TR 60444-4, *Measurement of quartz crystal unit parameters by zero phase technique in a π -network – Part 4: Method for the measurement of the load resonance frequency f_L , load resonance resistance R_L and the calculation of other derived values of quartz crystal units, up to 30 MHz*

IEC 60444-5:1995, *Measurement of quartz crystal units parameters – Part 5: Methods for the determination of equivalent electrical parameters using automatic network analyzer techniques and error correction*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-