

Irish Standard I.S. EN 16602-70-18:2014

Space product assurance - Preparation, assembly and mounting of RF coaxial cables

© CEN 2014 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 16602-70-18:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

EN 16602-70-18:2014

2014-10-22

This document was published under the authority of the NSAI and comes into effect on:

ICS number:

2014-11-08

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 16602-70-18

NORME EUROPÉENNE EUROPÄISCHE NORM

October 2014

ICS 49.090; 49.140

English version

Space product assurance - Preparation, assembly and mounting of RF coaxial cables

Assurance produit des projets spatiaux - Préparation, assemblage et montage des câbles radiofréquence coaxiaux

Raumfahrtproduktsicherung - Vorbereitung, Zusammenbau und Befestigung von RF-Koaxial-Kabeln

This European Standard was approved by CEN on 11 April 2014.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.





CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Table of contents

| Introduction | . 7 . 8 .9 |
|--|--------------------------------|
| 2 Normative references 3 Terms, definitions and abbreviated terms 3.1 Terms from other standards 3.2 Terms specific to the present standard 3.3 Abbreviated terms. 4 Principles and prerequisites of reliable soldered or crimped cable connections 4.1 Principles of reliable soldered or crimped semi-rigid cable connections 4.2 Prerequisites for assembly and mounting of semi-rigid coaxial cables 4.3 Alternative coaxial cable technologies 5 Requirements 5.1 Preparatory conditions 5.1.1 Facility cleanliness 5.1.2 Environmental conditions 5.1.3 Lighting requirements 1 Solutions 5.1.4 Equipment and tools | . 8 .9 .9 |
| 3 Terms, definitions and abbreviated terms 3.1 Terms from other standards | .9 .9 .9 |
| 3.1 Terms from other standards | .9 .9 .9 |
| 3.2 Terms specific to the present standard 3.3 Abbreviated terms | .9 .9 |
| 4 Principles and prerequisites of reliable soldered or crimped cable connections | .9 |
| 4 Principles and prerequisites of reliable soldered or crimped cable connections | |
| connections 4.1 Principles of reliable soldered or crimped semi-rigid cable connections 4.2 Prerequisites for assembly and mounting of semi-rigid coaxial cables 4.3 Alternative coaxial cable technologies 5 Requirements 5.1 Preparatory conditions 5.1.1 Facility cleanliness 5.1.2 Environmental conditions 5.1.3 Lighting requirements 5.1.4 Equipment and tools | 1 0 |
| 4.1 Principles of reliable soldered or crimped semi-rigid cable connections | |
| 4.2 Prerequisites for assembly and mounting of semi-rigid coaxial cables | 10 |
| 4.3 Alternative coaxial cable technologies | |
| 5 Requirements15.1 Preparatory conditions15.1.1 Facility cleanliness15.1.2 Environmental conditions15.1.3 Lighting requirements15.1.4 Equipment and tools1 | |
| 5.1 Preparatory conditions | |
| 5.1.1 Facility cleanliness | |
| 5.1.2 Environmental conditions | |
| 5.1.3 Lighting requirements | |
| 5.1.4 Equipment and tools1 | |
| | |
| 5.2 Motorial coloction | |
| 5.2 Material selection | |
| 5.2.1 Solder | |
| 5.2.3 Solvents | |
| 5.2.4 Cable selection | |
| 5.2.5 Connector selection | |
| 5.3 Preparation of semi-rigid cable | |
| 5.3.1 General | |
| 5.3.2 Inspection of cable | |
| 5.3.3 Cutting cable to initial oversize length | |

| | 5.3.4 | Cable forming and minimum bend radius | 18 |
|-------|---|---|----|
| | 5.3.5 | Preconditioning heat treatment | 19 |
| | 5.3.6 | Trimming cable to final length | 20 |
| | 5.3.7 | Stripping the cable ends | 21 |
| | 5.3.8 | Inspection of stripped cable ends | 21 |
| 5.4 | Preparation for soldering assembly of semi-rigid cables | | |
| | 5.4.1 | General | 22 |
| | 5.4.2 | Degolding and pretinning | 22 |
| | 5.4.3 | Solder preforms | 23 |
| 5.5 | Assembly of connectors to RF coaxial cables | | |
| | 5.5.1 | Solder assembly of semi-rigid cables | 24 |
| | 5.5.2 | Crimp assembly of semi-rigid cables and other assembly techniques | 28 |
| | 5.5.3 | Completed assemblies | 28 |
| 5.6 | Mountii | ng of cables | 29 |
| | 5.6.1 | Semi-rigid cables with straight solder-type connectors | 29 |
| | 5.6.2 | Semi-rigid cables with right-angle connectors | 30 |
| | 5.6.3 | Other cable mounting technologies | 30 |
| 5.7 | Process verification | | |
| | 5.7.1 | General | 31 |
| | 5.7.2 | Temperature cycling | 31 |
| | 5.7.3 | Vibration | 31 |
| 5.8 | Quality assurance | | |
| | 5.8.1 | Data | 31 |
| | 5.8.2 | Nonconformance | 32 |
| | 5.8.3 | Calibration | 32 |
| | 5.8.4 | Traceability | 32 |
| | 5.8.5 | Workmanship standards | 32 |
| | 5.8.6 | Inspection | 32 |
| | 5.8.7 | Operator and inspector training and certification | 33 |
| Annex | A (norr | native) Logbook – DRD | 34 |
| A.1 | DRD id | entification | 34 |
| | A.1.1 | Requirement identification and source document | 34 |
| | A.1.2 | Purpose and objective | 34 |
| A.2 | Expect | ed response | 34 |
| | A.2.1 | Scope and content | 34 |
| | A.2.2 | Special remarks | 34 |
| Annex | B (norr | native) Workmanship standards | 35 |

| B.1 | Overview | 35 | | | |
|---------|---|----|--|--|--|
| B.2 | Illustrations | 35 | | | |
| Annex | C (informative) Graphical information | 37 | | | |
| C.1 | Overview | 37 | | | |
| C.2 | Typical cable cut-off fixture | 37 | | | |
| C.3 | Typical cable-forming tool | | | | |
| C.4 | Approved and non-approved straight solder-type cable-end connectors | 39 | | | |
| C.5 | Method of producing solder performs | 40 | | | |
| C.6 | Centre contact assembly | 40 | | | |
| Biblio | graphy | 41 | | | |
| Figure | s | | | | |
| Figure | B-1 : Photograph showing non-captive nut and preferred solder fillet | 35 | | | |
| Figure | B-2 : Microsection through preferred solder fillet, revealing full penetration of solder path | 35 | | | |
| Figure | B-3 : Unacceptable solder fillet dimensions | 36 | | | |
| Figure | C-1 : Typical cable cut-off fixture | 37 | | | |
| Figure | C-2 : Typical cable-forming tool | 38 | | | |
| Figure | C-3 : Approved and non-approved straight solder-type cable-end connectors | 39 | | | |
| Figure | C-4 : Method of producing solder preforms | 40 | | | |
| Figure | C-5 : Centre contact assembly | 40 | | | |
| Tables | ; | | | | |
| Table 5 | i-1: Design rules for minimum bend radius | 19 | | | |
| Tahle 5 | able 5-2: Preconditioning heat treatment process | | | | |

Foreword

This document (EN 16602-70-18:2014) has been prepared by Technical Committee CEN/CLC/TC 5 "Space", the secretariat of which is held by DIN.

This standard (EN 16602-70-18:2014) originates from ECSS-Q-ST-70-18C.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2015, and conflicting national standards shall be withdrawn at the latest by April 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The main part of this Standard is based on industrial experience and recommendations from European soldering technology experts. Modifications are incorporated into the text to provide for the specific requirement of low-outgassing electrical systems which are required by scientific and application satellites. Other additions were made in the light of recent technological advances and results of metallurgical test programmes. The use of processes other than solder assembly is recognized, but only certain general requirements are given in this Standard.

These requirements apply to assemblies designed to operate within the temperature limits from -45 °C to +85 °C. More extreme temperatures or other unusual environmental applications require special design measures or processing steps to provide environmental survival capability.

1 Scope

This Standard defines the technical requirements and quality assurance provisions for the assembly and mounting of high-reliability, radio-frequency (RF) coaxial-cable interconnections for use as transmission lines in spacecraft and associated equipment.

In general, these assemblies are designed for low-loss, stable operation from the relatively low frequencies through the higher frequencies in the microwave regions.

These transmission-line cables should not be confused with low-frequency cables with conductive sheaths (usually copper braid), which are used in applications where shielding of the centre conductors from the surrounding electrical ambient is required. The interconnection of those shielded cables, not covered by the present standard, is covered in ECSS-Q-ST-70-08.

This standard may be tailored for the specific characteristics and constrains of a space project in conformance with ECSS-S-T-00.



| This is a free preview | Purchase the entire | e publication at the link below: |
|------------------------|---|----------------------------------|
|------------------------|---|----------------------------------|

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation