

Irish Standard I.S. EN 13941:2009+A1:2010

Design and installation of preinsulated bonded pipe systems for district heating

© NSAI 2010

No copying without NSAI permission except as permitted by copyright law.

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	This document is based on:	Published:
EN 13941:2009	EN 13941:2009+A1:2010	14 July, 2010
	EN 13941:2009	1 July, 2009

This document was published under the authority of the NSAI and comes into effect on: 21 July, 2010

ICS number: 23.040.10 91.140.10

NSAI Sales:

W NSALie

 1 Swift Square,
 T +353 1 807 3800
 T +353 1 857 6730

 Northwood, Santry
 F +353 1 807 3838
 F +353 1 857 6729

 Dublin 9
 E standards@nsai.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 13941:2009+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2010

ICS 23.040.10; 91.140.10

Supersedes EN 13941:2009

English Version

Design and installation of preinsulated bonded pipe systems for district heating

Conception et installation des systèmes bloqués de tuyaux préisolés pour les réseaux enterrés d'eau chaude

Auslegung und Installation von werkmäßig gedämmten Verbundmantelrohren für die Fernwärme

This European Standard was approved by CEN on 23 May 2009 and includes Corrigendum 1 issued by CEN on 11 November 2009 and Amendment 1 approved by CEN on 15 May 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

COII	tents	Page
Forew	/ord	5
Introd	luction	6
1	Scope	
-	·	
2	Normative references	
3	Terms and definitions, units and symbols	10
3.1	Terms and definitions	
3.2 3.2.1	Units and symbols Units	
3.2.1 3.2.2	Symbols	
	•	
4 4.1	General considerations for system design	
4.1 4.2	Service life	
4.3	Preliminary investigations	
4.4	Determination of project class	
4.4.1	Risk assessment	19
4.4.2	Project classes	
4.5	Design documentation	
4.5.1 4.5.2	General Operational data	
4.5.2 4.5.3	Data related to the pipeline	
4.5.4	Specifications for quality control	
5	Components and materials	
อ 5.1	Basic requirements	
5.1.1	A) General (A)	
5.1.2	A) Non standardised components (4)	25
5.2	Steel pipe components	25
5.2.1	General	
5.2.2	Technical delivery conditions and documentation	
5.2.3 5.2.4	Characteristic values for steel Specific requirements for bends and tees	26
5.2.4 5.2.5	Specific requirements for bends and tees Specific requirements for reducers and extensions	27
5.2.6	Specific requirements for other components	28
5.3	Polyurethane foam insulation	
5.4	PE casing	
5.5	Expansion cushions	
5.6	Valves and accessories	
5.6.1	General requirements	
5.6.2	Marking and documentation	
6	Actions and limit states	
6.1	General	
6.2	Simplified analysis procedure	
6.3 6.3.1	ActionsGeneral	
6.3.1 6.3.2	Classification of actions	
6.4	Limit states	
6.4.1	General	
6.4.2	Limit states for service pipes of steel	34
6 4 2	Composite etrope conditions	42

6.4.4	Limit states for PUR and PE	
6.4.5	Limit state for PE	
6.4.6	Limit states for valves	44
7	Installation	11
, 7.1	General	11
7.1 7.2	Transportation and storage	
7.2 7.3	Excavation of pipe trench	
7.3 7.4	Installation of pipes and components	
7. 4 7.4.1	General	
7.4.1 7.4.2	Steel pipes	
7.4.2 7.4.3	PUR-PE Joints	
7.4.3 7.4.4	Accessories	
7.4.5	Expansion zones	
7.4.5 7.5	Welding of the steel pipe and testing of the steel welds	
7.5 7.5.1	General	
7.5.1 7.5.2	Quality system for the different project classes	
7.5.2 7.5.3	Qualification of the welding procedures	
7.5.3 7.5.4	Welding consumables	
7.5. 4 7.5.5	Place and position of the weld	
7.5.5 7.5.6	Performance of welding work	
7.5.6 7.5.7	Special procedures	
7.5.7 7.5.8	Documentation	
7.5.6 7.6	Strength pressure test and leak tightness test	
7.6 7.7	Assembly of casing pipes, joint installation and site insulation	
7. <i>1</i> 7.8	Backfilling of trench	
7.6 7.9	Pipe bends and other components	
7.9 7.9.1	Pipe bends	
7.9.1 7.9.2	Branches	
7.9.2 7.9.3	Valves and accessories	
7.9.3 7.10	Setting into operation	
7.10 7.10.1	General	
7.10.1 7.10.2	Filling with water for initial operation	
7.10.2 7.10.3	Surveillance system	
7.10.3 7.11	Special constructions	
7.11 7.11.1	Special components	
	Above-ground pipelines with preinsulated pipes	
	Insertion into casing pipe	
7.11.3 7.12	Construction work during the operation stage	
1.12	Construction work during the operation stage	
	A (normative) Design of piping components under internal pressure	60
A.1	General	60
A.2	Symbols	60
A.3	Straight pipe and bends	61
A .4	Tees and branch connections	61
A.5	Reducers and extensions	64
A.6	Dished ends	65
A	D (informative). Contachnics and nine call interaction	٥-7
	B (informative) Geotechnics and pipe-soil interaction	
B.1 B.2	Scope	
	Symbols and units	
B.3	Soil parameters for global analysis (pipe-soil interaction)	
B.4	Characteristic values for soil loads and soil parameters	
B.5	Specific requirements for stability	
B.6	Specific requirements for parallel excavations	
B.7	Requirements for soft soils and settlement areas	
B.8	Ovalization and circumferential stresses from top load	82
Annex	C (informative) Global- and cross sectional analysis	89
C.1	General	
C.2	Symbols	

EN 13941:2009+A1:2010 (E)

I.S. EN 13941:2009+A1:2010

C.3	Survey of limit states for steel	91
C.4	Locations to be assessed	92
C.5	Actions	95
C.6	Global analysis	96
C.7	Calculation of stresses	103
C.8	Fatigue analysis	119
C.9	Further actions	120
Anne D.1	ex D (informative) Calculation of heat losses	
D.2	Heat loss per pipe pair	121
D.3	Insulance of the soil	122
D.4	Insulance of the insulation material	122
D.5	Insulance of the heat exchange between flow and return pipe	123
Anne	ex E (informative) AC National A-deviations AC	124
Biblio	ography	125

EN 13941:2009+A1:2010 (E)

Foreword

This document (EN 13941:2009+A1:2010) has been prepared by Technical Committee CEN/TC 107 "Prefabricated district heating pipe systems", the secretariat of which is held by DS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2011, and conflicting national standards shall be withdrawn at the latest by January 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Corrigendum 1 issued by CEN on 11 November 2009 and Amendment 1 approved by CEN on 15 May 2010.

This document supersedes [A] EN 13941:2009 (A1).

The start and finish of text introduced or altered by amendment is indicated in the text by tags [A].

The modifications of the related CEN Corrigendum have been implemented at the appropriate places in the text and are indicated by the tags (AC).

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

The standard has been prepared by JWG1, a joint working group with CEN/TC 267 "Industrial piping and pipelines".

According to the scope from CEN/TC 107:

- The task of CEN/TC 107/TC267/JWG1 is to specify rules for design, calculation and installation for preinsulated bonded pipe systems for underground hot water networks with pipe assemblies co-ordinated with EN 253, EN 448, EN 488 and EN 489.
- CEN/TC 107/TC267/JWG1 may also specify rules for functional tests for preinsulated bonded pipe systems for underground hot water networks.
- The basic rules for design, calculation and installation should be based on functional requirements.
- The purpose of the work is to provide uniform basis for the design, construction and operation of district heating systems, to ensure that the system is reliable and efficient and safe for the surrounding area, the environment and public health.
- Joint assemblies for pipe systems dealt with should be co-ordinated with EN 489.

This standard takes account of experience acquired, of new knowledge available, of the behaviour of material and of distribution of stresses and allowable deformations and also evolution in installation techniques.

When use is made of the standard, the different sections of which it is made up must be interpreted as being interdependent and, because of this, cannot be dissociated.

The standard consists of a main part and four annexes.

Depending on the character of the individual clauses, distinction is made in this standard between Principles and Application Rules.

The principles comprise:

- general statements, definitions and requirements, for which there is no alternative, as well as
- requirements and analytical models for which no alternative is permitted unless specifically stated.

The principles are printed in normal typeface (10 point font).

The application rules are generally recognised rules, which follow the principles and satisfy their requirements.

Application rule:

The application rules and comments to principles and application rules are printed in a 8 point font. This is an application rule.

It is permissible to use alternative design rules from the application rules given in this standard, provided that it is shown that the alternative rule accords with the relevant principles and it is at least equivalent with regard to the resistance, serviceability and durability achieved by the system.

Annex A is part of the standard (principles). Annexes B, C and D have status as application rules.

EN 13941:2009+A1:2010 (E)

This standard contains a number of requirements aimed at ensuring the sound execution of distribution networks for district heating. To the extent possible, the requirements specified in this standard are functional requirements.

The requirements and regulations contained in this standard should be assessed and applied in compliance with the intentions of the standard and in due consideration of the development taking place in the field it concerns. It is therefore assumed that the user of the standard has the requisite technical insight and that the user of the standard has adequate knowledge of legal and other external regulations that are of consequence to the practical application of the standard.

Special cases may occur within the scope of this standard in which its contents do not cover. An evaluation whether the contents cover shall be made in any specific case where the standard is used.

Presently CEN/TC 107 "Pre-fabricated district heating pipe systems" is preparing standards for preinsulated flexible pipes and surveillance systems.

EN 13941:2009+A1:2010 (E)

I.S. EN 13941:2009+A1:2010

1 Scope

This European Standard specifies rules for design, calculation and installation for preinsulated bonded pipe systems for buried hot water distribution and transmission networks (cf. Figure 2) with pipe assemblies in accordance with EN 253, for continuous operation with hot water at various temperatures up to 120°C and occasionally with peak temperatures up to 140°C and maximum internal pressure 25 bar (overpressure).

Application rule:

For larger pipe dimensions and pressures below 25 bar wall thickness bigger than specified in EN 253 can be required for straight pipes, bends and tees.

The principles of the standard can be applied to preinsulated pipe systems with pressures higher than 25 bar, provided that special attention is paid to the effects of pressure. Adjacent pipes belonging to the network (e.g. pipes in ducts, valve chambers, road crossings above ground etc.) can be designed and installed according to this standard.

The standard assumes use of treated water, which by softening, demineralisation, deaeration, adding of chemicals, or otherwise has been treated to prevent internal corrosion and deposits in the pipes.

This standard is not applicable for such units as:

- a) pumps,
- b) exchangers,
- boiler installations, tank installations,
- d) consumer installations.

However, the full functional ability and durability of such units should be ensured in consideration of the impacts from the district heating system and other impacts occurring from the conditions under which they have been installed.

Guidelines for product quality inspection and in situ tests of joints are given in Annex A of EN 448:2009, Annex D of EN 253:2009, Annex A of EN 488:2009 and Annex B of EN 489:2009.

Guidelines for welding of polyethylene casing are given in Annex B of EN 448:2009.

The estimation of expected life with continuous operation at various temperatures is outlined in Annex B of EN 253:2009.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 253:2009, District heating pipes — Preinsulated bonded pipe systems for directly buried hot water networks — Pipe assembly of steel service pipe, polyurethane thermal insulation and outer casing of polyethylene

EN 287-1, Qualification test of welders — Fusion welding — Part 1: Steels

EN 444, Non-destructive testing — General principles for radiographic examination of metallic materials by X- and gamma-rays



This is a free preview	 Purchase the entire 	e publication at the link below:
------------------------	---	----------------------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation