

Irish Standard I.S. EN 12164:2011

# Copper and copper alloys - Rod for free machining purposes

© NSAI 2011

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments	/corrigenda/National Anne	xes issued since public	cation:
The National Standards Author documents:		_	
I.S. xxx: Irish Standard – subject to public consultation.	national specification base	d on the consensus of	an expert panel and
S.R. xxx: Standard Recom panel and subject to public con	mendation - recommendat sultation.	ion based on the cons	ensus of an expert
SWiFT xxx: A rapidly developarticipants of an NSAI worksh	ped recommendatory docui op.	ment based on the cor	sensus of the
This document replaces: EN 12164:1998			
This document is based on EN 12164:2011	: Published: 9 June, 2011		
This document was publis under the authority of the and comes into effect on: 9 June, 2011			ICS number: 77.150.30
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	<b>Sales:</b> T +353 1 857 6730 F +353 1 857 6729 W standards.ie	
Údarás u	ım Chaighdeáin Náisiúi	nta na hÉireann	

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 12164

June 2011

ICS 77.150.30

Supersedes EN 12164:1998

#### **English Version**

# Copper and copper alloys - Rod for free machining purposes

Cuivre et alliages de cuivre - Barres pour décolletage

Kupfer und Kupferlegierungen - Stangen für die spanende Bearbeitung

This European Standard was approved by CEN on 14 April 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

# EN 12164:2011 (E)

Cont	ntents P	
Forew	ord	4
Introd	uction	6
1	Scope	7
-	•	
2	Normative references	
3	Terms and definitions	7
4	Designations	8
4.1	Material	
4.1.1	General	
4.1.2	Symbol	
4.1.3	Number	
4.2	Material condition	
4.3	Product	
5	Ordering information	9
6	Requirements	10
6.1	Composition	
6.2	Mechanical properties	
6.3	Resistance to dezincification	
6.4	Residual stress level	
6.5	Dimensions and tolerances	
6.5.1	Diameter or width across-flats	
6.5.2	Shape tolerances	
6.5.3 6.5.4	StraightnessLength	
6.5.5	Corner radii	
6.5.6	Twist of polygonal rod	
6.5.7	Shaped ends	
7	Sampling	
7 7.1	General	
7.1	Analysis	
7.3	Mechanical tests	
7.4	Dezincification resistance and stress corrosion resistance tests	
8	Test methods	
o 8.1	Analysis	
8.2	Tensile test	
8.2.1	General	
8.2.2	Location of test pieces	
8.2.3	Shape and size of test pieces	
8.2.4	Procedure for testing	15
8.2.5	Determination of results	
8.3	Hardness test	
8.4	Dezincification resistance test	
8.5	Stress corrosion resistance test	
8.6	Determination of the electrical conductivity	
8.7 8.7.1	Retests  Analysis, tensile test, hardness test and dezincification resistance test, determination of	16
0.7.1	the electrical conductivity	16
8.7.2	Stress corrosion resistance test	

# EN 12164:2011 (E)

8.8	Rounding of results	17
9 9.1 9.2	Declaration of conformity and inspection documentation  Declaration of conformity  Inspection documentation	17
10	Marking, packaging, labelling	
Δnne	x A (normative) Determination of mean depth of dezincification	33
A.1	Introduction	
A.2	Procedure	
A.3	Expression of results	
Biblio	ography	35
Figure	es	
	e 1 — Measurement of twist of polygonal rod	
	e 2 — Shaped ends of rod, Types	
Figure	e A.1 — Example of contiguous fields	34
Table	es e	
Table	1 — Indicative shaped ends dimensions	13
Table	2 — Composition of low alloyed copper alloys	18
	3 — Composition of copper-nickel-zinc alloys	
	4 — Composition of copper-tin alloys	
	5 — Composition of copper-zinc alloys	
	6 — Composition of copper-zinc-lead alloys	
	7 — Composition of complex copper-zinc alloys	
	8 — Mechanical properties of rod of low alloyed copper alloys	
	9 — Mechanical properties of rod of copper-nickel-zinc alloys	
	10 — Mechanical properties of rod of copper-tin alloys	
	11 — Mechanical properties of rod of copper-zinc alloys	
	12 — Mechanical properties of rod of copper-zinc-lead alloys 13 — Mechanical properties of rod of complex copper-zinc alloys	
	• 14 — Tolerances on diameter of round rod (including deviation from circular form)	
	: 14 — Tolerances on diameter of round rod (including deviation from circular form) : 15 — Tolerances on width across-flats of regular polygonal rod	
	• 16 — Tolerances on straightness of rod	
	17 — Tolerances on length of nominal length rod	
	18 — Corner radii for square, hexagonal and octagonal rod	
	19 — Maximum twist of square, hexagonal and octagonal rod	
	20 — Sampling rate	
	I U : ::	

#### EN 12164:2011 (E)

#### **Foreword**

This document (EN 12164:2011) has been prepared by Technical Committee CEN/TC 133 "Copper and copper alloys", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2011, and conflicting national standards shall be withdrawn at the latest by December 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12164:1998.

Within its programme of work, Technical Committee CEN/TC 133 requested CEN/TC 133/WG 4 "Extruded and drawn products, forgings and scrap" to revise the following standard:

— EN 12164:1998, Copper and copper alloys — Rod for free machining purposes.

This is one of a series of European Standards for the copper and copper alloy products rod, wire and profile. Other products are specified as follows:

- EN 12163, Copper and copper alloys Rod for general purposes;
- EN 12165, Copper and copper alloys Wrought and unwrought forging stock;
- EN 12166, Copper and copper alloys Wire for general purposes;
- EN 12167, Copper and copper alloys Profiles and bars for general purposes;
- EN 12168, Copper and copper alloys Hollow rod for free machining purposes;
- EN 13347, Copper and copper alloys Rod and wire for welding and braze welding;
- EN 13601, Copper and copper alloys Copper rod, bar and wire for general electrical purposes;
- EN 13602, Copper and copper alloys Drawn round copper wire for the manufacture of electrical conductors;
- EN 13605, Copper and copper alloys Copper profiles and profiled wires for electrical purposes.

In comparison with EN 12164:1998, the following significant technical changes were made:

- a) Introduction of indicative shaped ends dimensions (Table 1);
- b) Removal of four materials:
  - CuZn38Pb4 (CW609N);
  - 2) CuZn37Pb1Sn1 (CW714R);
  - 3) CuSn4Pb2P (CW455K) and CuSn4Te1P (CW457K);

EN 12164:2011 (E)

- c) Addition of five new materials:
  - 1) CuZn40 (CW509L), CuZn42 (CW510L) and CuZn38As (CW511L) due to the market requirements on restriction of lead;
  - 2) CuZn21Si3P (CW724R) due to the market requirements on restriction of lead;
  - 3) CuZn32Pb2AsFeSi (CW709R);
- d) Revision of the mechanical properties (Tables 8 to 13) to reflect market needs; in particular the 0,2 % proof strength that was previously informative is now mandatory since it is an important figure for design purposes;
- e) Modification of the sampling rate (Table 20).

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

EN 12164:2011 (E)

### Introduction

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the alloy CuZn21Si3P (CW724R) given in 6.1.

CEN takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the CEN that he is willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with CEN. Information may be obtained from:

Wieland Werke AG Graf Arco Straße 36 D-89079 Ulm

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.



This is a free preview. Purchase the entire publication at the link below
---

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation