

Irish Standard I.S. EN 15101-1:2013

Thermal insulation products for buildings - In-situ formed loose fill cellulose (LFCI) products - Part 1: Specification for the products before installation

© CEN 2013

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/	corrigenda/National Anne	xes issued since public	cation:
The National Standards Authori documents:	ty of Ireland (NSAI) produc	ces the following cate	gories of formal
I.S. xxx: Irish Standard – r subject to public consultation.	national specification base	d on the consensus of	an expert panel and
S.R. xxx: Standard Recommodered and subject to public cons	mendation - recommendat sultation.	ion based on the cons	ensus of an expert
SWiFT xxx: A rapidly develop participants of an NSAI worksho	ed recommendatory docu p.	ment based on the cor	sensus of the
This document replaces:			
This document is based on: EN 15101-1:2013	<i>Published:</i> 7 October, 2013		
This document was publish under the authority of the I and comes into effect on: 7 October, 2013			ICS number: 91.100.60
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie	
Údarás II	m Chaighdeáin Náisiú	nta na hÉireann	

EUROPEAN STANDARD

EN 15101-1

NORME EUROPÉENNE EUROPÄISCHE NORM

September 2013

ICS 91.100.60

English Version

Thermal insulation products for buildings - In-situ formed loose fill cellulose (LFCI) products - Part 1: Specification for the products before installation

Produits isolants thermiques destinés aux applications du bâtiment - Isolation thermique formée en place à base de cellulose (LFCI) - Partie 1 : Spécification des produits en vrac avant la mise en oeuvre Wärmedämmstoffe für Gebäude - An der Verwendungsstelle hergestellter Wärmedammstoff aus Zellulosefüllstoff (LFCI) - Teil 1: Spezifikation für die Produkte vor dem Einbau

This European Standard was approved by CEN on 8 August 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 15101-1:2013 (E)

Cont	GIILO	raye
Forewo	ord	5
1	Scope	6
2	Normative references	6
3	Terms, definitions, symbols and abbreviations	7
3.1	Terms and definitions	7
3.2	Symbols	
3.3	Abbreviations	
4	Requirements	
4.1 4.2	General For all applications	
4.2 4.2.1	Thermal resistance and thermal conductivity	
4.2.2	Settlement	
4.2.3	Reaction to fire	
4.2.4	Durability	
4.3 4.3.1	For specific applicationsGeneral	
4.3.2	Short-term water absorption	
4.3.3	Water vapour diffusion resistance factor	
4.3.4	Dangerous substances	
4.3.5 4.3.6	Corrosion resistance of the insulation material on certain metals Mould fungi resistance	
4.3.6 4.3.7	Airflow resistivity	
4.3.8	Continuous Glowing Combustion	
4.3.9	Sound absorption	12
4.3.10	Reaction to fire of product in standardised assemblies simulating end-use applications	12
5	Test methods	
5.1	Sampling	
5.2 5.3	Conditioning Testing	
5.3.1	General	
5.3.2	Thermal resistance and thermal conductivity	
6	Designation code	15
7	Evaluation of conformity	
<i>r</i> 7.1	General	
7.1 7.2	Initial type testing	
7.3	Factory production control	
8	Marking and labelling	16
Δηηρν	A (normative) Determination of declared thermal resistance and thermal conductivity	17
A.1	General	
A.2	Input data	17
A.3	Declared values of thermal resistance and thermal conductivity	17
Annex	B (normative) Laboratory methods for the determination of settlement	19
B.1	Blown LFCI for ventilated attics (open blow) — determination of settlement under cyclic	
D 4 4	humidityPrinciple	
B.1.1 B.1.2	Apparatus	
B.1.3	Test specimens	
B.1.4	Test procedure	

	Test report	21
B.2	Blown LFCI in timber and steel framed walls – determination of settlement under vibrations	21
B.2.1	Principle	21
	Apparatus	
	Test specimen	
B.2.4	Procedure	
B.2.5	Calculation and expression of test results	24
B.2.6	Accuracy of measurements	
B.2.7	Test report	
B.3	Blown LFCI for ventilated attics — determination of settlement under impact excitation and under increased temperature and moisture (informative and for FPC only)	
B.3.1	Principle	
	Apparatus	
	Test specimens	
	Test procedure	
B.3.5	Calculations and expression of results	
	Test report	
	·	
	C (normative) Testing for reaction to fire of products	
C.1	Scope	
C.1.1	General	
C.1.2	Product and installation parameters	
C.1.3	Ignitability (EN ISO 11925-2)	
C.1.4	Single Burning Item [SBI] (EN 13823) for loose-fill cellulose insulation products	32
Annex	D (normative) Specimen preparation method for the water absorption test	36
D.1	Principle	
D.2	Conditioning	36
D.3	Procedure	36
Annex	E (normative) Method of test for corrosion resistance	37
Annex E.1	E (normative) Method of test for corrosion resistance	37 37
E.1	E (normative) Method of test for corrosion resistance	37
Annex E.1 E.2 E.3	Principle	37 37
E.1 E.2 E.3	Principle Conditioning Reagents and materials Apparatus	37 37 37
E.1 E.2 E.3 E.4 E.5	Principle Conditioning Reagents and materials Apparatus Procedure	37 37 37 38
E.1 E.2 E.3 E.4 E.5 E.6	Principle Conditioning	37 37 37 38 38
E.1 E.2 E.3 E.4 E.5 E.6	Principle Conditioning Reagents and materials Apparatus Procedure	37 37 37 38
E.1 E.2 E.3 E.4 E.5 E.6 E.7	Principle Conditioning Reagents and materials Apparatus Procedure Classification of the results Report	37 37 37 38 38
E.1 E.2 E.3 E.4 E.5 E.6 E.7	Principle Conditioning Reagents and materials Apparatus Procedure Classification of the results Report F (normative) Method for determining mould fungi resistance	37 37 38 38 38
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex	Principle Conditioning Reagents and materials Apparatus Procedure Classification of the results Report F (normative) Method for determining mould fungi resistance Scope	37 37 37 38 38 38
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2	Principle	37 37 37 38 38 39
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3	Principle Conditioning Reagents and materials Apparatus Procedure Classification of the results Report F (normative) Method for determining mould fungi resistance Scope Significance and use Apparatus	37 37 38 38 38 39 39
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4	Principle Conditioning Reagents and materials Apparatus Procedure Classification of the results Report F (normative) Method for determining mould fungi resistance Scope Significance and use Apparatus Reagents and materials	37 37 38 38 38 39 39
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1	Principle Conditioning Reagents and materials Apparatus Procedure Classification of the results Report F (normative) Method for determining mould fungi resistance Scope Significance and use Apparatus Reagents and materials Water	37 37 38 38 38 39 39
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.4.2	Principle Conditioning Reagents and materials Apparatus Procedure Classification of the results Report F (normative) Method for determining mould fungi resistance Scope Significance and use Apparatus Reagents and materials Water Inoculum	37 37 38 38 39 39 39
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.4.2 F.5	Principle Conditioning Reagents and materials Apparatus Procedure Classification of the results Report F (normative) Method for determining mould fungi resistance Scope Significance and use Apparatus Reagents and materials Water Inoculum Specimens	373738383839393939
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.4.2 F.5 F.5.1	Principle	373738383839393939
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.4.2 F.5 F.5.1 F.5.2	Principle	3737383839393939394040
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.4.2 F.5 F.5.1 F.5.2 F.5.3	Principle	3737383839393939394040
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.4.2 F.5 F.5.1 F.5.2 F.5.3 F.6	Principle Conditioning	3737383839393939404040
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.4.2 F.5.1 F.5.2 F.5.3 F.6 F.6.1	Principle	3737383839393940404040
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.5.1 F.5.2 F.5.3 F.6 F.6.1 F.6.2	Principle	373738383939394040404040
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.5.2 F.5.3 F.5.3 F.6 F.6.1 F.6.2 F.6.3	Principle	373738383939393940404041
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.5.2 F.5.3 F.5.3 F.6 F.6.1 F.6.2 F.6.3 F.7	Principle	37373838393939394040404141
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.5.2 F.5.1 F.5.2 F.5.3 F.6.1 F.6.2 F.6.3 F.7 F.7.1	Principle Conditioning Reagents and materials Apparatus Procedure Classification of the results Report F (normative) Method for determining mould fungi resistance. Scope Significance and use Apparatus Reagents and materials Water Inoculum Specimens Viability control specimens Comparative material Test specimens Procedure Spore suspension Inoculation of test specimens, comparative material and control specimens Incubation Test analysis General	373738383939394040404141
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.5.2 F.5.1 F.5.2 F.5.3 F.6.1 F.6.2 F.6.3 F.7 F.7.1	Principle	3737383839393939404040414141
E.1 E.2 E.3 E.4 E.5 E.6 E.7 Annex F.1 F.2 F.3 F.4 F.4.1 F.5.2 F.5.1 F.5.2 F.5.3 F.6.1 F.6.2 F.6.3 F.7 F.7.1 F.7.2	Principle Conditioning Reagents and materials Apparatus Procedure Classification of the results Report F (normative) Method for determining mould fungi resistance Scope Significance and use Apparatus Reagents and materials Water Inoculum Specimens Viability control specimens Comparative material Test specimens Procedure Spore suspension Inoculation of test specimens, comparative material and control specimens Incubation Test analysis General Validation	373738383939393940404041414141

EN 15101-1:2013 (E)

Annex	G (normative) Specimen preparation method for the airflow resistance test	43
G.1	Principle	
G.2	Procedure	
Annex	H (normative) Specimen preparation method for thermal resistance and thermal	
	conductivity test	
H.1	Principle	
H.2	Procedure	
H.2.1 H.2.2	Horizontal applications, loft and floors Cavity insulation, frame constructions and cavity walls	
	I (normative) Factory production control	
Annex	J (normative) Testing for reaction to fire of products in standardised assemblies	
	simulating end-use application(s)	
J.1	Scope	
J.2	Product and installation parameters	
J.3	Mounting and fixing	
J.3.1	Ignitability (EN ISO 11925-2)	
J.3.2 J.4	Single Burning Item [SBI] (EN 13823)	
_	Field of application	
Annex	K (normative) An example of a performance chart	56
Annex	ZA (informative) Clause of this European Standard addressing the provisions of the EU	
	Construction Products Directive	
ZA.1	Scope and relevant characteristics	
ZA.2	Procedure for attestation of conformity of in situ formed loose-fill cellulose	
ZA.2.1	-,	
	EC Certificate and Declaration of conformity	
ZA.3	CE marking and labelling	62
Bibliog	graphy	64

EN 15101-1:2013 (E)

Foreword

This document (EN 15101-1:2013) has been prepared by Technical Committee CEN/TC 88 "Thermal insulating materials and products", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2014, and conflicting national standards shall be withdrawn at the latest by March 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This European Standard consists of two parts which form a package. The first part is the harmonised part satisfying the mandate and the CPD and is the basis for the CE marking covering the products, which are placed on the market. The second part, which is the non-harmonised part, covers the installation checks for the installed products.

This European Standard is one of a series for mineral wool, expanded clay, expanded perlite, exfoliated vermiculite, polyurethane/polyisocyanurate, cellulose, bound expanded polystyrene and expanded polystyrene in-situ formed insulation products used in buildings, but this standard may be used in other areas where appropriate.

The reduction in energy used and emissions produced during the installed life of insulation products exceeds by far the energy used and emissions made during the production and disposal processes.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 15101-1:2013 (E)

1 Scope

This European Standard specifies requirements for loose-fill cellulose insulation (LFCI) products for the thermal and/or sound insulation of buildings when installed into walls, floors, galleries, roofs and ceilings.

This European Standard is a specification for the loose-fill cellulose insulation (LFCI) products before installation.

This European Standard describes the product characteristics and includes procedures for testing, marking and labelling and the rules for evaluation of conformity.

Products covered by this European Standard may also be used in prefabricated thermal insulation systems and composite panels; the structural performance of systems incorporating these products is not covered.

Products with a declared thermal conductivity at 10 °C greater than 0,060 W/(m \times K) or a declared thermal resistance lower than 0,25 m² \times K/W are not covered by this European Standard.

This European Standard does not specify the required level of all properties to be achieved by a product to demonstrate fitness for purpose in a particular application. The required levels are to be found in local regulations or non-conflicting standards.

This European Standard does not cover factory made cellulose products placed on the market as bats, mats or boards intended to be used for the insulation of buildings or loose-fill cellulose products for the insulation of building equipment and industrial installations.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 312, Particleboards - Specifications

EN 508-1, Roofing products from metal sheet — Specification for self-supporting products of steel, aluminium or stainless steel sheet — Part 1: Steel

EN 520, Gypsum plasterboards — Definitions, requirements and test methods

EN 1609, Thermal insulating products for building applications — Determination of short term water absorption by partial immersion

EN 12086:2013, Thermal insulation products for building applications — Determination of water vapour transmission properties

EN 12667, Thermal performance of building materials and products — Determination of thermal resistance by means of guarded hot plate and heat flow meter methods — Products of high and medium thermal resistance

EN 13172:2012, Thermal insulating products — Evaluation of conformity

EN 13238, Reaction to fire tests for building products — Conditioning procedures and general rules for selection of substrates

EN 13501-1, Fire classification of construction products and building elements — Part 1 Classification using data from reaction to fire tests

EN 13823:2010, Reaction to fire tests for building products — Building products excluding floorings exposed to the thermal attack by a single burning item



This is a free preview. Purchase the entire publication at the link below

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation