



NSAI
Standards

Irish Standard
I.S. EN ISO 17945:2015

Petroleum, petrochemical and natural gas industries - Metallic materials resistant to sulfide stress cracking in corrosive petroleum refining environments (ISO 17945:2015)

I.S. EN ISO 17945:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 17945:2015

Published:

2015-04-22

This document was published under the authority of the NSAI and comes into effect on:

2015-05-09

ICS number:

75.180.10

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN ISO 17945

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2015

ICS 75.180.10

English Version

Petroleum, petrochemical and natural gas industries - Metallic materials resistant to sulfide stress cracking in corrosive petroleum refining environments (ISO 17945:2015)

Industries du pétrole, de la pétrochimie et du gaz naturel -
Matériaux métalliques résistant à la fissuration sous
contrainte induite par les sulfures pour utilisation dans des
environnements corrosifs de raffinage du pétrole (ISO
17945:2015)

Erdöl-, petrochemische und Erdgasindustrie - Metallische
Werkstoffe beständig gegen Schwefelwasserstoff-
Rissbildung in korrosiver Erdölraffinerieumgebung (ISO
17945:2015)

This European Standard was approved by CEN on 7 February 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 17945:2015 (E)

Contents	Page
Foreword.....	3

Foreword

This document (EN ISO 17945:2015) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2015, and conflicting national standards shall be withdrawn at the latest by October 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 17945:2015 has been approved by CEN as EN ISO 17945:2015 without any modification.

This page is intentionally left blank

INTERNATIONAL STANDARD

**ISO
17945**

First edition
2015-04-15

Petroleum, petrochemical and natural gas industries — Metallic materials resistant to sulfide stress cracking in corrosive petroleum refining environments

*Industries du pétrole, de la pétrochimie et du gaz naturel —
Matériaux métalliques résistant à la fissuration sous contrainte
induite par les sulfures pour utilisation dans des environnements
corrosifs de raffinage du pétrole*



Reference number
ISO 17945:2015(E)

© ISO 2015

ISO 17945:2015(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	3
5 Responsibilities	3
5.1 Responsibilities of the end user.....	3
5.2 Responsibility of the manufacturer.....	4
6 Factors contributing to SSC	4
6.1 General parameters affecting SSC.....	4
6.2 Effect of material condition and stress level on susceptibility to SSC.....	4
6.3 Effect of hydrogen permeation flux on SSC.....	5
6.4 Effect of elevated temperature exposure on SSC.....	5
6.5 Factors affecting time to failure due to SSC.....	6
6.6 Bases for establishing whether equipment falls within the scope of this International Standard.....	6
7 Materials included in this International Standard	6
8 Hardness requirements	7
9 Procedure for the addition of new materials or processes	8
9.1 General balloting requirements.....	8
9.2 Field experience data requirements.....	8
9.3 Laboratory test data requirements.....	8
10 New restrictions and deleted materials	8
11 Qualification of unlisted alloys, conditions, and/or processes for specific applications	9
12 Standard road map	9
13 Ferrous materials	11
13.1 Carbon and alloy steels.....	11
13.1.1 Requirements for all carbon and alloy steels.....	11
13.1.2 Requirements for carbon steels listed as P-No. 1 Group 1 or 2 in Section IX of the ASME BPVC.....	11
13.1.3 Requirements for other carbon steels.....	11
13.1.4 Requirements for alloy steels listed with P-numbers in Section IX of the ASME BPVC.....	12
13.1.5 Requirements for other alloy steels.....	12
13.1.6 Requirements for cold-formed carbon and alloy steels.....	12
13.1.7 Welding requirements for carbon steels listed as P-No. 1 in Section IX of the ASME BPVC.....	12
13.1.8 Welding requirements for alloy steels listed as P-No. 3, 4, or 5A in Section IX of the ASME BPVC.....	13
13.1.9 Corrosion resistant weld overlays, hard facing weld overlays, cladding, and thermal spray coatings on carbon steels and alloy steels.....	13
13.2 Cast iron and ductile iron.....	13
13.3 Ferritic stainless steels.....	14
13.4 Martensitic stainless steels.....	14
13.4.1 Conventional martensitic stainless steels.....	14
13.4.2 Low-carbon martensitic stainless steels.....	14
13.4.3 Welding and overlays on martensitic stainless steels.....	15
13.5 Austenitic stainless steels.....	15

ISO 17945:2015(E)

13.6	Specific austenitic stainless steel grades.....	16
13.7	Highly alloyed austenitic stainless steels.....	16
13.8	Duplex stainless steels.....	16
13.8.1	General requirements for duplex stainless steels.....	16
13.8.2	Welding requirements for duplex stainless steels.....	17
13.9	Precipitation-hardenable stainless steels.....	17
13.9.1	Austenitic precipitation-hardenable stainless steel.....	17
13.9.2	Martensitic precipitation-hardenable stainless steels.....	17
13.9.3	Welding requirements for precipitation-hardenable stainless steels.....	18
14	Nonferrous materials.....	19
14.1	Nickel alloys.....	19
14.1.1	Solid-solution nickel alloys.....	19
14.1.2	Precipitation-hardenable nickel alloys.....	20
14.2	Cobalt-Nickel-chromium-molybdenum alloys.....	20
14.3	Cobalt-nickel-chromium-tungsten alloys.....	21
14.4	Titanium alloys.....	21
14.5	Aluminium alloys.....	22
14.6	Copper alloys.....	22
15	Fabrication requirements.....	22
15.1	General fabrication requirements.....	22
15.2	Corrosion resistant overlays, hard facing overlays, and cladding.....	22
15.3	Welding.....	22
15.4	Cladding on carbon steels, alloy steels, and martensitic stainless steels.....	23
15.5	Identification stamping.....	23
15.6	Threading.....	24
15.6.1	Machine-cut threads.....	24
15.6.2	Cold-formed (rolled) threads.....	24
15.7	Cold-deformation processes.....	24
16	Bolting.....	24
16.1	General bolting requirements.....	24
16.2	Exposed bolting.....	24
16.3	Nonexposed bolting.....	25
17	Plating, coatings, and diffusion processes.....	25
18	Special components.....	25
18.1	General requirements for special components.....	25
18.2	Bearings.....	25
18.3	Springs.....	26
18.4	Instrumentation and control devices.....	26
18.4.1	General requirements for instrumentation and control devices.....	26
18.4.2	Diaphragms, pressure-measuring devices, and pressure seals.....	26
18.5	Seal rings and gaskets.....	26
18.6	Snap Rings.....	27
18.7	Special process parts.....	27
19	Valves.....	27
20	Compressors and pumps.....	27
Annex A (informative)	Sulfide species plot.....	29
Annex B (informative)	Background information on hardness testing and requirements.....	30
Annex C (normative)	Welding procedure qualification hardness survey layouts.....	34
Bibliography.....		43

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*.

ISO 17945:2015(E)

Introduction

The term “wet H₂S cracking”, as used in the refining industry, covers a range of damage mechanisms that can occur because of the effects of hydrogen charging in wet H₂S refinery or gas plant process environments. One of the types of material damage that can occur as a result of hydrogen charging is sulfide stress cracking (SSC) of hard weldments and microstructures, which is addressed by this International Standard. Other types of material damage include hydrogen blistering, hydrogen-induced cracking (HIC), and stress-oriented hydrogen-induced cracking (SOHIC), which are not addressed by this International Standard.

Historically, many end users, industry organizations (e.g. API), and manufacturers that have specified and supplied equipment and products such as rotating equipment and valves to the refining industry have used NACE MR0175/ISO 15156 to establish materials requirements to prevent SSC. However, it has always been recognized that refining environments are outside the scope of NACE MR0175/ISO 15156, which was developed specifically for the oil and gas production industry. In 2003, the first edition of NACE MR0103 was published as a refinery-specific sour service metallic materials standard. This International Standard is based on the good experience gained with NACE MR0175/ISO 15156, but tailored to refinery environments and applications. Other references for this International Standard are NACE SP0296, NACE Publication 8X194, NACE Publication 8X294, and the refining experience of the task group members who developed NACE MR0103.

The materials, heat treatments, and material property requirements set forth in NACE MR0103 are based on extensive experience in the oil and gas production industry, as documented in NACE MR0175/ISO 15156, and were deemed relevant to the refining industry by the task group.

This International Standard was developed on the basis of NACE MR0103.

Petroleum, petrochemical and natural gas industries — Metallic materials resistant to sulfide stress cracking in corrosive petroleum refining environments

1 Scope

This International Standard establishes material requirements for resistance to SSC in sour petroleum refining and related processing environments containing H₂S either as a gas or dissolved in an aqueous (liquid water) phase with or without the presence of hydrocarbon. This International Standard does not include and is not intended to include design specifications. Other forms of wet H₂S cracking, environmental cracking, corrosion, and other modes of failure are outside the scope of this International Standard. It is intended to be used by refiners, equipment manufacturers, engineering contractors, and construction contractors.

Specifically, this International Standard is directed at the prevention of SSC of equipment (including pressure vessels, heat exchangers, piping, valve bodies, and pump and compressor cases) and components used in the refining industry. Prevention of SSC in carbon steel categorized under P-No. 1 in Section IX of the ASME Boiler and Pressure Vessel Code (BPVC) is addressed by requiring compliance with NACE SP0472.

This International Standard applies to all components of equipment exposed to sour refinery environments (see [Clause 6](#)) where failure by SSC would (1) compromise the integrity of the pressure-containment system, (2) prevent the basic function of the equipment, and/or (3) prevent the equipment from being restored to an operating condition while continuing to contain pressure.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NACE Standard TM0177, *Laboratory Testing of Metals for Resistance to Sulfide Stress Cracking and Stress Corrosion Cracking in H₂S Environments*¹⁾

ANSI/NACE MR0175/ISO 15156, *Petroleum and natural gas industries — Materials for use in H₂S-containing environments in oil and gas production*¹⁾

ASTM A833, *Standard Practice for Indentation Hardness of Metallic Materials by Comparison Hardness Testers*

ASTM E384, *Standard Test Method for Knoop and Vickers Hardness of Materials*

ASTM E562, *Standard Test Method for Determining Volume Fraction by Systematic Manual Point Count*

SAE AMS2430, *Shot Peening, Automatic*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

lower transformation temperature

A_{c1}

temperature at which austenite begins to form during heating

1) NACE International, 1440 South Creek Dr., Houston, TX 77084-4906, USA.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-