



NSAI
Standards

Irish Standard
I.S. EN 50131-10:2014

Alarm systems - Intrusion and hold-up systems - Part 10: Application specific requirements for Supervised Premises Transceiver (SPT)

I.S. EN 50131-10:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 50131-10:2014

Published:

2014-06-06

This document was published under the authority of the NSAI and comes into effect on:

2014-06-24

ICS number:

13.320

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

**EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM**

EN 50131-10

June 2014

ICS 13.320

English Version

**Alarm systems - Intrusion and hold-up systems - Part 10:
Application specific requirements for Supervised Premises
Transceiver (SPT)**

Systèmes d'alarme - Systèmes d'alarme contre l'intrusion et
les hold-up - Partie 10: Exigences d'application spécifiques
pour les transmetteurs des locaux surveillés

Alarmanlagen - Einbruch- und Überfallmeldeanlagen - Teil
10: Anwendungsspezifische Anforderungen an
Übertragungseinrichtungen (ÜE)

This European Standard was approved by CENELEC on 2014-03-10. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	page
Introduction.....	- 4 -
1 Scope	- 5 -
2 Normative references	- 5 -
3 Terms, definitions and abbreviations	- 6 -
3.1 Terms and definitions	- 6 -
3.2 Abbreviations	- 6 -
4 General requirements.....	- 6 -
4.1 Additional functions	- 6 -
4.2 Equipment features	- 7 -
4.3 SPT structure.....	- 7 -
5 Security grade	- 7 -
6 Environmental performance	- 7 -
6.1 Requirements	- 7 -
6.2 Environmental tests	- 7 -
7 Functional requirements.....	- 8 -
7.1 Tamper	- 8 -
7.2 Monitoring of substitution.....	- 9 -
7.3 Wireless interconnections.....	- 9 -
7.4 Power supply	- 10 -
8 Product documentation	- 10 -
9 Marking and labelling	- 10 -
10 Tests.....	- 11 -
10.1 General	- 11 -
10.2 Test conditions	- 11 -
10.3 Tamper security tests	- 12 -
10.4 Substitution tests	- 14 -
10.5 Power supply	- 14 -
10.6 Documentation and marking.....	- 16 -
10.7 Environmental and EMC tests.....	- 16 -
Annex A (informative) Classification of SPT.....	- 18 -
Bibliography.....	- 19 -

Tables

Table 1 – Tamper protection	- 8 -
Table 2 – Tamper detection.....	- 8 -
Table 3 – Tool dimension for tamper detection	- 9 -
Table 4 – Removal from mounting	- 9 -
Table 5 – Environmental and EMC tests and severity	- 17 -

Foreword

This document (EN 50131-10:2014) has been prepared by CLC/TC 79 "Alarm systems".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-03-10
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2017-03-10

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

The EN/TS 50131 series consists of the following parts, under the general title *Alarm systems – Intrusion and hold-up systems*:

- Part 1 System requirements
- Part 2-2 Intrusion detectors – Passive infrared detectors
- Part 2-3 Requirements for microwave detectors
- Part 2-4 Requirements for combined passive infrared and microwave detectors
- Part 2-5 Requirements for combined passive infrared and ultrasonic detectors
- Part 2-6 Opening contacts (magnetic)
- Part 2-7-1 Intrusion detectors – Glass break detectors (acoustics)
- Part 2-7-2 Intrusion detectors – Glass break detectors (passive)
- Part 2-7-3 Intrusion detectors – Glass break detectors (active)
- Part 2-8 Intrusion detectors – Shock detectors
- Part 2-9¹⁾ Intrusion detectors – Active infrared detectors
- Part 3 Control and indicating equipment
- Part 4 Warning devices
- Part 5-1¹⁾ Requirements for wired interconnection for I&HAS equipments located in supervised premises
- Part 5-3 Requirements for interconnections equipment using radio frequency techniques
- Part 5-4 System compatibility testing for I&HAS equipments located in supervised premises
- Part 6 Power supplies
- Part 7 Application guidelines
- Part 8 Security fog device/systems
- Part 9¹⁾ Alarm verification – Methods and principles
- Part 10 Application specific requirements for Supervised Premises Transceiver (SPT)

¹⁾ At draft stage.

Introduction

This European Standard should be read in conjunction with EN/TS 50136 series, particularly EN 50136-2, and includes requirements for Supervised Premises Transceivers (SPT) specific to Intrusion and hold-up alarm system (I&HAS) applications.

EN 50131-1 requires that notification be by warning device (WD) and/or alarm transmission system (ATS). The SPT is the equipment that forms part of the ATS and provides the interface to the I&HAS. A WD is a local means of notification whereas the SPT is a means of initiating notification at a distance through Annunciation Equipment (AE), via a network and Receiving Centre Transceiver (RCT).

EN 50131-1 in particular states the Alarm Transmission System (ATS) performance criteria to be used with an I&HAS according to its security grade.

1 Scope

This European Standard specifies requirements for SPT used in I&HAS to transmit alarm and other messages to a location remote from the supervised premises.

NOTE 1 Requirements for the transmission of alarms are given in the EN/TS 50136 series of standards. EN 50136-2 gives requirements for SPT for use in any type of alarm system (e.g. fire, social care, intrusion, etc).

This European Standard gives specific requirements for SPT used in Intrusion and Hold-up Alarm Systems (I&HAS) and should be used in combination with EN 50136-2.

The requirements of this European Standard apply to different types of SPT including separate SPT, SPT located within the housings of other I&HAS components and also when the SPT functionality is integrated with the CIE or other parts of an I&HAS.

NOTE 2 To facilitate the differing requirements this European Standard includes a categorisation with three types (X, Y and Z).

This European Standard does not give requirements for the ATS network or performance.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50130-4, *Alarm systems – Part 4: Electromagnetic compatibility – Product family standard: Immunity requirements for components of fire, intruder hold up, CCTV, access control and social alarm systems*

EN 50130-5, *Alarm systems – Part 5: Environmental test methods*

EN 50131-1:2006, *Alarm systems – Intrusion and hold-up systems – Part 1: System requirements*

EN 50131-3, *Alarm Systems – Intrusion and hold-up systems – Part 3 Control and indicating equipment*

EN 50131-6, *Alarm systems – Intrusion and hold-up systems – Part 6: Power supplies*

EN 50136-1:2012, *Alarm systems – Alarm transmission systems and equipment – Part 1: General requirements for alarm transmission systems*

EN 50136-2:2013, *Alarm systems – Alarm transmission systems and equipment – Part 2: Requirements for Supervised Premises Transceiver (SPT)*

EN 60068-1:1994, *Environmental testing – Part 1: General and guidance (IEC 60068-1:1994)*

EN 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests (IEC 60068-2-75)*

EN 60529, *Degrees of protection provided by enclosures (IP code) (IEC 60529)*

EN 62262, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code) (IEC 62262)*



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- Looking for additional Standards? Visit Intertek Inform Infostore
- Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation