

Irish Standard I.S. EN 61915-2:2012

Low-voltage switchgear and controlgear - Device profiles for networked industrial devices -- Part 2: Root device profiles for starters and similar equipment (IEC 61915-2:2011 (EQV))

© NSAI 2012

No copying without NSAI permission except as permitted by copyright law.

Dublin 9

Incorporating amendments/corrigenda issued since publication:			

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	This document EN 61915-2:201		shed: ch, 2012
This document was published under the authority of the NSAI and comes into effect on: 14 March, 2012		ICS number: 29.130	
NSAI 1 Swift Square, Northwood, Santry	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie	Sales: T +353 1 857 6730 F +353 1 857 6729	-

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

W NSALie

EUROPEAN STANDARD

EN 61915-2

NORME EUROPÉENNE EUROPÄISCHE NORM

March 2012

ICS 29.130

English version

Low-voltage switchgear and controlgear Device profiles for networked industrial devices Part 2: Root device profiles for starters and similar equipment (IEC 61915-2:2011)

Appareillage à basse tension -Profils d'appareil pour les appareils industriels mis en réseau -Partie 2: Profils racines d'appareil pour les démarreurs et les matériels similaires (CEI 61915-2:2011) Niederspannungsschaltgeräte -Geräteprofile für vernetzte industrielle Schaltgeräte -Teil 2: Grundlegende Geräteprofile für Starter und ähnliche Betriebsmittel (IEC 61915-2:2011)

This European Standard was approved by CENELEC on 2011-11-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 61915-2:2012

Foreword

- 2 -

The text of document 17B/1752/FDIS, future edition 1 of IEC 61915-2, prepared by SC 17B, "Low-voltage switchgear and controlgear", of IEC/TC 17, "Switchgear and controlgear" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61915-2:2012.

The following dates are fixed:

•	latest date by which the document has	(dop)	2012-08-24
	to be implemented at national level by		
	publication of an identical national		
	standard or by endorsement		
•	latest date by which the national	(dow)	2014-11-24
	standards conflicting with the		
	document have to be withdrawn		

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61915-2:2011 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60947 series	NOTE	Harmonized in EN 60947 series.
IEC 60947-4-1:2009	NOTE	Harmonized as EN 60947-4-1:2010 (not modified).
IEC 60947-4-2:2011	NOTE	Harmonized as EN 60947-4-2:201X ¹⁾ (not modified).
IEC 60947-4-3:1999 + A1:2006 + A2:2011	NOTE	Harmonized as EN 60947-4-3:2000 + A1:2006 + A2:2011 (not modified).
IEC 60947-6-2:2002 + A1:2007	NOTE	Harmonized as EN 60947-6-2:2003 + A1:2007 (not modified).
IEC 60947-8:2003 + A1:2006 + A2:2011	NOTE	Harmonized as EN 60947-8:2003 + A1:2006 + A2:201X ¹⁾ (not modified).

¹⁾ To be published.

- 3 -

EN 61915-2:2012

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60947-1 + A1	2007 2010	Low-voltage switchgear and controlgear - Part 1: General rules	EN 60947-1 + A1	2007 2011
IEC 61915-1	2007	Low-voltage switchgear and controlgear - Device profiles for networked industrial devices - Part 1: General rules for the development of device profiles	EN 61915-1	2008

This is a free page sample. Access the full version online.

I.S. EN 61915-2:2012

This page is intentionally left BLANK.

- 2 -

61915-2 © IEC:2011

CONTENTS

INTRODUCTION	FOI	REWO	DRD	3	
2 Normative references 6 3 Terms, definitions and abbreviated terms 6 3.1 General 6 3.2 Terms and definitions 6 3.3 Abbreviated terms 9 4 Root device profiles 9 5 Common elements of the root device profile 11 5.1 R parameters 11 5.2 RW parameters 17 5.3 Parameter groups 20 5.4 State model 22 5.4.1 Motor starter 22 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor management starter 25	INT	RODU	JCTION	5	
3 Terms, definitions and abbreviated terms 6 3.1 General 6 3.2 Terms and definitions 6 3.3 Abbreviated terms 9 4 Root device profiles 9 5 Common elements of the root device profile 11 5.1 R parameters 11 5.1 R parameters 17 5.3 Parameter groups 20 5.4 State model 22 5.4.1 Motor starter 22 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 3 – RW parameters	1	Scope			
3.1 General 6 3.2 Terms and definitions 6 3.3 Abbreviated terms 9 4 Root device profiles 9 5 Common elements of the root device profile 11 5.1 R parameters 11 5.2 RW parameters 17 5.3 Parameter groups 20 5.4 State model 22 5.4.1 Motor starter 22 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 11 Table 4 – Parameters groups 20 Table 6 – State transition table of motor management starter 23	2	Norm	native references	6	
3.2 Terms and definitions 6 3.3 Abbreviated terms 9 4 Root device profiles 9 5 Common elements of the root device profile 11 5.1 R parameters 11 5.2 RW parameters 17 5.3 Parameter groups 20 5.4 State model 22 5.4.1 Motor starter 22 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management star	3	Term	s, definitions and abbreviated terms	6	
3.3 Abbreviated terms 9 4 Root device profiles 9 5 Common elements of the root device profile 11 5.1 R parameters 11 5.2 RW parameters 17 5.3 Parameter groups 20 5.4 State model 22 5.4.1 Motor starter 22 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starte		3.1	General	6	
4 Root device profiles 9 5 Common elements of the root device profile 11 5.1 R parameters 11 5.2 RW parameters 17 5.3 Parameter groups 20 5.4 State model 22 5.4.1 Motor starter 22 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(3.2	Terms and definitions	6	
5 Common elements of the root device profile 11 5.1 R parameters 11 5.2 RW parameters 17 5.3 Parameter groups 20 5.4 State model 22 5.4.1 Motor starter 22 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31					
5.1 R parameters 11 5.2 RW parameters 17 5.3 Parameter groups 20 5.4 State model 22 5.4.1 Motor starter 22 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 <tr< td=""><td>4</td><td>Root</td><td>device profiles</td><td>9</td></tr<>	4	Root	device profiles	9	
5.2 RW parameters 17 5.3 Parameter groups 20 5.4 State model 22 5.4.1 Motor starter 24 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31 <td>5</td> <td>Comi</td> <td>mon elements of the root device profile</td> <td>11</td>	5	Comi	mon elements of the root device profile	11	
5.3 Parameter groups 20 5.4 State model 22 5.4.1 Motor starter 24 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31			•		
5.4 State model 22 5.4.1 Motor starter 22 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 11 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31			•		
5.4.1 Motor starter 22 5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31			•		
5.4.2 Soft starter 24 5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31		5.4			
5.4.3 Motor management starter 24 6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31					
6 Root device profiles 27 6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31					
6.1 Assemblies supported 27 6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31	6	Root	•		
6.2 Motor starter 28 6.3 Soft starter 31 6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31			·		
6.4 Motor management starter 33 7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31			• •		
7 Tests 35 Bibliography 36 Figure 1 – State chart diagram of motor starter 22 Figure 2 – State chart diagram of motor management starter 24 Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31		6.3	Soft starter	31	
Bibliography		6.4	Motor management starter	33	
Figure 1 – State chart diagram of motor starter	7	Tests	S	35	
Figure 2 – State chart diagram of motor management starter24Table 1 – List of root device profiles9Table 2 – R parameters11Table 3 – RW parameters17Table 4 – Parameters groups20Table 5 – State transition table of motor starter23Table 6 – State transition table of motor management starter25Table 7 – P(IEC 61915-2)0000128Table 8 – P(IEC 61915-2)0000231	Bib	liogra	phy	36	
Figure 2 – State chart diagram of motor management starter24Table 1 – List of root device profiles9Table 2 – R parameters11Table 3 – RW parameters17Table 4 – Parameters groups20Table 5 – State transition table of motor starter23Table 6 – State transition table of motor management starter25Table 7 – P(IEC 61915-2)0000128Table 8 – P(IEC 61915-2)0000231	Fia	ure 1 -	– State chart diagram of motor starter	22	
Table 1 – List of root device profiles 9 Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31	_				
Table 2 – R parameters 11 Table 3 – RW parameters 17 Table 4 – Parameters groups 20 Table 5 – State transition table of motor starter 23 Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31					
Table 3 – RW parameters17Table 4 – Parameters groups20Table 5 – State transition table of motor starter23Table 6 – State transition table of motor management starter25Table 7 – P(IEC 61915-2)0000128Table 8 – P(IEC 61915-2)0000231	Tab	ole 1 –	List of root device profiles	9	
Table 4 – Parameters groups20Table 5 – State transition table of motor starter23Table 6 – State transition table of motor management starter25Table 7 – P(IEC 61915-2)0000128Table 8 – P(IEC 61915-2)0000231	Tab	le 2 –	- R parameters	11	
Table 5 – State transition table of motor starter	Tab	le 3 –	- RW parameters	17	
Table 6 – State transition table of motor management starter 25 Table 7 – P(IEC 61915-2)00001 28 Table 8 – P(IEC 61915-2)00002 31	Tab	le 4 –	- Parameters groups	20	
Table 7 – P(IEC 61915-2)00001	Tab	le 5 –	State transition table of motor starter	23	
Table 7 – P(IEC 61915-2)00001					
Table 8 – P(IEC 61915-2)0000231					
·					
Table 9 - P(IEC 61915-2)0000333			P(IEC 61915-2)00003		

61915-2 © IEC:2011

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR – DEVICE PROFILES FOR NETWORKED INDUSTRIAL DEVICES –

Part 2: Root device profiles for starters and similar equipment

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61915-2 has been prepared by the subcommittee 17B: Low-voltage switchgear and controlgear, of the IEC technical committee 17: Switchgear and controlgear.

The text of this standard is based on the following documents:

FDIS	Report on voting
17B/1752/FDIS	17B/1755/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

-4 -

61915-2 © IEC:2011

A list of all parts of the IEC 61915 series can be found, under the general title Low-voltage switchgear and controlgear – Device profiles for networked industrial devices, on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

61915-2 © IEC:2011

- 5 -

INTRODUCTION

This International Standard follows the rules and uses the framework of IEC 61915-1, Low-voltage switchgear and controlgear – Device profiles for networked industrial devices – Part 1: General rules for the development of device profiles. This International Standard is to define the common set of functionality (data and behaviour) for motor starters and similar devices thereby allowing system designers, system integrators and maintenance personnel to handle profile-based devices without a special tool configuration.

This International Standard gives manufacturers and other organizations the common set of functionality to represent their network capable devices. Manufacturers or other organizations may use the root device profiles specified to add their manufacturer-specific extensions.



This is a free preview	 Purchase the entire 	e publication at the link below:
------------------------	---	----------------------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation