



**NSAI**  
Standards

Irish Standard  
I.S. EN ISO 11665-1:2015

Measurement of radioactivity in the environment - Air: radon-222 - Part 1: Origins of radon and its short-lived decay products and associated measurement methods (ISO 11665-1:2012)

## I.S. EN ISO 11665-1:2015

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN ISO 11665-1:2015

*Published:*

2015-09-16

*This document was published under the authority of the NSAI and comes into effect on:*

2015-10-05

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## National Foreword

I.S. EN ISO 11665-1:2015 is the adopted Irish version of the European Document EN ISO 11665-1:2015, Measurement of radioactivity in the environment - Air: radon-222 - Part 1: Origins of radon and its short-lived decay products and associated measurement methods (ISO 11665-1:2012)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with this document does not of itself confer immunity from legal obligations.**

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.*

This page is intentionally left blank

EUROPEAN STANDARD

**EN ISO 11665-1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2015

ICS 17.240

English Version

**Measurement of radioactivity in the environment - Air:  
radon-222 - Part 1: Origins of radon and its short-lived  
decay products and associated measurement methods  
(ISO 11665-1:2012)**

Mesurage de la radioactivité dans l'environnement -  
Air: radon 222 - Partie 1: Origine du radon et de ses  
descendants à vie courte, et méthodes de mesure  
associées (ISO 11665-1:2012)

Ermittlung der Radioaktivität in der Umwelt - Luft:  
Radon-222 - Teil 1: Radon und seine kurzlebigen  
 Folgeprodukte: Quellen und Messverfahren (ISO  
11665-1:2012)

This European Standard was approved by CEN on 12 June 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>	<b>Page</b>
<b>European foreword.....</b>	<b>3</b>

## **European foreword**

The text of ISO 11665-1:2012 has been prepared by Technical Committee ISO/TC 85 “Nuclear energy, nuclear technologies, and radiological protection” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 11665-1:2015 by Technical Committee CEN/TC 430 “Nuclear energy, nuclear technologies, and radiological protection” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2016, and conflicting national standards shall be withdrawn at the latest by March 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **Endorsement notice**

The text of ISO 11665-1:2012 has been approved by CEN as EN ISO 11665-1:2015 without any modification.

This page is intentionally left blank



---

---

**Measurement of radioactivity in the  
environment — Air: radon-222 —**

Part 1:

**Origins of radon and its short-lived  
decay products and associated  
measurement methods**

*Mesurage de la radioactivité dans l'environnement — Air: radon 222 —*

*Partie 1: Origine du radon et de ses descendants à vie courte, et  
méthodes de mesure associées*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

<b>Contents</b>	<b>Page</b>
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms, definitions and symbols</b> .....	<b>1</b>
<b>3.1 Terms and definitions</b> .....	<b>1</b>
<b>3.2 Symbols</b> .....	<b>8</b>
<b>4 Principle</b> .....	<b>9</b>
<b>5 Equipment</b> .....	<b>9</b>
<b>6 Sampling</b> .....	<b>10</b>
<b>6.1 General</b> .....	<b>10</b>
<b>6.2 Sampling objective</b> .....	<b>10</b>
<b>6.3 Sampling characteristics</b> .....	<b>10</b>
<b>6.4 Sampling conditions</b> .....	<b>11</b>
<b>7 Detection</b> .....	<b>12</b>
<b>7.1 Silver-activated zinc sulphide ZnS(Ag) scintillation</b> .....	<b>12</b>
<b>7.2 Gamma-ray spectrometry</b> .....	<b>13</b>
<b>7.3 Liquid scintillation</b> .....	<b>13</b>
<b>7.4 Air ionization</b> .....	<b>13</b>
<b>7.5 Semi-conductor (alpha detection)</b> .....	<b>13</b>
<b>7.6 Solid-state nuclear track detectors (SSNTD)</b> .....	<b>13</b>
<b>7.7 Discharge of polarised surface inside an ionization chamber</b> .....	<b>13</b>
<b>8 Measurement</b> .....	<b>13</b>
<b>8.1 Methods</b> .....	<b>13</b>
<b>8.2 Influence quantities</b> .....	<b>14</b>
<b>8.3 Calibration</b> .....	<b>15</b>
<b>8.4 Quality control</b> .....	<b>15</b>
<b>9 Expression of results</b> .....	<b>15</b>
<b>10 Test report</b> .....	<b>15</b>
<b>Annex A (informative) Radon and its decay products — General information</b> .....	<b>17</b>
<b>Annex B (informative) Example of results of spot, integrated and continuous measurements of radon-222 activity concentration</b> .....	<b>25</b>
<b>Annex C (informative) Example of a test report</b> .....	<b>27</b>
<b>Bibliography</b> .....	<b>28</b>

## ISO 11665-1:2012(E)

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 11665-1 was prepared by Technical Committee ISO/TC 85, *Nuclear energy, nuclear technologies, and radiological protection*, Subcommittee SC 2, *Radiological protection*.

ISO 11665 consists of the following parts, under the general title *Measurement of radioactivity in the environment — Air: radon-222*:

- *Part 1: Origins of radon and its short-lived decay products and associated measurement methods*
- *Part 2: Integrated measurement method for determining average potential alpha energy concentration of its short-lived decay products*
- *Part 3: Spot measurement method of the potential alpha energy concentration of its short-lived decay products*
- *Part 4: Integrated measurement method for determining average activity concentration using passive sampling and delayed analysis*
- *Part 5: Continuous measurement method of the activity concentration*
- *Part 6: Spot measurement method of the activity concentration*
- *Part 7: Accumulation method for estimating surface exhalation rate*
- *Part 8: Methodologies for initial and additional investigations in buildings*

The following parts are under preparation:

- *Part 9: Method for determining exhalation rate of dense building materials*
- *Part 10: Determination of diffusion coefficient in waterproof materials using activity concentration measurement*

## Introduction

Radon isotopes 222, 220 and 219 are radioactive gases produced by the disintegration of radium isotopes 226, 224 and 223, which are decay products of uranium-238, thorium-232 and uranium-235 respectively, and are all found in the earth's crust (see Annex A for further information). Solid elements, also radioactive, followed by stable lead are produced by radon disintegration<sup>[1]</sup>.

Radon is considered a noble gas in the periodic table of elements, along with helium, argon, neon, krypton and xenon.

When disintegrating, radon emits alpha particles and generates solid decay products, which are also radioactive (polonium, bismuth, lead, etc.). The potential effects on human health of radon lie in its decay products rather than the gas itself. Whether or not they are attached to atmospheric aerosols, radon decay products can be inhaled and deposited in the bronchopulmonary tree to varying depths according to their size<sup>[2][3][4][5]</sup>.

Radon is today considered to be the main source of human exposure to natural radiation. The UNSCEAR (2006) report<sup>[6]</sup> suggests that, at the worldwide level, radon accounts for around 52 % of global average exposure to natural radiation. The radiological impact of isotope 222 (48 %) is far more significant than isotope 220 (4 %), while isotope 219 is considered negligible (see Annex A). For this reason, references to radon in this part of ISO 11665 refer only to radon-222.

Radon activity concentration can vary by one to multiple orders of magnitude over time and space. Exposure to radon and its decay products varies tremendously from one area to another, as it depends firstly on the amount of radon emitted by the soil and the building materials in each area and, secondly, on the degree of containment and weather conditions in the areas where individuals are exposed.

The values usually found in the continental environment are normally between a few becquerels per cubic metre and several thousand becquerels per cubic metre. Activity concentrations of less than one becquerel per cubic metre may be observed in the oceanic environment. Radon activity concentrations vary inside houses from several tens of becquerels per cubic metre to several hundreds of becquerels per cubic metre<sup>[7]</sup>. Activity concentration can reach several thousands of becquerels per cubic metre in very confined spaces. Variations of a few nanojoules per cubic metre to several thousand nanojoules per cubic metre are observed for the potential alpha energy concentration of short-lived radon decay products.

ISO 11665 consists of 10 parts (see Figure 1) dealing with:

- measurement methods for radon-222 and its short-lived decay products (see ISO 11665-2, ISO 11665-3, ISO 11665-4, ISO 11665-5 and ISO 11665-6);

NOTE 1 There are many methods for measuring the radon-222 activity concentration and the potential alpha energy concentration of its short-lived decay products. The choice of measurement method will depend on the expected level of concentration and on the intended use of the data, such as scientific research and health-related assessments<sup>[8][9]</sup>.

- measurement methods for the radon-222 exhalation rate (see ISO 11665-7 and ISO 11665-9);

NOTE 2 ISO 11665-7 refers back to ISO 11665-5 and ISO 11665-6.

- measurement methods for the radon-222 diffusion coefficient (see ISO 11665-10);
- methodologies for radon-222 measurements in buildings (see ISO 11665-8).

NOTE 3 ISO 11665-8 refers back to ISO 11665-4 for radon measurements for initial investigation purposes in a building and to ISO 11665-5, ISO 11665-6 and ISO 11665-7 for measurements for any additional investigation.




Figure 1 — Structure of the ISO 11665 series

# Measurement of radioactivity in the environment — Air: radon-222 —

## Part 1: Origins of radon and its short-lived decay products and associated measurement methods

### 1 Scope

This part of ISO 11665 outlines guidance for measuring radon-222 activity concentration and the potential alpha energy concentration of its short-lived decay products in the air.

The measurement methods fall into three categories:

- a) spot measurement methods;
- b) continuous measurement methods;
- c) integrated measurement methods.

This part of ISO 11665 provides several methods commonly used for measuring radon-222 and its short-lived decay products in air.

This part of ISO 11665 also provides guidance on the determination of the inherent uncertainty linked to the measurement methods described in its different parts.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*

IEC 61577-1, *Radiation protection instrumentation — Radon and radon decay product measuring instruments — Part 1: General principles*

IEC 61577-2, *Radiation protection instrumentation — Radon and radon decay product measuring instruments — Part 2: Specific requirements for radon measuring instruments*

IEC 61577-3, *Radiation protection instrumentation — Radon and radon decay product measuring instruments — Part 3: Specific requirements for radon decay product measuring instruments*

### 3 Terms, definitions and symbols

#### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

##### 3.1.1

##### **active sampling**

sampling using active devices like pumps for sampling the atmosphere

[IEC 61577-1:2006]

**ISO 11665-1:2012(E)****3.1.2****activity**

disintegration rate

number of spontaneous nuclear disintegrations occurring in a given quantity of material during a suitably small interval of time divided by that interval of time

[ISO 921:1997, term 23]

NOTE 1 Activity,  $A$ , is expressed by the relationship given in Formula (1):

$$A = \lambda \cdot N \quad (1)$$

where

 $\lambda$  is the decay constant per second; $N$  is the number of atoms.

NOTE 2 The decay constant is linked to the radioactive half-life by the relationship:

$$\lambda = \frac{\ln 2}{T_{1/2}} \quad (2)$$

where

 $T_{1/2}$  is the radioactive half-life, in seconds.**3.1.3****activity concentration**

activity per unit volume

[IEC 61577-1:2006]

**3.1.4****attached fraction**

fraction of the potential alpha energy concentration of short-lived decay products that is attached to the ambient aerosol

[IEC 61577-1:2006]

NOTE The sizes of the carrier aerosol to which most of the short-lived decay products are attached are generally in the 0,1  $\mu\text{m}$  to 0,3  $\mu\text{m}$  range of median values.**3.1.5****average activity concentration**

exposure to activity concentration divided by the sampling duration

**3.1.6****average potential alpha energy concentration**

exposure to potential alpha energy concentration divided by the sampling duration

**3.1.7****background noise**

signals caused by something other than the radiation to be detected

NOTE A distinction can be made between signals caused by radiation from sources inside or outside the detector other than those targeted for the measurements and signals caused by defects in the detection system electronic circuits and their electrical power supply.



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-