



NSAI
Standards

Irish Standard
I.S. EN ISO 11979-7:2014

Ophthalmic implants - Intraocular lenses - Part 7: Clinical investigations (ISO 11979- 7:2014)

I.S. EN ISO 11979-7:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 11979-7:2014

Published:

2014-09-03

This document was published under the authority of the NSAI and comes into effect on:

2014-09-20

ICS number:

11.040.70

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN ISO 11979-7

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2014

ICS 11.040.70

Supersedes EN ISO 11979-7:2006

English Version

Ophthalmic implants - Intraocular lenses - Part 7: Clinical investigations (ISO 11979-7:2014)

Implants ophtalmiques - Lentilles intraoculaires - Partie 7:
Investigations cliniques (ISO 11979-7:2014)

Ophthalmische Implantate - Intraokularlinsen - Teil 7:
Klinische Prüfungen (ISO 11979-7:2014)

This European Standard was approved by CEN on 18 July 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 11979-7:2014 (E)

Contents	Page
Foreword.....	3

Foreword

This document (EN ISO 11979-7:2014) has been prepared by Technical Committee ISO/TC 172 “Optics and photonics” in collaboration with Technical Committee CEN/TC 170 “Ophthalmic optics” the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2015, and conflicting national standards shall be withdrawn at the latest by March 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11979-7:2006.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11979-7:2014 has been approved by CEN as EN ISO 11979-7:2014 without any modification.

This page is intentionally left blank

**INTERNATIONAL
STANDARD**

**ISO
11979-7**

Third edition
2014-09-01

**Ophthalmic implants — Intraocular
lenses —**

**Part 7:
Clinical investigations**

Implants ophtalmiques — Lentilles intraoculaires —

Partie 7: Investigations cliniques



Reference number
ISO 11979-7:2014(E)

© ISO 2014

ISO 11979-7:2014(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Justification for a clinical investigation	1
5 Ethical considerations	1
6 General requirements	1
6.1 General.....	1
6.2 Design.....	2
6.3 Characteristics.....	2
6.4 Investigation duration.....	4
6.5 Enrollment.....	4
6.6 Bilateral implantation.....	4
6.7 Surgical technique.....	4
6.8 Examination and treatment of subjects.....	5
6.9 Adverse events reports.....	5
6.10 Inclusion and exclusion criteria.....	5
Annex A (informative) Elements of a clinical investigation	7
Annex B (informative) Evaluation of post-operative adverse event and visual acuity rates	15
Annex C (informative) Additional elements for toric IOLs	19
Annex D (informative) Additional elements for accommodating IOLs	26
Annex E (informative) Clinical tests	35
Bibliography	41

ISO 11979-7:2014(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 172, *Optics and photonics*, Subcommittee SC 7, *Ophthalmic optics and instruments*.

This second edition cancels and replaces the third edition (ISO 11979-7:2006), which has been technically revised. It also incorporates the Amendment ISO 11979-7:2006/Amd1:2012.

ISO 11979 consists of the following parts, under the general title *Ophthalmic implants — Intraocular lenses*:

- *Part 1: Vocabulary*
- *Part 2: Optical properties and test methods*
- *Part 3: Mechanical properties and test methods*
- *Part 4: Labelling and information*
- *Part 5: Biocompatibility*
- *Part 6: Shelf-life and transport stability testing*
- *Part 7: Clinical investigations*
- *Part 8: Fundamental requirements*
- *Part 9: Multifocal intraocular lenses*
- *Part 10: Phakic intraocular lenses*

Ophthalmic implants — Intraocular lenses —

Part 7: Clinical investigations

1 Scope

This part of ISO 11979 specifies particular requirements for clinical investigations for posterior and anterior chamber intraocular lenses (IOLs).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11979-1, *Ophthalmic implants — Intraocular lenses — Part 1: Vocabulary*

ISO 11979-10, *Ophthalmic implants — Intraocular lenses — Part 10: Phakic intraocular lenses*

ISO 14155, *Clinical investigation of medical devices for human subjects — Good clinical practice*

ISO 14971, *Medical devices — Application of risk management to medical devices*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 11979-1 and ISO 14155 apply.

4 Justification for a clinical investigation

If the need for a clinical investigation is identified, the requirements of ISO 14155 shall apply, with additional requirements given below.

If a new IOL model is a modification of a model for which the safety and performance have been established through clinical investigation in accordance with this part of ISO 11979 no or limited clinical investigation is needed. ISO/TR 22979[1] provides guidance in determining whether or not a modification is minor.

5 Ethical considerations

For clinical investigations of medical devices for human subjects, the requirements in ISO 14155 shall apply.

6 General requirements

6.1 General

The requirements for a clinical investigation given in ISO 14155 shall apply, with additional requirements given below.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-