



NSAI
Standards

Irish Standard
I.S. EN 61300-3-33:2012

Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 3-33: Examinations and measurements - Withdrawal force from a resilient alignment sleeve using gauge pins (IEC 61300-3-33:2012 (EQV))

I.S. EN 61300-3-33:2012

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 61300-3-33:1999	<i>This document is based on:</i> EN 61300-3-33:2012 EN 61300-3-33:1999	<i>Published:</i> 11 May, 2012 9 August, 1999
This document was published under the authority of the NSAI and comes into effect on: 15 May, 2012		ICS number: 33.180.20
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61300-3-33

May 2012

ICS 33.180.20

Supersedes EN 61300-3-33:1999

English version

**Fibre optic interconnecting devices and passive components -
Basic test and measurement procedures -
Part 3-33: Examinations and measurements -
Withdrawal force from a resilient alignment sleeve using gauge pins
(IEC 61300-3-33:2012)**

Dispositifs d'interconnexion et composants
passifs à fibres optiques -
Méthodes fondamentales d'essais et de
mesures -
Partie 3-33: Examens et mesures -
Force de retenue des manchons
d'alignement élastiques, au moyen de
broches calibrées
(CEI 61300-3-33:2012)

Lichtwellenleiter -
Verbindungselemente und passive
Bauteile -
Grundlegende Prüf- und Messverfahren -
Teil 3-33: Untersuchungen und
Messungen -
Ausziehungskraft aus einer verformbaren
Zentrierhülse unter Verwendung von
Prüfstiften
(IEC 61300-3-33:2012)

This European Standard was approved by CENELEC on 2012-03-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

I.S. EN 61300-3-33:2012

EN 61300-3-33:2012

- 2 -

Foreword

The text of document 86B/3221/CDV, future edition 2 of IEC 61300-3-33, prepared by IEC/SC 86B, "Fibre optic interconnecting devices and passive components", of IEC/TC 86, "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61300-3-33:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-12-28
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2013-03-28

This document supersedes EN 61300-3-33:1999.

The changes with respect to EN 61300-3-33:1999 are to reconsider the entire document according to the updated CENELEC rules and to add a gauge and a solvent into Clause 4, and to add a general subclause and cleaning procedure into Clause 6.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61300-3-33:2012 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61300-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 1: General and guidance	EN 61300-1	-
IEC 61754	Series	Fibre optic connector interfaces	EN 61754	Series
IEC 61755-3	Series	Fibre optic connector optical interfaces	EN 61755-3	Series
IEC/TR 62627-01	-	Fibre optic interconnecting devices and passive components - Part 01: Fibre optic connector cleaning methods	-	-

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 General description	5
4 Apparatus.....	6
4.1 General.....	6
4.2 Test unit.....	6
4.3 Gauge pins.....	6
4.4 Solvent.....	7
5 Test set up	7
6 Procedure	7
6.1 General.....	7
6.2 Testing.....	7
7 Calculation or interpretation of results	8
8 Details to be specified	8
Annex A (normative) Loading velocity	9
Annex B (informative) Round-robin test results of zirconia alignment sleeves	10
Figure 1 – Test unit with applied force on the gauge pin	6
Figure B.1 – Test unit	11
Figure B.2 – Round-robin test results.....	11

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 3-33: Examinations and measurements – Withdrawal force from a resilient alignment sleeve using gauge pins

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61300-3-33 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 1999. It constitutes a technical revision. The changes with respect to the previous edition are to reconsider the entire document according to the updated IEC rules and to add a gauge and a solvent into Clause 4, and to add a general subclause and cleaning procedure into Clause 6.

The text of this standard is based on the following documents:

CDV	Report on voting
86B/3221/CDV	86B/3289/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61300 series, under the general title *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 3-33: Examinations and measurements – Withdrawal force from a resilient alignment sleeve using gauge pins

1 Scope

This part of IEC 61300 describes the procedure to measure the withdrawal force between the ferrule (gauge pin) of the plug connector and the resilient alignment sleeve of the adapter. The gauge pin should have the same shape (chamfer) like the normal ferrules described in the optical interface, see IEC 61755-3 series and IEC 61754 series. This measurement procedure is applicable to single-fibre cylindrical ferrule optical connectors.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61754 (all parts), *Fibre optic connector interfaces*

IEC 61755-3 (all parts), *Fibre optic connector optical interfaces*

IEC/TR 62627-01, *Fibre optic interconnecting devices and passive components – Part 01: Fibre optic connector cleaning methods*

3 General description

The contact force between the mating ferrules in a fibre optic connector is the difference between the breakaway friction force and the spring force of the connector. To maintain contact, the breakaway friction force must remain below the spring force.

The ferrule withdrawal force is the highest force (breakaway force) required to remove one of the ferrules from the sleeve of a fibre optic connector.

The mechanics of friction result in significant variations in the measurement of breakaway friction force. The criteria to be applied to the results of these measurements must account for the spread that is inherent in the mechanism being measured (see Annex B).

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-