



NSAI
Standards

Irish Standard
I.S. EN 12930:2015

Safety requirements for cableway installations designed to carry persons - Calculations

I.S. EN 12930:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 12930:2015

Published:

2015-01-28

This document was published under the authority of the NSAI and comes into effect on:

2015-04-24

ICS number:

45.100

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 12930

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2015

ICS 45.100

Supersedes EN 12930:2004

English Version

Safety requirements for cableway installations designed to carry persons - Calculations

Prescriptions de sécurité pour les installations à câbles
destinées au transport de personne - Calculs

Sicherheitsanforderungen an Seilbahnen für den
Personenverkehr - Berechnungen

This European Standard was approved by CEN on 8 November 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
1	Scope7
2	Normative references7
3	Terms and definitions8
4	Symbols and abbreviations8
5	General requirements.....8
5.1	Application of this Standard.....8
5.2	Safety principles8
5.2.1	General.....8
5.2.2	Hazard scenarios9
5.2.3	Safety measures9
6	General requirements for calculations.....9
6.1	General comments.....9
6.2	Calculation methods9
6.3	Presentation of calculations 10
6.4	Verification by tests..... 10
6.5	Actions..... 10
7	Verification by calculation for ropes..... 12
7.1	General..... 12
7.2	Actions to be taken into account when calculating the longitudinal profile and rope..... 13
7.2.1	Self weight and imposed loads 13
7.2.2	Dynamic effects 14
7.2.3	Friction coefficients..... 14
7.2.4	Actions from wind and ice 15
7.3	Tension safety factor – General 15
7.4	Track ropes..... 15
7.4.1	Tension forces in the rope and sag 15
7.4.2	Tension safety factor..... 15
7.4.3	Bending stress 15
7.4.4	Minimum bearing forces 16
7.5	Haul and ballast ropes 17
7.5.1	Tension forces in the rope and sag 17
7.5.2	Tension safety factor..... 17
7.5.3	Bending stress 18
7.5.4	Bearing safety 18
7.6	Carrying-hauling ropes of aerial ropeways..... 18
7.6.1	Tension forces in the rope and sag 18
7.6.2	Tension safety factor..... 19
7.6.3	Bending stress 19
7.6.4	Minimum bearing forces 19
7.7	Haul ropes of ski-tows 20
7.7.1	Tension forces in the rope and sag 20
7.7.2	Tension safety factor..... 20
7.7.3	Bending stress 20
7.7.4	Minimum bearing forces 20
7.8	Tension ropes 21
7.8.1	Tension forces in the ropes..... 21
7.8.2	Tension safety factor..... 21
7.8.3	Bending stress 21

7.9	Evacuation ropes.....	21
7.9.1	Tension forces in the ropes, sag, bearing forces, bending stress	21
7.9.2	Tension safety factor	21
7.9.3	Smallest nominal diameter of endless evacuation ropes	22
7.10	Conductor, restraint and marker ropes.....	22
7.10.1	Tension safety factor	22
7.10.2	Bending stress.....	22
8	Load transmission on the drive sheave.....	22
8.1	Safe transmission of tangential force	22
8.2	Permissible friction coefficients at the drive sheave	23
8.3	Load cases	23
9	Calculation of drive power.....	23
9.1	General	23
9.2	Continuous power for cableway installations in non-continuous operation.....	24
9.3	Continuous power for cableway installations in continuous operation.....	24
9.4	Acceleration power	24
10	Actions of ropes and carriers on civil engineering works	24
10.1	General	24
10.2	Actions due to tension forces in the ropes	25
10.3	Wind forces on ropes and carriers	25
10.4	Friction forces of ropes on the civil engineering works	25
10.5	Ice curtains on ropes	25
10.6	Starting and braking forces.....	25
10.7	Dynamic effects during operation	25
10.8	Actions resulting from installation and maintenance work.....	26
10.9	Accidental actions.....	26
10.9.1	General	26
10.9.2	Braking forces	26
10.9.3	Actions due to derailment of rope onto the rope catcher	26
10.9.4	Actions due to derailment of rope onto the rope catcher arm of a compression support	26
10.9.5	Actions due to a complete deropement of a moving rope on one side.....	27
10.9.6	Breakage of a conductor cable anchored to a support structure	27
10.9.7	Other accidental actions.....	27
11	Deformations of supports.....	27
12	Technical documents for the line profile	27
12.1	For funicular railways	27
12.2	For aerial ropeways.....	27
12.3	For ski-tows	27

Tables

Table ZA.1 — Correspondence between this European Standard and Directive 2000/9/EC relating to cableway installations designed to carry persons	29
---	----

FprEN 12930:2014 (E)**Foreword**

This document (EN 12930:2015) has been prepared by Technical Committee CEN/TC 242 "Safety requirements for cableway systems for passenger transportation", the secretariat of which is held by AFNOR.

This European Standard shall maintain the status of a National Standard, either with the publication of an identical text or by recognition up to July 2015, and any opposing National Standards shall be withdrawn by July 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document is intended to replace EN 12930:2004.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of the EU Directive 2000/9/EC.

For the relationship with the EU Directive 2000/9/EC, see informative Annex ZA, which is an integral part of this document.

The following main changes have been made to EN 12930:2004:

- In Clause 3 the term and definition "curvature ratio" has been replaced with the term "diameter ratio" and is defined in EN 1907.
- In Clause 3 the term and definition "safety component" has been removed, as the term and definition is defined in EN 1907 and/or in the Directive 2009/9/EC.
- In 5.2.2, 6.2 b) and 7.4.1 a) for the combinations of actions, the reference to their compatibility has been included.
- In 6.2 the requirement on calculation methods with regard to precision has been added.
- In 6.5 the wind force and the dynamic pressure are shown in simplified form and the possible deviation as a result of cableway-specific circumstances has been added.
- In 6.5 the usually assumed minimum dynamic pressure out of operation has been specified as 1,20 kN/m².
- In 6.5 consistency with EN 12929-1 has been achieved with regard to the reduction coefficient.
- In 6.5.5.3 the requirements for the ice load dependent on the nominal rope diameter have been changed, whereby provisions of international and national Standards (ISO 12494, EN 50341) have been taken into account.
- In 7.1.1 the non-essential details concerning the precision of the calculation of rope angles have been removed and the information concerning the step size for the calculation of longitudinal profile has been simplified with concentrated loads.
- In 7.1.4 due to the technical development of calculation programmes, the use of simplified calculation methods has been restricted.
- In 7.1.5 consistency with EN 1908 has been achieved.

- In 7.1.6 requirements to avoid rope spans which are too long and a too heavy concentration of carriers has been explained in more detail. The requirements for uni-directional aerial ropeways which are also operated with individual carriers have been compared with the requirements for group ropeways and cableways with carrier groups.
- In 7.2.3 the assumed friction coefficients for the line and rope calculations have been added.
- In 7.2.4 the reduction factor for the wind force in the “out of operation” load case has been added to the requirements.
- In 7.3 consistency with series EN 12927 has been achieved.
- In 7.4.1 b) the technically unfounded restriction on track ropes with fixed ends has been removed.
- 7.4.4 has been revised in order to clarify the previous requirements.
- In 7.5.2 the restriction of the smallest permissible tension safety factor whilst taking into consideration the wind and ice out of operation and in the case of cord tension as a result of differing groove diameters of multi-grooved drive sheaves has been added.
- In 7.5.2 c) and 7.6.2 c) the maximum tension safety factor on the long splicing has been restricted.
- In 7.5.4 the requirements concerning the verification of safe support of moving ropes in the case of suspended haul rope supports have been added.
- In 7.6.1 b) the partially incomplete specifications with regard to load positions for the approximation methods have been removed.
- In 7.6.2 the restriction of the smallest permissible tension safety factor whilst taking into consideration the wind and ice out of operation has been added.
- In 7.7.4 the technically unfounded requirement of the smallest bearing force for compression line support structures in the area of the loading area of ski-tows has been removed.
- The former 7.9.2 regarding the limit profile of the ropes of evacuation railways has been moved to EN 12929-1 to the remaining specifications with regard to the limit profile.
- In 7.9.2 a) the smallest permissible tension safety factor for endless evacuation ropes has been amended.
- The identification of the smallest nominal diameter of endless evacuation ropes has been moved to the new 7.9.3.
- The former 7.10.1 regarding the limit profile of the conductor, restraint and marker ropes has been moved to EN 12929-1 to the remaining specifications with regard to the limit profile.
- In 8.2.1 the list of the permissible friction values on the drive sheaves in the case of a complete loss of pressure in the hydraulic tensioning devices has been added.
- In 10.9.3 and 10.9.4 the actions as a result of a derailment on the towing ropes has been restricted.
- In 10.9.5 the actions as a result of a complete deropement have been specified in more detail and simplified.
- 10.9.6 has been removed as an accidental action, as if with detachable cableways which have a garaging possibility, the empty carriers on the rope are subjected to a wind “out of operation”, no further standardised specifications have been made.

FprEN 12930:2014 (E)

- In Annex A the A-deviation for Germany has been removed.
- Annex ZA has been updated.

This European Standard forms part of a series of European Standards concerning safety requirements for cableway installations designed to carry persons. This series of Standards comprises the following parts:

EN 1907 – *Terminology*

EN 12929 (all parts) – *General requirements*

EN 12930 – *Calculations*

EN 12927 (all parts) – *Ropes*

EN 1908 – *Tensioning devices*

EN 13223 – *Drive systems and other mechanical equipment*

EN 13796 (all parts) – *Carriers*

EN 13243 – *Electrical equipment other than for drive systems*

EN 13107 – *Civil engineering works*

EN 1709 – *Precommissioning inspection, maintenance and operational inspection and checks*

EN 1909 – *Recovery and evacuation*

EN 12397 – *Operation*

EN 12408 – *Quality assurance*

Together these form a series of Standards regarding design, manufacture, erection, maintenance and operation of all cableway installations designed to carry persons.

In respect of ski-tows, the drafting of this document has been guided by the works of the International Organisation for Transportation by Rope (OITAF).

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Belgium, Bulgaria, Denmark, Germany, the former Yugoslav Republic of Macedonia, Estonia, Finland, France, Greece, Ireland, Iceland, Italy, Croatia, Latvia, Lithuania, Luxemburg, Malta, the Netherlands, Norway, Austria, Poland, Portugal, Romania, Sweden, Switzerland, Slovakia, Slovenia, Spain, Czech Republic, Turkey, Hungary, United Kingdom and Cyprus.

1 Scope

This European Standard specifies the general safety requirements applicable to the calculations for cableway installations designed to carry persons. This document is applicable to the various types of cableway installations and takes into account their environment.

It contains:

- general requirements for calculations and their presentation;
- general requirements relating to the actions that shall be taken into account in the calculation of components as a basis for the requirements of the standards EN 13223, EN 13107, EN 12927 (all parts) and EN 1908;
- requirements relating to verification of ropes by calculation;
- requirements relating to the determination of the drive power;
- requirements for the actions of the ropes and carriers on the support structures and for the deformations of these support structures.

It does not apply to installations for the transportation of goods nor to lifts.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1709, *Safety requirements for cableway installations designed to carry persons — Precommissioning inspection, maintenance, operational inspection and checks*

EN 1907, *Safety requirements for cableway installations designed to carry persons — Terminology*

EN 1908, *Safety requirements for cableway installations designed to carry persons — Tensioning devices*

EN 1909, *Safety requirements for cableway installations designed to carry persons — Recovery and evacuation*

EN 1990, *Eurocode: Basis of structural design*

EN 1991-1-1, *Eurocode 1: Actions on structures — Part 1-1: General actions — Densities, self-weight and imposed loads for buildings*

EN 1991-1-4, *Eurocode 1: Actions on structures — Part 1-4: General actions — Wind actions*

EN 12397, *Safety requirements for cableway installations designed to carry persons — Operation*

EN 12408, *Safety requirements for cableway installations designed to carry persons — Quality control*

EN 12927 (all parts), *Safety requirements for cableway installations designed to carry persons — Ropes*

EN 12929 (all parts), *Safety requirements for cableway installations designed to carry persons — General requirements*

EN 13107, *Safety requirements for cableway installations designed to carry persons — Civil engineering works*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-