



NSAI
Standards

Irish Standard
I.S. 328:2015

Gas transmission pipelines and pipeline installations (Edition 4)

I.S. 328:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> I.S. 328:2003	<i>This document is based on:</i> I.S. 328:2015 I.S. 328:2003	<i>Published:</i> 15 May, 2015 4 April, 2003
This document was published under the authority of the NSAI and comes into effect on: 15 May, 2015		ICS number: 23.040.99
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

DECLARATION

OF

SPECIFICATION

ENTITLED

GAS TRANSMISSION PIPELINES AND PIPELINE INSTALLATIONS –

(EDITION 4)

AS

THE IRISH STANDARD SPECIFICATION FOR

GAS TRANSMISSION PIPELINES AND PIPELINE INSTALLATIONS –

(EDITION 4)

NSAI in exercise of the power conferred by section 16 (5) of the National Standards Authority of Ireland Act, 1996 (No. 28 of 1996) and with the consent of the Minister for Jobs, Enterprise and Innovation, hereby declare as follows:

1. This instrument may be cited as the Standard Specification (Gas transmission pipelines and pipeline installations – (Edition 4)) Declaration, 2015.
2. (1) The Specification set forth in the Schedule to this declaration is hereby declared to be the standard specification for Gas transmission pipelines and pipeline installations – (Edition 4).
(2) The said standard specification may be cited as Irish Standard 328:2015 or as I.S. 328:2015.
3. (1) The Standard Specification (Code of practice for gas transmission pipelines and pipeline installations – (Edition 3.1) Declaration 2003 is hereby revoked.
(2) Reference in any other standard specification to the Instrument hereby revoked and to Irish Standard 328:2003 thereby prescribed, shall be construed, respectively, as references to this Instrument and to Irish Standard 328:2015.

Contents

	Page
DECLARATION	1
Foreword	7
Schedule	8
1 Scope	8
2 References	8
3 Definitions	10
4 European standards	16
5 Materials	17
5.1 General.....	17
5.2 Pipe.....	17
5.2.1 General.....	17
5.2.2 Strength grade.....	17
5.2.3 Fracture toughness.....	17
5.2.4 Weldability.....	18
5.2.5 Pipe for sleeves.....	18
5.3 Fittings.....	18
5.3.1 General.....	18
5.3.2 Bends.....	18
5.3.3 Tees.....	18
5.3.4 Flanges.....	19
5.3.5 Other fittings.....	19
5.4 Valves.....	19
5.5 Coatings.....	19
5.6 Quality assurance of material.....	19
5.6.1 Manufacturing under a comprehensive quality system.....	19
5.6.2 Not manufacturing under a comprehensive quality system.....	19
6 Design	19
6.1 General criteria.....	19
6.1.1 Gas quality.....	19
6.1.2 Design velocity.....	20
6.1.3 Pipeline sizing.....	20
6.1.4 Operating temperature.....	20
6.1.5 Additional loads.....	20
6.1.6 Telemetry.....	21
6.2 Classification of design locations.....	21
6.3 Design factor (f).....	25
6.4 Proximity requirements.....	25
6.5 Pipe wall thickness.....	25
6.5.1 Design wall thickness.....	25
6.5.2 Nominal wall thickness.....	26
6.6 Fatigue life of pipelines.....	26
6.6.1 General.....	26
6.6.2 Operating limits.....	26
6.7 Influence of ground conditions and other services.....	27
6.8 Minimum proximity to other pipelines, underground structures, services and electric cables.....	27

6.8.1	Clearance between gas transmission pipelines	27
6.8.2	Clearance between pipelines and buried structures	29
6.8.3	Clearance between pipelines and underground electric cables	29
6.9	Minimum proximity between pipelines and wind turbines	29
6.10	Pipe cover and impact protection.....	30
6.11	Road traffic routes.....	31
6.11.1	General	31
6.11.2	High density traffic routes	31
6.11.3	Other traffic routes	31
6.11.4	All traffic routes	31
6.11.5	Liaison with roads authorities	32
6.12	Railway crossings	32
6.13	Changes to road traffic routes or railway crossings	32
6.14	River crossings.....	32
6.15	Watercourse crossings.....	32
6.16	Above ground pipe crossings.....	33
6.17	Anchorage.....	33
6.18	Pipeline systems	33
6.18.1	General	33
6.18.2	Valves	34
6.19	Sleeving pipes	35
6.19.1	Use of sleeves.....	35
6.19.2	Types of sleeves	35
6.19.3	Sleeve diameter	36
6.19.4	Sleeve length	36
6.19.5	Carrier pipe supports	36
6.19.6	Design of end-seals.....	36
6.19.7	Design report	37
7	Welding.....	38
7.1	General	38
7.2	Welding consumables.....	38
7.3	Welding procedure	38
7.4	Welder qualification	38
7.5	Inspection, examination and testing	38
7.6	Standards of acceptability	39
7.7	Repair welding	39
8	Construction	39
8.1	General	39
8.1.1	Safety	39
8.1.2	Supervision and inspection.....	39
8.2	Work adjacent to high voltage cables and overhead high voltage lines	39
8.3	Work adjacent to all underground services.....	40
8.4	Control of noise	40
8.5	Entry to property	40
8.6	Preliminary construction activities.....	41
8.7	Field bending	41
8.8	Lining up for welding	41
8.9	Night caps	41
8.10	Joint coating	42
8.11	Trench excavation and support	42
8.12	Holiday detection.....	42
8.13	Lowering the pipe into the trench.....	42
8.14	Bedding and backfill	42
8.15	Warning tape or mesh.....	43
8.16	Reinstatement.....	43
8.17	Inspection of pipelines during installation	43
8.18	Post-installation coating survey	44
8.19	Gauge pigging	44

I.S. 328:2015

8.20	Geometric pigging	44
8.21	Pipeline markers	44
8.22	Construction of pipe sleeves.....	44
8.22.1	Steel sleeves	44
8.22.2	Concrete sleeves	45
8.22.3	Carrier pipe supports	45
8.23	General requirements for annulus fill materials.....	45
8.24	Construction records	46
9	Testing	47
9.1	General conditions relating to pressure testing.....	47
9.2	Safety	47
9.3	Water use and disposal.....	48
9.4	Hydrostatic tests.....	48
9.4.1	General.....	48
9.4.2	Test lengths.....	48
9.4.3	Special requirements	49
9.4.4	Test limits	49
9.4.5	Testing procedure.....	53
9.4.6	Repairs to test failures	56
9.5	Test records	56
9.6	Test certificates.....	57
10	Commissioning.....	57
10.1	General.....	57
10.2	Safety	58
10.3	Pre-commissioning activities.....	59
10.4	Preliminary removal of residual water (drying)	60
10.5	Drying, purging and gassing up.....	60
10.5.1	Use of super-dry air or nitrogen followed by gas.....	60
10.5.2	Vacuum drying followed by purging and gassing up	61
10.6	Venting and testing.....	63
11	Protection against corrosion.....	63
11.1	General.....	63
11.2	Coatings.....	64
11.2.1	General.....	64
11.2.2	External coatings	64
11.2.3	Field applied coatings	64
11.2.4	Joint coating.....	65
11.2.5	Internal coatings	65
11.2.6	Painting.....	65
11.3	Cathodic protection (CP)	65
11.3.1	General.....	65
11.3.2	Electrical isolation	66
11.3.3	Alternating Current (AC) induced corrosion.....	66
11.3.4	Mitigation measures	66
11.3.5	Interference - Stray currents.....	66
11.3.6	Sleeves - Cathodic protection	66
11.3.7	Cathodic protection - test stations	67
11.3.8	Commissioning	67
11.3.9	Cathodic protection - monitoring.....	67
11.3.10	Cathodic protection - Records	68
12	Operation and maintenance	68
12.1	General.....	68
12.1.1	Basic Records.....	68
12.1.2	Organisation.....	69
12.1.3	Communications.....	70
12.1.4	Surveillance, inspection and maintenance frequencies.....	70
12.2	Operation and maintenance plans and procedures.....	70

12.2.1	Plans and procedures	70
12.2.2	Emergency procedures.....	71
12.3	Scheduled maintenance	72
12.3.1	General	72
12.3.2	Valve maintenance	72
12.3.3	Pig trap maintenance	73
12.3.4	Site maintenance	73
12.3.5	Telemetry.....	73
12.4	Pipeline surveillance	73
12.4.1	Liaison with land owners/occupiers/tenants/local authorities	73
12.4.2	Surveillance	74
12.5	Pipeline inspection.....	77
12.5.1	Cathodic protection.....	77
12.5.2	External coatings – Inspection	77
12.5.3	Maintenance of sleeves	78
12.5.4	Underwater crossings – Inspection.....	78
12.5.5	Pipewall condition monitoring	78
12.6	Operational pressure limit.....	79
12.6.1	General	79
12.6.2	Procedure for increasing MOP.....	80
12.6.3	Overpressure	83
12.6.4	Reassessment of Design Life	83
12.7	Non-routine activities	83
12.7.1	General	83
12.7.2	Procedures.....	83
12.8	Pressurisation.....	84
12.9	On-line pigging	85
12.10	Pipeline repairs.....	85
12.10.1	General	85
12.10.2	Damage assessment and repair procedures.....	86
12.10.3	Permanent repair	86
12.10.4	Temporary repair	86
12.11	Connections made at pressure (hot-tapping).....	86
12.12	Decommissioning and recommissioning	87
12.13	Planned depressurisation.....	87
12.14	Abandonment of pipelines	88
12.15	Asset Management Systems	88
PART 2 PIPELINE INSTALLATIONS		89
13	Site selection, layout, housing and security	89
13.1	Site selection	89
13.2	Layout.....	89
13.2.1	Area.....	89
13.2.2	Hazardous areas.....	89
13.2.3	Vehicular access	89
13.3	Housing and security	90
13.3.1	Fencing.....	90
13.3.2	Locks	90
13.3.3	Buildings	90
13.3.4	Pits	90
13.3.5	Ventilation	90
14	Materials and equipment	91
14.1	Materials	91
14.2	Castings and forgings.....	91
14.3	Pressure vessels	91
15	Design.....	91
15.1	Pipework design	91
15.1.1	Design of pipe sizes	91

I.S. 328:2015

15.1.2	Design Factors (f)	91
15.1.3	Flexibility	91
15.1.4	Supports	91
15.1.5	Stress analysis.....	92
15.1.6	Noise control	92
15.1.7	Buried pipework.....	92
15.1.8	Bypass for block valves.....	92
15.2	Isolation valve	92
15.3	Vents and drains and reliefs.....	92
15.3.1	General.....	92
15.3.2	Vents	92
15.3.3	Drains.....	92
15.3.4	Relief valves	93
15.4	Impulse pipework.....	93
16	Electrical	93
16.1	General.....	93
16.2	Lighting.....	93
16.3	Earthing/equipotential bonding.....	94
17	Testing	94
17.1	Hydrostatic testing	94
18	Operation, maintenance and inspection	94
	Bibliography	95

Figures

Figure 1	— Minimum building proximity distance (BPD) from normally occupied buildings of pipelines generally designed to operate at a design factor (f) exceeding 0,30 but not exceeding 0,72.....	23
Figure 2	— Minimum building proximity distance from normally occupied buildings of pipelines generally designed to operate at a design factor (f) not exceeding 0,30 or steel sleeved.....	24
Figure 3	— Acceptable forms of additional protection for pipelines	30
Figure 4	— Pressure – Volume plot for hydrostatic testing	55

Foreword

This Standard has been formulated by Technical Committee TC 5, of the Gas Technical Standards Committee under whose direction it has been prepared. This Standard defines the minimum requirements and procedures to be used for steel pipelines for the transmission of gas at maximum operating pressure over 16 bar. The upper pressure limit is not defined but in current general practice this ranges up to 100 bar. For maximum operating pressures less than or equal to 16 bar, see I.S. 329.

This Standard is divided into two parts:

- Part 1: Pipelines;
- Part 2: Pipeline installations.

The Standard, by definition, is a general specification and should, therefore, be accompanied by, or form part of, a detailed project or contract specification. The Standard where it sets out options or alternatives facilitates the use of discretion particularly in the planning and design of a pipeline so as to ensure that optimum solutions can be developed with particular regard for safety.

The Standard does not supersede, or take precedence over, the requirements of legislation or statutory enactments, and it is imperative that due regard be taken of such requirements. In this latter context, particular attention is drawn to a requirement for consultation and liaison with government departments and local authorities in the planning, design, construction, operation, maintenance and decommissioning of a pipeline.

This Standard supersedes I.S. 328:2003 as amended.

This Standard relates to conditions and practices currently in use in the transmission of gas. However materials and techniques of construction and operation are constantly being improved. It is intended to keep these factors under continuous review. As a result amendments and supplements may be issued by the National Standards Authority of Ireland (NSAI) from time to time, and their publication will be announced in Iris Oifigiúil.

Existing pipelines and associated installations that comply with Editions 1, 2 or 3.1 of I.S. 328 may continue to be operated in accordance with their respective Edition, although surveillance, inspection and maintenance shall be undertaken in accordance with Edition 4, where appropriate. Operating conditions are not allowed to pass outside the limits of Editions 1, 2 or 3.1 as appropriate, unless the new conditions are consistent with Edition 4.

It is intended that this Standard should be applied in conjunction with the European Standards for gas pipelines and installations.

Thanks are expressed to the Institution of Gas Engineers and Managers (IGEM) for permission to reproduce figures.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

Schedule

Gas transmission pipelines and pipeline installations (Edition 4)

PART 1 PIPELINES

1 Scope

Part 1 of this Standard applies to the design, construction, inspection, testing, operation, maintenance and decommissioning of steel pipelines for the transmission of processed, non-toxic and non-corrosive 1st and 2nd family gases as defined in I.S. EN ISO 13686 [1] i.e. natural gas and substitute natural gas, at maximum operating pressures over 16 bar and temperatures between – 25 °C and + 120 °C. The upper pressure limit is not defined but in current general practice this extends up to 100 bar.

This Standard sets out engineering requirements for the safe design, construction and operation of pipelines and associated equipment in accordance with current knowledge. In this context a pipeline is to be regarded as safe if all reasonable steps are taken to protect members of the public and the personnel of the pipeline constructors and operators from possible hazards, and the security of the gas supply is adequately maintained.

These requirements are applicable to conditions normally encountered in the transmission of gas. Additional design considerations may be necessary where unusual conditions are encountered e.g. unstable ground including the possibility of mining subsidence; mechanical or sonic vibrations; long self-supported spans; special attachments; or thermal forces other than seasonal.

These requirements apply to onshore pipelines including water crossings. They are not intended for pipelines the greater part of whose length is offshore.

Part 2 of this Standard applies to the design, construction, inspection, testing, operation and maintenance of pipeline installations used for the transmission of 1st and 2nd family gases, i.e. natural gas and substitute natural gas at maximum operating pressures over 16 bar and temperatures between - 25 °C and + 120 °C. Part 1 of this Standard also applies to installations where relevant.

Pipeline installations are mainline valves and line bypass facilities including associated piping, telemetry and pig trap installations.

This Standard does not apply to pressure regulating installations. It specifies that the design construction, inspection, testing, operation and maintenance of these installations shall be in accordance with I.S. EN 12186 and that the design construction, inspection, testing, operation and maintenance of heating systems shall be in accordance with IGEM/TD/13.

Compressor stations and compressed natural gas (CNG) filling stations are excluded.

All activities covered by this Standard in relation to gas transmission pipelines and installations should comply with the requirements of all relevant safety, planning and environmental legislation.

2 References

This Standard incorporates, by dated or undated reference, provisions from other publications. These references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

I.S. 329, *Gas distribution mains*

I.S. EN 1515-3, *Flanges and their joints - Bolting - Part 3: classification of bolt materials for steel flanges, class designated*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-