

Irish Standard I.S. EN 331:2015

Manually operated ball valves and closed bottom taper plug valves for gas installations for buildings

© CEN 2016 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 331:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: Published:

EN 331:2015 2015-12-16

This document was published ICS number:

under the authority of the NSAI
and comes into effect on:
23.060.20

2016-01-11

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

National Foreword

I.S. EN 331:2015 is the adopted Irish version of the European Document EN 331:2015, Manually operated ball valves and closed bottom taper plug valves for gas installations for buildings

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD

EN 331

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2015

ICS 23.060.20

Supersedes EN 331:1998

English Version

Manually operated ball valves and closed bottom taper plug valves for gas installations for buildings

Robinets à tournant sphérique et robinets à tournant conique à fond plat destinés à être manoeuvrés manuellement et à être utilisés pour les installations de gaz dans les bâtiments Handbetätigte Kugelhähne und Kegelhähne mit geschlossenem Boden für die Gas-Hausinstallation

This European Standard was approved by CEN on 24 October 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 331:2015 (E)

3 Terms, definitions, symbols, units and abbreviated terms 7 4 Product characteristics 9 4.1 Reaction to fire 9 4.2 Dimensions and tolerance 9 4.2.1 Materials 9 4.2.2 Construction 11 4.2.3 Product appearance 11 4.2.4 Valve maintenance 11 4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.2.13 Classification of relevant characteristics 14 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 15 4.4<	Cont	ontents			
2 Normative references 5 3 Terms, definitions, symbols, units and abbreviated terms 7 4 Product characteristics 9 4.1 Reaction to fire 9 4.2 Dimensions and tolerance 9 4.2.1 Materials 9 4.2.2 Construction 11 4.2.3 Product appearance 11 4.2.4 Valve maintenance 11 4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3 Termerature classes 14 4.3.1 Pressure classes 14 4.3.2 Temperature resistance classes 14 4.3.3 High temperature resistance classes 14 4.4<	European foreword4				
3 Terms, definitions, symbols, units and abbreviated terms 7 4 Product characteristics 9 4.1 Reaction to fire 9 4.2 Dimensions and tolerance 9 4.2.1 Materials 9 4.2.2 Construction 11 4.2.3 Product appearance 11 4.2.4 Valve maintenance 11 4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.2.13 Classification of relevant characteristics 14 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 15 4.4<	1	Scope	5		
3 Terms, definitions, symbols, units and abbreviated terms 7 4 Product characteristics 9 4.1 Reaction to fire 9 4.2 Dimensions and tolerance 9 4.2.1 Materials 9 4.2.2 Construction 11 4.2.3 Product appearance 11 4.2.4 Valve maintenance 11 4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.2.13 Classification of relevant characteristics 14 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 15 4.4<	2	Normative references	5		
41 Product characteristics 9 4.1 Reaction to fire 9 4.2 Dimensions and tolerance 9 4.2.1 Materials 9 4.2.2 Construction 11 4.2.3 Product appearance 11 4.2.4 Valve maintenance 11 4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.1 Operation 12 4.2.1 Stops 13 4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.1 Prightness (gas): leak tightness					
4.1 Reaction to fire. 9 4.2 Dimensions and tolerance 9 4.2.1 Materials 9 4.2.2 Construction 11 4.2.3 Product appearance 11 4.2.4 Valve maintenance 11 4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Operating torque 16 4.7 <					
4.2.1 Dimensions and tolerance 9 4.2.1 Materials 9 4.2.2 Construction 11 4.2.3 Product appearance 11 4.2.4 Valve maintenance 11 4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Operating torque 16 4.7 Mechanical strength for gas networks 16	_				
4.2.1 Materials					
4.2.2 Construction 11 4.2.3 Product appearance 11 4.2.4 Valve maintenance 11 4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.5 Effectiveness: rated flow rate 15 4.5 Effectiveness: rated flow rate 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16					
4.2.3 Product appearance 11 4.2.4 Valve maintenance 11 4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 3.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.5 Effectiveness: rated flow rate 15 4.7 Mechanical strength for gas networks 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against					
4.2.4 Valve maintenance 11 4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.1 Pressure classes 14 4.3.2 Temperature resistance classes 14 4.3.1 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical st					
4.2.5 Springs 11 4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.1 Pressure classes 14 4.4.2.2 Teightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 16 4.7 Mec		A A			
4.2.6 Wall thickness 11 4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.3.1 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.10 Performance requirements 18 <td></td> <td></td> <td></td>					
4.2.7 Plug valves 11 4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 5.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 General 18 5.1.1 Test conditions 18 5.2 Internal pressure and leak-tightness 19					
4.2.8 Angular seal 11 4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2 Internal pressure and leak-tightness 19 5.2.3 Closure parts, external lea	_				
4.2.9 Seals 12 4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 5.1 General 18 5.1.2 Test sequence 18 5.1.2 Test sequence 18 5.2 Internal pressure and leak-tightness 19 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness 19 5.3 Rated flow rate 19					
4.2.10 Operation 12 4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 Test conditions 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2.1 General 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness	_	O Company of the comp			
4.2.11 Stops 13 4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2.1 General 18 5.2.2 Closure parts, external leak-tightness 19 5.2.3 Closure parts, external leak-tightness 19 5.3 Rated flow rate </td <td></td> <td></td> <td></td>					
4.2.12 Joints 13 4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.1.2 General 18 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19		•			
4.3 Classification of relevant characteristics 14 4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 Test conditions 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2.1 General 18 5.2.2 Pressure test val		4			
4.3.1 Pressure classes 14 4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle – Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 Test sequence 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2.1 General 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness<					
4.3.2 Temperature classes 14 4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 Test conditions 18 5.1.1 Test sequence 18 5.2.1 General 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flo					
4.3.3 High temperature resistance classes 14 4.4 Tightness (gas): leak tightness 15 4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 Test conditions 18 5.1.1 Test sequence 18 5.2.2 Internal pressure and leak-tightness 18 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19					
4.4 Tightness (gas): leak tightness	_	<u> </u>			
4.5 Effectiveness: rated flow rate 15 4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle – Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 Test conditions 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2.1 General 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19					
4.6 Resistance to high temperature 16 4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle – Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2.1 General 18 5.2.2 Pressure test values 18 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19		0 (0)			
4.7 Mechanical strength for gas networks 16 4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle - Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.1.2 Test sequence 18 5.2.1 General 18 5.2.2 Pressure test values 18 5.2.1 General 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19	_				
4.7.1 Operating torque 16 4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle – Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2.1 General 18 5.2.2 Pressure test values 18 5.2.1 General 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19	4.7				
4.7.2 Torque and bending mechanical strength 16 4.8 Safeguard against overloading of the handle – Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2.1 General 18 5.2.2 Pressure and leak-tightness 18 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19	4.7.1	0 0			
4.8 Safeguard against overloading of the handle – Stop resistance 17 4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2.1 Internal pressure and leak-tightness 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19	4.7.2				
4.9 Release of dangerous substances 17 4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2 Internal pressure and leak-tightness 18 5.2.1 General 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19	4.8				
4.10 Performance requirements 18 4.10.1 General 18 4.10.2 Durability 18 5 Testing, assessment and sampling methods 18 5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2 Internal pressure and leak-tightness 18 5.2.1 General 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19	4.9				
4.10.2 Durability185 Testing, assessment and sampling methods185.1 General185.1.1 Test conditions185.1.2 Test sequence185.2 Internal pressure and leak-tightness185.2.1 General185.2.2 Pressure test values195.2.3 Closure parts, external leak-tightness195.2.4 Internal leak-tightness195.3 Rated flow rate19					
4.10.2 Durability185 Testing, assessment and sampling methods185.1 General185.1.1 Test conditions185.1.2 Test sequence185.2 Internal pressure and leak-tightness185.2.1 General185.2.2 Pressure test values195.2.3 Closure parts, external leak-tightness195.2.4 Internal leak-tightness195.3 Rated flow rate19					
5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2 Internal pressure and leak-tightness 18 5.2.1 General 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19					
5.1 General 18 5.1.1 Test conditions 18 5.1.2 Test sequence 18 5.2 Internal pressure and leak-tightness 18 5.2.1 General 18 5.2.2 Pressure test values 19 5.2.3 Closure parts, external leak-tightness 19 5.2.4 Internal leak-tightness 19 5.3 Rated flow rate 19	_	Testing assessment and sampling methods	10		
5.1.1 Test conditions	_				
5.1.2 Test sequence185.2 Internal pressure and leak-tightness185.2.1 General185.2.2 Pressure test values195.2.3 Closure parts, external leak-tightness195.2.4 Internal leak-tightness195.3 Rated flow rate19	_				
5.2 Internal pressure and leak-tightness	_				
5.2.1 General185.2.2 Pressure test values195.2.3 Closure parts, external leak-tightness195.2.4 Internal leak-tightness195.3 Rated flow rate19	_				
5.2.2 Pressure test values		•			
5.2.3Closure parts, external leak-tightness	_				
5.2.4 Internal leak-tightness	_				
5.3 Rated flow rate		•			
		0			
	5.3.1				

5.3.2	Procedure	21
5.4	Operating torque	21
5.5	Torque and bending mechanical strength	21
5.5.1	General	
5.5.2	Sequence of torsion and bending moment tests for valves	
5.6	Durability	
5.6.1	Endurance test	
5.6.2	Resistance to low temperature	
5.6.3	Salt spray resistance	
5.7	Angular seal	
5.8	Safeguard against overloading of the handle - Stop resistance	24
6	Assessment and verification of constancy of performance - AVCP	24
6.1	General	24
6.2	Type testing	24
6.2.1	General	24
6.2.2	Test samples, testing and compliance criteria	25
6.2.3	Test reports	
6.2.4	Shared other party results	27
6.3	Factory production control (FPC)	27
6.3.1	General	27
6.3.2	Requirements	28
6.3.3	Product specific requirements	
6.3.4	Initial inspection of factory and FPC	
6.3.5	Continuous surveillance of FPC	
6.3.6	Procedure for modifications	31
7	Marking, labelling, instructions and packaging	32
7.1	Marking and labelling	
7.2	Instructions for installation and operation	
7.3	Packaging	
Annex	A (normative) Resistance to high temperatures for valves classes B and C	
A.1	General	34
A.2	Procedure (external leakage)	34
A.2.1	Test criteria	34
A.2.2	Test method	34
A.2.2.	1 Apparatus	34
A.2.2.2	2 Test procedure	35
Annex	x ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation	37
ZA.1	Scope and relevant characteristics	37
ZA.2	Procedure for AVCP of manually operated ball valves and closed bottom taper plug valves for gas installations for buildings	39
ZA.3	CE marking and labelling	41
Rihlia	graphy	45
~	B- 5P1	FJ

EN 331:2015 (E)

European foreword

This document (EN 331:2015) has been prepared by Technical Committee CEN/TC 236 "Non industrial manually operated shut-off valves for gas and particular combinations valves-other products", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2016, and conflicting national standards shall be withdrawn at the latest by September 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 331:1998.

The revised version:

- includes in one document the previous publications of 1998 and 2010 to allow an easier reading of the text;
- allocates the clauses and the annexes in line with the framework of the standards which support CPR:
- enlarges the field of application to the nominal sizes DN 65, 80 and 100;
- updates the technical content in line with the current edition of the referenced standards;
- considers the proposals coming from the experience of the application of the previous edition of EN 331;
- adds Annex ZA for the relationship between this European Standard and the Essential Requirements of EN Construction Products Regulation.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

1.1 This European Standard specifies the characteristics for the construction, performance and safety of ball valves and closed bottom taper plug valves. It also details the test methods and marking provisions.

It applies to metallic valves not directly buried for domestic and commercial installations inside or outside of buildings, using gases of the first, second and third family (specified in EN 437) and working up to 0.2×10^5 Pa, 0.5×10^5 Pa, 1×10^5 Pa, 1×10^5 Pa and 20×10^5 Pa and with temperature limits from – 5 °C or -20 °C to +60 °C.

NOTE "Not directly buried" within the context of this standard means that valves below ground are not in direct contact with earth or other materials e.g. that they are in a protected encasement.

1.2 Valve nominal sizes (*DN*) covered by this European Standard are as follows: 6, 8, 10, 12, 15, 20, 25, 32, 40, 50, 65, 80, 100.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 377, Lubricants for applications in appliances and associated controls using combustible gases except those designed for use in industrial processes

EN 437:2003+A1:2009, Test gases - Test pressures - Appliance categories

EN 549, Rubber materials for seals and diaphragms for gas appliances and gas equipment

EN 682, Elastomeric Seals - Materials requirements for seals used in pipes and fittings carrying gas and hydrocarbon fluids

EN 751-1, Sealing materials for metallic threaded joints in contact with 1st, 2nd and 3rd family gases and hot water - Part 1: Anaerobic jointing compounds

EN 751-2, Sealing materials for metallic threaded joints in contact with 1st, 2nd and 3rd family gases and hot water - Part 2: Non-hardening jointing compounds

EN 751-3, Sealing materials for metallic threaded joints in contact with 1st, 2nd and 3rd family gases and hot water - Part 3: Unsintered PTFE tapes

EN 1092-1, Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 1: Steel flanges

EN 1092-2, Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 2: Cast iron flanges

EN 1092-3, Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 3: Copper alloy flanges

EN 1254-1, Copper and copper alloys - Plumbing fittings - Part 1: Fittings with ends for capillary soldering or capillary brazing to copper tubes

EN 1254-2, Copper and copper alloys - Plumbing fittings - Part 2: Fittings with compression ends for use with copper tubes



This is a free preview	 Purchase the entire 	e publication at the link below:
------------------------	---	----------------------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation