



NSAI
Standards

Irish Standard
I.S. EN 62116:2014

Utility-interconnected photovoltaic inverters - Test procedure of islanding prevention measures

I.S. EN 62116:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 62116:2014

Published:

2014-07-25

*This document was published
under the authority of the NSAI
and comes into effect on:*

2014-08-27

ICS number:

27.160

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 62116

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2014

ICS 27.160

Supersedes EN 62116:2011

English Version

**Utility-interconnected photovoltaic inverters - Test procedure of
islanding prevention measures
(IEC 62116:2014)**

Onduleurs photovoltaïques interconnectés au réseau public
- Procédure d'essai des mesures de prévention contre
l'îlotage
(CEI 62116:2014)

Photovoltaik-Wechselrichter für den Anschluss an das
Stromversorgungsnetz - Prüfverfahren für Maßnahmen zur
Verhinderung der Inselbildung
(IEC 62116:2014)

This European Standard was approved by CENELEC on 2014-04-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 82/813/FDIS, future edition 2 of IEC 62116, prepared by IEC/TC 82 "Solar photovoltaic energy systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62116:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-01-25
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-04-02

This document supersedes EN 62116:2011.

EN 62116:2014 includes the following significant technical changes with respect to EN 62116:2011:

Previous edition		Present edition
3.7	Real power	Active power
5.1		
5.4		
6.1 b)		
6.1 d)		
6.1 e)		
6.1 g)		
Table 1		
Table 6		
Table 7		
Table 9		
5.2	<p>A PV array or PV array simulator (preferred) may be used.</p> <p>If the EUT can operate in utility-interconnected mode from a storage battery, a DC power source may be used in lieu of a battery as long as the DC power source is not the limiting device as far as the maximum EUT input current is concerned.</p>	<p>A DC power source, such as a PV array simulator, a PV array, or a current and voltage limited DC power supply with series resistance may be used.</p> <p>If the EUT can operate in utility-interconnected mode from a storage battery, a DC power source may be used in lieu of a battery as long as the DC power source shall not be the limiting device as far as the maximum EUT input current is concerned.</p>

Table 5	EUT input voltage 90 %	EUT input voltage 75 %
	EUT input voltage 10 %	EUT input voltage 20 %
	EUT Trip Settings Manufacturer specified voltage and frequency trip settings	Voltage and frequency trip settings according to National standards and/or local code
Tables 6 & 7 (Heading)	Percent change in real load, reactive load from nominal	Percent change in active load, reactive load from nominal output power

Major changes with respect to the previous edition concern the DC power source and test conditions.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62116:2014 was approved by CENELEC as a European Standard without any modification.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:
www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC/TS 61836	-	Solar photovoltaic energy systems - Terms, definitions and symbols	CLC/TS 61836	-



IEC 62116

Edition 2.0 2014-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Utility-interconnected photovoltaic inverters – Test procedure of islanding prevention measures

Onduleurs photovoltaïques interconnectés au réseau public – Procédure d'essai des mesures de prévention contre l'îlotage



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 62116

Edition 2.0 2014-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Utility-interconnected photovoltaic inverters – Test procedure of islanding prevention measures

Onduleurs photovoltaïques interconnectés au réseau public – Procédure d'essai des mesures de prévention contre l'îlotage

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

U

ICS 27.160

ISBN 978-2-8322-1442-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Testing circuit.....	9
5 Testing equipment.....	11
5.1 Measuring instruments.....	11
5.2 DC power source	11
5.2.1 General	11
5.2.2 PV array simulator	12
5.2.3 Current and voltage limited DC power supply with series resistance.....	12
5.2.4 PV array	12
5.3 AC power source	13
5.4 AC loads.....	13
6 Test for single or multi-phase inverter.....	13
6.1 Test procedure.....	13
6.2 Pass/fail criteria	17
7 Documentation	17
Annex A (informative) Islanding as it applies to PV systems	20
A.1 General.....	20
A.2 Impact of distortion on islanding.....	21
Annex B (informative) Test for independent islanding detection device (relay)	22
B.1 General.....	22
B.2 Testing circuit	22
B.3 Testing equipment	22
B.3.1 General	22
B.3.2 AC input source	22
B.4 Testing procedure.....	23
B.5 Documentation.....	23
Annex C (informative) Gate blocking signal.....	24
C.1 General.....	24
C.2 Gate blocking signal used in photovoltaic systems	24
C.3 Monitoring the gate blocking signal	24
Bibliography.....	25
Figure 1 – Test circuit for islanding detection function in a power conditioner (inverter)	11
Figure B.1 – Test circuit for independent islanding detection device (relay)	22
Table 1 – Parameters to be measured in real time	10
Table 2 – Specification of array simulator (test conditions).....	12
Table 3 – PV array test conditions	13
Table 4 – AC power source requirements	13
Table 5 – Test conditions.....	14

Table 6 – Load imbalance (real, reactive load) for test condition A (EUT output = 100 %)	16
Table 7 – Load imbalance (reactive load) for test condition B (EUT output = 50 % to 66 %) and test condition C (EUT output = 25 % to 33 %)	16
Table 8 – Specification of the EUT provided by the manufacturer (example)	17
Table 9 – List of tested condition and run on time (example).....	18
Table 10 – Specification of testing equipment (example).....	19

INTERNATIONAL ELECTROTECHNICAL COMMISSION

UTILITY-INTERCONNECTED PHOTOVOLTAIC INVERTERS – TEST PROCEDURE OF ISLANDING PREVENTION MEASURES

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62116 has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

This second edition cancels and replaces the first edition issued in 2008 and constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

Previous edition		Present edition
Clause	Real power	Active power
3.7		
5.1		
5.4		
6.1 b)		
6.1 d)		
6.1 e)		
6.1 g)		
Table 1		
Table 6		
Table 7		
Table 9		
5.2	A PV array or PV array simulator (preferred) may be used. If the EUT can operate in utility-interconnected mode from a storage battery, a DC power source may be used in lieu of a battery as long as the DC power source is not the limiting device as far as the maximum EUT input current is concerned.	A DC power source, such as a PV array simulator, a PV array, or a current and voltage limited DC power supply with series resistance may be used. If the EUT can operate in utility-interconnected mode from a storage battery, a DC power source may be used in lieu of a battery as long as the DC power source shall not be the limiting device as far as the maximum EUT input current is concerned.
Table 5	EUT input voltage 90 %	EUT input voltage 75 %
	EUT input voltage 10 %	EUT input voltage 20 %
	EUT Trip Settings Manufacturer specified voltage and frequency trip settings	Voltage and frequency trip settings according to National standards and/or local code
Tables 6 & 7 (Heading)	Percent change in real load, reactive load from nominal	Percent change in active load, reactive load from nominal output power

The text of this standard is based on the following documents:

FDIS	Report on voting
82/813/FDIS	82/827/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Islanding is a condition in which a portion of an electric power grid, containing both load and generation, is isolated from the remainder of the electric power grid. This situation is one which electric power providers (utilities) regularly contend with. When an island is created purposely by the controlling utility – to isolate large sections of the utility grid, for example – it is called an intentional island. Conversely, an unintentional island can be created when a segment of the utility grid containing only customer-owned generation and load is isolated from the utility control.

Normally, the customer-owned generation is required to sense the absence of utility-controlled generation and cease energizing the grid. However, when the generation and load within the segment are well balanced prior to the isolation event, the utility is providing little power to the grid segment, thus making it difficult to detect when the isolation occurs. Damage can occur to customer equipment if the generation in the island, no longer under utility control, operates outside of normal voltage and frequency conditions. Customer and utility equipment can be damaged if the main grid recloses into the island out of synchronization. Energized lines within the island present a shock hazard to unsuspecting utility lineworkers who think the lines are dead.

The PV industry has pioneered the development of islanding detection and prevention measures. To satisfy the concerns of electric power providers, commercially-available utility-interconnected PV inverters have implemented a variety of islanding detection and prevention (also called anti-islanding) techniques. The industry has also developed a test procedure to demonstrate the efficacy of these anti-islanding techniques; that procedure is the subject of this document.

This standard provides a consensus test procedure to evaluate the efficacy of islanding prevention measures used by the power conditioner of utility-interconnected PV systems. Note that while this document specifically addresses inverters for photovoltaic systems, with some modifications the setup and procedure may also be used to evaluate inverters used with other generation sources or to evaluate separate anti-islanding devices intended for use in conjunction with PV inverters or other generation sources acting as or supplementing the anti-islanding feature of those sources.

Inverters and other devices meeting the requirements of this document can be considered non-islanding, meaning that under reasonable conditions, the device will detect island conditions and cease to energize the public electric power grid.

UTILITY-INTERCONNECTED PHOTOVOLTAIC INVERTERS – TEST PROCEDURE OF ISLANDING PREVENTION MEASURES

1 Scope

The purpose of this International Standard is to provide a test procedure to evaluate the performance of islanding prevention measures used with utility-interconnected PV systems.

This standard describes a guideline for testing the performance of automatic islanding prevention measures installed in or with single or multi-phase utility interactive PV inverters connected to the utility grid. The test procedure and criteria described are minimum requirements that will allow repeatability. Additional requirements or more stringent criteria may be specified if demonstrable risk can be shown. Inverters and other devices meeting the requirements of this standard are considered non-islanding as defined in IEC 61727.

This standard may be applied to other types of utility-interconnected systems (e.g. inverter-based microturbine and fuel cells, induction and synchronous machines). However, technical review may be necessary for other than inverter-based PV systems.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/TS 61836, *Solar photovoltaic energy systems – Terms, definitions and symbols*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61836 as well as the following apply.

3.1

PV array simulator

DC power source used to simulate PV array output

3.2

EUT

equipment under test

inverter or anti-islanding device on which these tests are performed

Note 1 to entry: This note applies to the French language only.

3.3

MPPT

maximum power point tracking

PV array control strategy used to maximize the output of the system under the prevailing conditions

Note 1 to entry: This note applies to the French language only.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-