



NSAI
Standards

Irish Standard
I.S. EN 60086-1:2015

Primary batteries - Part 1: General

I.S. EN 60086-1:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 60086-1:2015

Published:

2015-10-09

*This document was published
under the authority of the NSAI
and comes into effect on:*

2015-10-27

ICS number:

29.220.10

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 60086-1:2015 is the adopted Irish version of the European Document EN 60086-1:2015, Primary batteries - Part 1: General

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 60086-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2015

ICS 29.220.10

Supersedes EN 60086-1:2011

English Version

Primary batteries - Part 1: General (IEC 60086-1:2015)

Piles électriques - Partie 1: Généralités
(IEC 60086-1:2015)

Primärbatterien - Teil 1: Allgemeines
(IEC 60086-1:2015)

This European Standard was approved by CENELEC on 2015-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 60086-1:2015

European foreword

The text of document 35/1346/FDIS, future edition 12 of IEC 60086-1, prepared by IEC/TC 35 "Primary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60086-1:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-06-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-09-01

This document supersedes EN 60086-1:2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60086-1:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated :

| | | |
|-----------|------|-------------------------|
| IEC 62281 | NOTE | Harmonized as EN 62281. |
|-----------|------|-------------------------|

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|---------------|--|---------------|--------------------|
| IEC 60086-2 | ¹⁾ | Primary batteries - Part 2: Physical and electrical specifications | FprEN 60086-2 | 2015 ¹⁾ |
| IEC 60086-3 | 2011 | Primary batteries - Part 3: Watch batteries | EN 60086-3 | 2011 |
| IEC 60086-4 | 2014 | Primary batteries - Part 4: Safety of lithium batteries | EN 60086-4 | 2015 |
| IEC 60086-5 | 2011 | Primary batteries - Part 5: Safety of batteries with aqueous electrolyte | EN 60086-5 | 2011 |

1) At draft stage.

This page is intentionally left blank



IEC 60086-1

Edition 12.0 2015-07

INTERNATIONAL STANDARD

**Primary batteries –
Part 1: General**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 60086-1

Edition 12.0 2015-07

INTERNATIONAL STANDARD

Primary batteries – Part 1: General

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.220.10

ISBN 978-2-8322-2813-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|---|----|
| FOREWORD | 5 |
| INTRODUCTION | 7 |
| 1 Scope | 8 |
| 2 Normative references | 8 |
| 3 Terms and definitions | 8 |
| 4 Requirements | 11 |
| 4.1 General | 11 |
| 4.1.1 Design | 11 |
| 4.1.2 Battery dimensions | 11 |
| 4.1.3 Terminals | 11 |
| 4.1.4 Classification (electrochemical system) | 13 |
| 4.1.5 Designation | 14 |
| 4.1.6 Marking | 14 |
| 4.1.7 Interchangeability: battery voltage | 15 |
| 4.2 Performance | 16 |
| 4.2.1 Discharge performance | 16 |
| 4.2.2 Dimensional stability | 16 |
| 4.2.3 Leakage | 16 |
| 4.2.4 Open-circuit voltage limits | 16 |
| 4.2.5 Service output | 16 |
| 4.2.6 Safety | 16 |
| 5 Performance – Testing | 17 |
| 5.1 General | 17 |
| 5.2 Discharge testing | 17 |
| 5.2.1 General | 17 |
| 5.2.2 Application tests | 17 |
| 5.2.3 Service output tests | 18 |
| 5.3 Conformance check to a specified minimum average duration | 18 |
| 5.4 Calculation method of the specified value of a minimum average duration | 19 |
| 5.5 OCV testing | 19 |
| 5.6 Battery dimensions | 19 |
| 5.7 Leakage and deformation | 19 |
| 6 Performance – Test conditions | 19 |
| 6.1 Storage and discharge conditions | 19 |
| 6.2 Commencement of discharge tests after storage | 20 |
| 6.3 Discharge test conditions | 20 |
| 6.3.1 General | 20 |
| 6.3.2 Compliance | 20 |
| 6.4 Load resistance | 20 |
| 6.5 Time periods | 20 |
| 6.6 Test condition tolerances | 21 |
| 6.7 Activation of ‘P’-system batteries | 21 |
| 6.8 Measuring equipment | 21 |
| 6.8.1 Voltage measurement | 21 |
| 6.8.2 Mechanical measurement | 21 |
| 7 Sampling and quality assurance | 21 |

| | | |
|-----------------------|--|----|
| 8 | Battery packaging | 21 |
| Annex A (normative) | Criteria for the standardization of batteries | 22 |
| Annex B (informative) | Recommendations for equipment design | 23 |
| B.1 | Technical liaison | 23 |
| B.2 | Battery compartment | 23 |
| B.2.1 | General | 23 |
| B.2.2 | Limiting access by children | 24 |
| B.3 | Voltage cut-off | 24 |
| Annex C (normative) | Designation system (nomenclature) | 25 |
| C.1 | General | 25 |
| C.2 | Designation system in use up to October 1990 | 25 |
| C.2.1 | General | 25 |
| C.2.2 | Cells | 25 |
| C.2.3 | Electrochemical system | 27 |
| C.2.4 | Batteries | 28 |
| C.2.5 | Modifiers | 28 |
| C.2.6 | Examples | 28 |
| C.3 | Designation system in use since October 1990 | 28 |
| C.3.1 | General | 28 |
| C.3.2 | Round batteries | 28 |
| C.3.3 | Non-round batteries | 32 |
| C.3.4 | Ambiguity | 35 |
| Annex D (informative) | Standard discharge voltage U_S – Definition and method of determination | 37 |
| D.1 | Definition | 37 |
| D.2 | Determination | 37 |
| D.2.1 | General considerations: the C/R -plot | 37 |
| D.2.2 | Determination of the standard discharge resistor R_S | 38 |
| D.2.3 | Determination of the standard discharge capacity C_S and standard discharge time t_S | 39 |
| D.3 | Experimental conditions to be observed and test results | 39 |
| Annex E (informative) | Preparation of standard methods of measuring performance (SMMP) of consumer goods | 41 |
| E.1 | General | 41 |
| E.2 | Performance characteristics | 41 |
| E.3 | Criteria for the development of test methods | 41 |
| Annex F (informative) | Calculation method for the specified value of minimum average duration | 42 |
| Annex G (normative) | Code of practice for packaging, shipment, storage, use and disposal of primary batteries | 43 |
| G.1 | General | 43 |
| G.2 | Packaging | 43 |
| G.3 | Transport and handling | 43 |
| G.4 | Storage and stock rotation | 43 |
| G.5 | Displays at sales points | 44 |
| G.6 | Selection, use and disposal | 44 |
| G.6.1 | Purchase | 44 |
| G.6.2 | Installation | 44 |
| G.6.3 | Use | 44 |

| | | |
|--------------|---|----|
| G.6.4 | Replacement | 45 |
| G.6.5 | Disposal | 45 |
| Bibliography | | 46 |
| Figure 1 | – Ingestion gauge | 11 |
| Figure C.1 | – Designation system for round batteries: $d_1 < 100$ mm; height $h_1 < 100$ mm | 29 |
| Figure C.2 | – Diameter code for non-recommended diameters | 30 |
| Figure C.3 | – Height code for denoting the hundredths of a millimetre of height | 31 |
| Figure C.4 | – Designation system for round batteries: $d_1 \geq 100$ mm; height $h_1 \geq 100$ mm | 32 |
| Figure C.5 | – Designation system for non-round batteries, dimensions < 100 mm | 33 |
| Figure C.6 | – Designation system for non-round batteries, dimensions ≥ 100 mm | 34 |
| Figure C.7 | – Height code for discrimination per tenth of a millimetre | 35 |
| Figure D.1 | – Normalized C/R -plot (schematic) | 38 |
| Figure D.2 | – Standard discharge voltage (schematic) | 39 |
| Table 1 | – Standardized electrochemical systems | 13 |
| Table 2 | – Marking requirements | 15 |
| Table 3 | – Conditions for storage before and during discharge testing | 19 |
| Table 4 | – Resistive loads for new tests | 20 |
| Table 5 | – Time periods for new tests | 20 |
| Table 6 | – Test condition tolerances | 21 |
| Table A.1 | – Items necessary to standardize | 22 |
| Table C.1 | – Physical designation and dimensions of round cells and batteries | 26 |
| Table C.2 | – Physical designation and nominal overall dimensions of flat cells | 27 |
| Table C.3 | – Physical designation and dimensions of square cells and batteries | 27 |
| Table C.4 | – Diameter code for recommended diameter | 30 |
| Table C.5 | – Physical designation and dimensions of round cells and batteries based on Clause C.2 | 36 |
| Table C.6 | – Physical designation and dimensions of non-round batteries based on Clause C.2 | 36 |
| Table D.1 | – Standard discharge voltage by system | 40 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRIMARY BATTERIES –**Part 1: General****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60086-1 has been prepared by IEC technical committee 35: Primary cells and batteries.

This twelfth edition cancels and replaces the eleventh edition (2011) and constitutes a technical revision.

The major technical changes with respect to the previous edition are:

- the order of the Annexes was changed to the order in which they appear in the document and a caption was added to indicate where the Annex information first appears in the document;
- the humidity conditions for non P-system batteries in Table 3 was modified;
- the standard discharge voltage for the Y and W chemistries was determined to be at 3,5 V and 2,8 V respectively;
- details on capacity measurement were moved from Annex E to Subclause 5.1.

- the coin/button cell and battery definition was clarified in order to better address issues with the swallowing of coin cells.

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 35/1346/FDIS | 35/1349/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60086 series, under the general title *Primary batteries*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

The technical content of this part of IEC 60086 provides fundamental requirements and information on primary cells and batteries. All batteries within the IEC 60086 series are considered dry cell batteries. In this sense, IEC 60086-1 is the main component of the IEC 60086 series and forms the basis for the subsequent parts. For example, this part includes elementary information on definitions, nomenclature, dimensions and marking. While specific requirements are included, the content of this part tends to explain methodology (how) and justification (why).

Over the years, this part has been changed to improve its content and remains under continual scrutiny to ensure that the publication is kept up to date with the advances in both battery and battery-powered device technologies.

NOTE Safety information is available in IEC 60086-4, IEC 60086-5 and IEC 62281.

PRIMARY BATTERIES –

Part 1: General

1 Scope

This part of IEC 60086 is intended to standardize primary batteries with respect to dimensions, nomenclature, terminal configurations, markings, test methods, typical performance, safety and environmental aspects.

As a primary battery classification tool, electrochemical systems are also standardized with respect to system letter, electrodes, electrolyte, nominal and maximum open circuit voltage.

NOTE The requirements justifying the inclusion or the ongoing retention of batteries in the IEC 60086 series are given in Annex A.

The object of this part of IEC 60086 is to benefit primary battery users, device designers and battery manufacturers by ensuring that batteries from different manufacturers are interchangeable according to standard form, fit and function. Furthermore, to ensure compliance with the above, this part specifies standard test methods for testing primary cells and batteries.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60086-2:–1, *Primary batteries – Part 2: Physical and electrical specifications*

IEC 60086-3:2011, *Primary batteries – Part 3: Watch batteries*

IEC 60086-4:2014, *Primary batteries – Part 4: Safety of lithium batteries*

IEC 60086-5:2011, *Primary batteries – Part 5: Safety of batteries with aqueous electrolyte*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 application test

simulation of the actual use of a battery in a specific application

3.2 battery

one or more cells electrically connected and fitted in a case, with terminals, markings and protective devices etc., as necessary for use

¹ To be published.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-