



**NSAI**  
Standards

Irish Standard  
I.S. EN ISO 6142-1:2015

# Gas analysis - Preparation of calibration gas mixtures - Part 1: Gravimetric method for Class I mixtures (ISO 6142-1:2015)

I.S. EN ISO 6142-1:2015

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN ISO 6142-1:2015

*Published:*

2015-09-09

*This document was published under the authority of the NSAI and comes into effect on:*

2015-09-28

*ICS number:*

71.040.40

*NOTE: If blank see CEN/CENELEC cover page*

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## National Foreword

I.S. EN ISO 6142-1:2015 is the adopted Irish version of the European Document EN ISO 6142-1:2015, Gas analysis - Preparation of calibration gas mixtures - Part 1: Gravimetric method for Class I mixtures (ISO 6142-1:2015)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with this document does not of itself confer immunity from legal obligations.**

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.*

This page is intentionally left blank

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN ISO 6142-1**

September 2015

ICS 71.040.40

Supersedes EN ISO 6142:2006

English Version

**Gas analysis - Preparation of calibration gas mixtures -  
Part 1: Gravimetric method for Class I mixtures (ISO 6142-  
1:2015)**

Analyse des gaz - Préparation des mélanges de gaz  
pour étalonnage - Partie 1 : Méthode gravimétrique des  
mélanges Classe I (ISO 6142-1:2015)

Gasanalyse - Herstellung von Kalibriergasen - Teil 1:  
Wägeverfahren für Gemische der Klasse I (ISO 6142-  
1:2015)

This European Standard was approved by CEN on 5 September 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## **EN ISO 6142-1:2015 (E)**

### **Contents**

	Page
<b>European foreword.....</b>	<b>3</b>

## **European foreword**

This document (EN ISO 6142-1:2015) has been prepared by Technical Committee ISO/TC 158 "Analysis of gases".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2016, and conflicting national standards shall be withdrawn at the latest by March 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 6142:2006.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **Endorsement notice**

The text of ISO 6142-1:2015 has been approved by CEN as EN ISO 6142-1:2015 without any modification.

This page is intentionally left blank

**INTERNATIONAL  
STANDARD**

**ISO  
6142-1**

First edition  
2015-08-01

---

---

---

**Gas analysis — Preparation of  
calibration gas mixtures —**

**Part 1:  
Gravimetric method for Class I  
mixtures**

*Analyse des gaz — Préparation des mélanges de gaz pour  
étalonnage —*

*Partie 1: Méthode gravimétrique pour les mélanges de Classe I*



Reference number  
ISO 6142-1:2015(E)

## **ISO 6142-1:2015(E)**



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

## Contents

	Page
<b>Foreword</b>	<b>v</b>
<b>Introduction</b>	<b>vi</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Symbols</b>	<b>2</b>
<b>5 Principle</b>	<b>3</b>
<b>6 Planning the preparation of the mixture</b>	<b>5</b>
6.1 Feasibility of preparing the gas mixture	5
6.1.1 Safety considerations	5
6.1.2 Reactions of mixture components	5
6.1.3 Reactions with container materials	5
6.2 Choice of preparation method	5
6.3 Calculation of target masses	6
6.4 Condensation of components from the gas phase	6
<b>7 Purity analysis</b>	<b>6</b>
<b>8 Determination of masses and calculation of preparation uncertainty</b>	<b>7</b>
8.1 Preparation of cylinder	7
8.2 Determination of masses and their uncertainties	7
8.3 Atomic weights and molar masses	7
8.4 Calculation of the mixture composition	8
8.5 Calculation of gravimetric uncertainty	8
<b>9 Homogeneity and stability of the calibration gas mixture</b>	<b>8</b>
9.1 Homogeneity	8
9.2 Stability	9
9.2.1 General	9
9.2.2 Assessing stability	9
9.2.3 Statistics for assessment stability	11
9.2.4 Calculation of the preparation uncertainty	11
<b>10 Verification of calibration gas mixture composition</b>	<b>11</b>
10.1 Objectives	11
10.2 Statistical tests for consistency and uncertainty due to verification	12
<b>11 Uncertainty of the calibration gas mixture and preparation of certificate</b>	<b>12</b>
<b>Annex A (informative) Precautions to be taken when weighing, handling and filling cylinders</b>	<b>14</b>
<b>Annex B (informative) Practical examples</b>	<b>19</b>
<b>Annex C (informative) Guidelines for estimating filling pressures so as to avoid condensation of condensable components in gas mixtures</b>	<b>22</b>
<b>Annex D (normative) Liquid introduction</b>	<b>25</b>
<b>Annex E (informative) Atomic weights and molar masses</b>	<b>32</b>
<b>Annex F (informative) Derivation of the equation for calculating the calibration gas mixture composition</b>	<b>34</b>
<b>Annex G (informative) Sensitivity coefficients for the calculation of the uncertainty of the amount fraction of a component</b>	<b>36</b>
<b>Annex H (informative) Derivation of the equation for the final measurement uncertainty on the calibration gas mixture</b>	<b>37</b>

## **ISO 6142-1:2015(E)**

<b>Bibliography</b> .....	<b>38</b>
---------------------------	-----------

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 158, *Analysis of gases*.

This first edition of ISO 6142-1 cancels and replaces ISO 6142:2001, which has been technically revised to update the methods of preparation, estimation of the uncertainty, and validation of the composition of gravimetrically prepared calibration gases. It also incorporates the Amendment ISO 6142:2001/Amd.1:2009.

ISO 6142 consists of the following parts, under the general title *Gas analysis — Preparation of calibration gas mixtures*:

— *Part 1: Gravimetric method for Class I mixtures*

A future part dealing with gravimetric method for Class II mixtures.

## **Introduction**

The revision of ISO 6142 was initiated to provide better guidance to the users of this International Standard especially with respect to quality assurance measures and laboratory accreditation. In preparing the revision, it was decided to make accommodation for two types of calibration gas mixtures with different levels of quality assurance and with different levels of measurement uncertainty. The difference in the two classes can be summarized as follows:

Class I type calibration gas mixtures are prepared in accordance with this part of ISO 6142. The mixtures are individually verified. Provided rigorous and comprehensive quality assurance and quality control procedures are adopted during the preparation and verification of these mixtures, uncertainties may be achieved that are substantially smaller than by any other preparation method.

Class II type calibration gas mixtures are prepared in a similar manner to Class I calibration gas mixtures but these mixtures are not individually verified. Verification of Class II calibration gas mixtures can be based on random verification checks. These checks are monitored by means of statistical quality control to be described in a future part. For mixtures containing identical compounds and nominally identical amount-of-substance fractions, Class II type calibration gas mixtures will always have amount-of-substance fractions with larger uncertainties than their Class I counterparts.

# **Gas analysis — Preparation of calibration gas mixtures —**

## **Part 1: Gravimetric method for Class I mixtures**

### **1 Scope**

This part of ISO 6142 specifies a gravimetric method for the preparation of calibration gas mixtures in cylinders with traceable values for the amount-of-substance fraction (amount fraction) of one or more components. This part of ISO 6142 describes a method for calculating the uncertainty associated with the amount fraction of each component. This uncertainty calculation requires the evaluation of the contributions to the uncertainty due to factors including the weighing process, the purity of the components, the stability of the mixture, and the verification of the final mixture.

This part of ISO 6142 is only applicable to mixtures of gaseous or totally vaporized components, which may be introduced into the cylinder in the gaseous or liquid state. Both binary and multi-component gas mixtures (including natural-gas type mixtures) are covered by this part of ISO 6142. Methods for the batch production of more than one mixture in a single process are not included in this part of ISO 6142.

This part of ISO 6142 requires estimation of the stability of the mixture for its intended life time (maximum storage life), but it is not for use with components that react with each other unintentionally. This part of ISO 6142 also requires the impurities in each parent gas or liquid used in the preparation of the mixture to be assessed and quantified.

### **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6141, *Gas analysis — Contents of certificates for calibration gas mixtures*

ISO 6143, *Gas analysis — Comparison methods for determining and checking the composition of calibration gas mixtures*

ISO 7504, *Gas analysis — Vocabulary*

ISO 14912, *Gas analysis — Conversion of gas mixture composition data*

ISO 16664, *Gas analysis — Handling of calibration gases and gas mixtures — Guidelines*

ISO 19229, *Gas analysis — Purity analysis and the treatment of purity data*

ISO/TS 29041, *Gas mixtures — Gravimetric preparation — Mastering correlations in composition*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

IUPAC, Commission on atomic weights and isotopic abundances: *Atomic weights of the elements*

### **3 Terms and definitions**

For the purposes of this document, the terms and definitions given in ISO 7504 and ISO/IEC Guide 98-3 apply.



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- Looking for additional Standards? Visit Intertek Inform Infostore
- Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation