



NSAI
Standards

Irish Standard
I.S. EN ISO 4829-2:2016

Steels - Determination of total silicon contents - Reduced molybdosilicate spectrophotometric method - Part 2: Silicon contents between 0,01 % and 0,05 % (ISO 4829-2:2016)

I.S. EN ISO 4829-2:2016

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 4829-2:2016

Published:

2016-03-16

This document was published under the authority of the NSAI and comes into effect on:

2016-04-03

ICS number:

77.080.01

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 4829-2:2016 is the adopted Irish version of the European Document EN ISO 4829-2:2016, Steels - Determination of total silicon contents - Reduced molybdosilicate spectrophotometric method - Part 2: Silicon contents between 0,01 % and 0,05 % (ISO 4829-2:2016)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO 4829-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2016

ICS 77.080.01

Supersedes EN 24829-2:1990

English Version

Steels - Determination of total silicon contents - Reduced molybdosilicate spectrophotometric method - Part 2: Silicon contents between 0,01 % and 0,05 % (ISO 4829-2:2016)

Aciers - Détermination du silicium total - Méthode spectrophotométrique au silicomolybdate réduit - Partie 2: Teneurs en silicium comprises entre 0,01 % et 0,05 % (ISO 4829-2:2016)

Stahl - Bestimmung des Gesamtsiliciumanteils - Spektrophotometrische Methode mit reduziertem Molybdatosilicat - Teil 2: Siliciumanteile zwischen 0,01 % und 0,05 % (ISO 4829-2:2016)

This European Standard was approved by CEN on 21 November 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 4829-2:2016 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 4829-2:2016) has been prepared by Technical Committee ISO/TC 17 “Steel” in collaboration with Technical Committee ECISS/TC 102 “Methods of chemical analysis for iron and steel” the secretariat of which is held by SIS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2016, and conflicting national standards shall be withdrawn at the latest by September 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 24829-2:1990.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 4829-2:2016 has been approved by CEN as EN ISO 4829-2:2016 without any modification.

This page is intentionally left blank

INTERNATIONAL
STANDARD

ISO
4829-2

Second edition
2016-02-15

**Steels — Determination of total silicon
contents — Reduced molybdsilicate
spectrophotometric method —**

Part 2:

**Silicon contents between 0,01 % and
0,05 %**

*Aciers — Détermination du silicium total — Méthode
spectrophotométrique au silicomolybdate réduit —*

Partie 2: Teneurs en silicium comprises entre 0,01 % et 0,05 %



Reference number
ISO 4829-2:2016(E)

© ISO 2016

ISO 4829-2:2016(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Principle	1
4 Reagents	1
5 Apparatus	3
6 Sampling	4
7 Procedure	4
7.1 Test portion.....	4
7.2 Blank test.....	4
7.3 Determination.....	4
7.3.1 Dissolution of the test portion.....	4
7.3.2 Treatment of insoluble residue.....	4
7.3.3 Preparation of the test solution.....	4
7.3.4 Development of the colour.....	5
7.3.5 Spectrophotometric measurements.....	5
7.4 Establishment of the calibration curve.....	6
7.4.1 Preparation of the calibration solutions.....	6
7.4.2 Spectrophotometric measurements.....	6
7.4.3 Plotting of the calibration curve.....	6
8 Expression of results	6
8.1 Method of calculation.....	6
8.2 Precision.....	7
9 Test report	7
Annex A (informative) Additional information on the interlaboratory test	9
Bibliography	10

ISO 4829-2:2016(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#).

The committee responsible for this document is ISO/TC 17, *Steel*, Subcommittee SC 1, *Methods of determination of chemical composition*.

This second edition cancels and replaces the first edition (ISO 4829-2:1988), which has been technically revised.

ISO 4829 consists of the following parts, under the general title *Steels — Determination of total silicon contents — Reduced molybdosilicate spectrophotometric method*:

- *Part 1: Silicon contents between 0,05 % and 1,0 %*
- *Part 2: Silicon contents between 0,01 % and 0,05 %*

Steels — Determination of total silicon contents — Reduced molybdosilicate spectrophotometric method —

Part 2: Silicon contents between 0,01 % and 0,05 %

1 Scope

This part of ISO 4829 specifies a spectrophotometric method for the determination of total silicon in steels using reduced molybdosilicate.

The method is applicable to silicon contents between 0,01 % and 0,05 % (mass fraction) in steels.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 648, *Laboratory glassware — Single-volume pipettes*

ISO 1042, *Laboratory glassware — One-mark volumetric flasks*

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

ISO 14284, *Steel and iron — Sampling and preparation of samples for the determination of chemical composition*

3 Principle

Dissolution of a test portion in a hydrochloric/nitric acids mixture.

Fusion of the acid-insoluble residue with sodium peroxide. Formation of the oxidized molybdosilicate (yellow) complex in weak acid solution.

Selective reduction of the molybdosilicate complex to a blue complex with ascorbic acid, after increasing the sulphuric acid concentration and adding oxalic acid to prevent the interference of phosphorus, arsenic and vanadium.

Spectrophotometric measurement of the reduced blue complex at a wavelength of about 810 nm.

4 Reagents

During the analysis, unless otherwise specified, use only reagents of recognized analytical grade and only grade 2 water as specified in ISO 3696. Water demineralized by ion-exchange shall not be used as it may contain significant amounts of colloidal silica.

Reagents supplied in glass bottles, once opened, might absorb moisture and become reactive to glassware. Alkaline reagents, e.g. sodium carbonate and sodium peroxide, are particularly susceptible. To avoid the risk of significant contamination arising from this source, it is recommended that only freshly opened bottles of all reagents be used for the preparation of reagent solutions.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-