

Irish Standard Recommendation S.R. CEN/TS 16660:2015

Characterization of waste - Leaching behaviour test - Determination of the reducing character and the reducing capacity

© CEN 2015 No copying without NSAI permission except as permitted by copyright law.

S.R. CEN/TS 16660:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: CEN/TS 16660:2015 *Published:* 2015-05-13

This document was published		ICS number:	
and comes into effect on:			13.030.01
2015-05-30			
		NOTE: If bl	ank see CEN/CENELEC cover page
NSAI	T +353 1 807 3800		Sales:
1 Swift Square,	F +353 1 807 3838		T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie		F +353 1 857 6729
Dublin 9	W NSAI.ie		W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online. S.R. CEN/TS 16660:2015

TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

CEN/TS 16660

May 2015

ICS 13.030.01

English Version

Characterization of waste - Leaching behaviour test -Determination of the reducing character and the reducing capacity

Caractérisation des déchets - Essais de comportement à la lixiviation - Détermination des propriétés réductrices et de la capacité de réduction

Charakterisierung von Abfällen - Untersuchung des Elutionsverhaltens - Bestimmung der Reduktionseigenschaft und der Reduktionsfähigkeit

This Technical Specification (CEN/TS) was approved by CEN on 21 March 2015 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Ref. No. CEN/TS 16660:2015 E

This is a free page sample. Access the full version online. $$S.R.\ CEN/TS\ 16660:2015$

CEN/TS 16660:2015 (E)

Contents

Forewo	ord	3
Introdu	uction	4
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Principle	7
5	Preparation of the test portion	8
6	Reagents	9
7	Equipment	9
8	Procedure	10
8.1	General	10
8.2 8.3	Determination of the reducing character	10 11
8.3.1	Calibration procedure	11
8.3.2	Determination of the reducing capacity of the solid material	11
8.4	Determination of the reducing capacity of the eluates	12
8.4.1	Calibration procedure	12
8.4.2	Determination of the reducing capacity of the eluates	12
9	Calculations	13
9.1	Determination of the reducing character	13
9.3	Calculation of the reducing capacity of the eluates	14
10	Test report	15
Annex	A (informative) Validation of the provisions of the reducing capacity	16
A.1	General	16
A.2	Validation results 9.1 'Determination of the reducing character'	16
A.3	Validation results 9.2 'Calculation of the reducing capacity of the solid material'	17
A.4	Validation results 9.3 'Calculation of the reducing capacity of the eluates'	18
Annex	B (informative) Explanatory note	19
B.1	Cause of reducing material behaviour	19
B.2	Set-up of the tests to determine the reducing capacity	19
В.3	Limitations of the cerimetric determination method	20
В.4	Materials with reducing properties	20
Annex	C (informative) Sampling, storage and pretreatment	22
Bibliog	Jraphy	23

Foreword

This document (CEN/TS 16660:2015) has been prepared by Technical Committee CEN/TC 292 "Characterization of waste", the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been developed primarily to support the requirements for leaching behaviour testing within EU and EFTA countries.

This document was elaborated on the basis of NEN 7348:2006.

To determine the various aspects of the leaching behaviour (the leaching characteristics) of solid earthy and stony building and waste materials a series of steps should be followed, in particular sampling, sample pretreatment, characterization tests, digestion and chemical analysis of the solid substance or the eluates. An umbrella standard (EN 16457) is developed that gives general instructions. In here the relationship is given between all the standards in each step, each with a specific scope. To determine the leaching characteristics, the general instructions or the specific standards to which reference is made shall be followed with good consistency.

This Technical Specification describes a test that can be used to determine whether or not the material to be tested possesses reducing properties. If this is the case, a next test is used to quantify the reducing capacity of this material or its eluates. Based on the results of this Technical Specification, it can be established whether leaching under practical conditions can differ (considerably) from leaching under standard aerobic laboratory conditions and whether there is justification for testing leaching under low-oxygen conditions (see Annex A, [16]).

The standards that characterize the various aspects of the leaching behaviour are produced and published in phases. This means that upon the publication of this Technical Specification, reference is not yet made in all relevant standards. For the missing aspects, users of this Technical Specification will have to make their own choice of the methods to be used. Annex A gives information on the validation and materials used. Annex B gives a further explanatory note on the reducing capacity. In addition to specifications provided in EN 15002, Annex C gives further guidance on sampling, sample pretreatment and sample storage. For more information, the standards and other publications included in the bibliography that have been published in this respect can be used.

The numbered clauses are normative with the exception of the passages marked with the heading 'NOTE'; the annexes are informative.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document specifies a set of three tests to assess if a material has reducing properties and subsequently to determine the reducing capacity of that material and the reducing capacity of an eluate produced at low liquid to solid ratio. For a proper performance special attention is given to minimize contact with the atmosphere before and during testing.

For the complete characterization of the leaching behaviour of waste under specified conditions the application of other test methods is required (see EN 12920).

Anyone dealing with waste and sludge analysis should be aware of the typical risks of that kind of material irrespective of the parameter to be determined. Waste and sludge samples can contain hazardous (e.g. toxic, reactive, flammable, infectious) substances, which can be liable to biological and/or chemical reaction.

Consequently these samples should be handled with special care. Gases which can be produced by microbiological or chemical activity are potentially flammable and will pressurize sealed bottles. Bursting bottles are likely to result in hazardous shrapnel, dust and/or aerosol. National regulations should be followed with respect to all hazards associated with this method.

In the different European countries, tests have been developed to characterize and assess the constituents which can be leached from waste materials. The release of soluble constituents upon contact with water is regarded as one of the main mechanism of release which results in a potential risk to the environment during life-cycle of waste materials (disposal or re-use scenario). The intent of these tests is to identify the leaching properties of waste materials. The complexity of the leaching process makes simplifications necessary. Not all of the relevant aspects of leaching behaviour can be addressed in one single standard. This Technical Specification addresses reducing properties of materials and the consequences to the test or test conditions to be applied in performing leaching tests.

Procedures to characterize the behaviour of waste materials can generally be divided into three steps, using different tests in relation to the objective. The following test hierarchy is taken from the Landfill Directive¹⁾ and the Decision on Annex II of this Directive²⁾ for disposal of waste.

- a) Basic characterization constitutes a full characterization of the waste by gathering all the necessary information for a safe management of the waste in the short and long term. Basic characterization may provide information on the waste (type and origin, composition, consistency, leachability, etc.), information for understanding the behaviour of waste in the considered management scenario, comparison of waste properties against limit values, and detection of key variables (critical parameters as liquid/solid (L/S) ratios, leachant composition, factors controlling leachability such as pH, redox potential, complexing capacity and physical parameters) for compliance testing and options for simplification of compliance testing. Characterization may deliver ratios between test results from basic characterization and results from simplified test procedures as well as information on a suitable frequency for compliance testing. In addition to the leaching behaviour, the composition of the waste should be known or determined by testing. The tests used for basic characterization should always include those to be used for compliance testing.
- b) Compliance testing is used to demonstrate that the sample of today fits the population of samples tested before by basic characterization and through that, is used to carry out compliance with regulatory limit values. The compliance test should therefore always be part of the basic characterization program. The compliance test focuses on key variables and leaching behaviour identified by basic characterization tests. Parts of basic characterization tests can also be used for compliance purposes.

¹⁾ Council Directive 1999/31/EC of 26 April 1999 on the landfill of waste.

²⁾ Council Decision 2003/33/EC of 19 December 2002.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation