

Irish Standard I.S. EN 16602-60-13:2015

Space product assurance - Requirements for the use of COTS components

 $\ensuremath{\mathbb C}$  CEN 2015  $\hfill No copying without NSAI permission except as permitted by copyright law.$ 

#### I.S. EN 16602-60-13:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.* 

*This document is based on:* EN 16602-60-13:2015 *Published:* 2015-08-12

This document was published ICS number: under the authority of the NSAI and comes into effect on: 2015-08-29 NOTE: If blank see CEN/CENELEC cover page NSAI T +353 1 807 3800 Sales: 1 Swift Square, F +353 1 807 3838 T +353 1 857 6730 Northwood, Santry E standards@nsai.ie F +353 1 857 6729 Dublin 9 W NSAI.ie W standards.ie Údarás um Chaighdeáin Náisiúnta na hÉireann

### **National Foreword**

I.S. EN 16602-60-13:2015 is the adopted Irish version of the European Document EN 16602-60-13:2015, Space product assurance - Requirements for the use of COTS components

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

#### Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

# EUROPEAN STANDARD

## EN 16602-60-13

## NORME EUROPÉENNE

## EUROPÄISCHE NORM

ICS 49.140

August 2015

English version

# Space product assurance - Requirements for the use of COTS components

Assurance produit des projets spatiaux - Exigences pour l'utilisation de composants commerciaux sur étagère Raumfahrtproduktsicherung - Anforderungen für die Nutzung von COTS-Komponenten

This European Standard was approved by CEN on 16 November 2014.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.





CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

# **Table of contents**

European foreword4			
Introduction4			
1 Scope7			
2 Norm	native references	9	
3 Term	s, definitions and abbreviated terms1	1	
3.1	Terms from other standards1	1	
3.2	Terms specific to the present standard1	1	
3.3	Abbreviated terms1	2	
3.4	Conventions1	3	
3.5	Nomenclature1	4	
4 Requ	4 Requirements for class 1 components15		
5 Requ	irements for class 2 components3	6	
6 Requ	irements for class 3 components5	9	
7 Qual	ity levels7	4	
8 Evalı	uation and lot acceptance for retinned parts7	5	
9 Pure	tin lead finish – risk analysis8	3	
Annex	A (normative) Component control plan (CCP) - DRD8	4	
Annex	B (normative) Declared components list (DCL) - DRD8	5	
Annex	C (normative) Internal Supplier's specification - DRD8	6	
Annex	D (normative) Parts approval document - DRD8	8	
Annex	E (informative) EEE documents delivery per review	9	
Annex	F (normative) Justification document - DRD9	0	
Annex	G (informative) Difference between the three classes9	3	
	H (informative) Flow chart for construction analysis and destructive sical analysis9	4	

Bibliography	

## Figures

Figure 4-1: Evaluation tests flow chart for Class 1 components	21
Figure 4-2: Lot acceptance tests flow chart for Class 1 components	
Figure 5-1: Evaluation Tests flow charts for Class 2 components	42
Figure 5-2: Lot acceptance tests flow chart for Class 2 components	51
Figure 6-1: Lot acceptance test flow chart for Class 3 components	67
Figure 8-1: Evaluation flow chart for retinned parts – class 1 programmes	76
Figure 8-2: Lot acceptance flow chart for retinned parts – class 1 programmes	77
Figure 8-3: Evaluation flow chart for retinned parts – class 2 programmes	79
Figure 8-4: Lot acceptance flow chart for retinned parts – class 2 programmes	80
Figure 8-5: Evaluation flow chart for retinned parts – class 3 programmes	81
Figure 8-6: Lot acceptance flow chart for retinned parts – class 3 programmes	82

## Tables

Table 4-1: Evaluation Tests for Class 1 components	21
Table 4-2: Screening tests for Class 1 components	25
Table 4-3: Lot acceptance tests for Class 1 components	29
Table 4-4: Documentation for Class 1 components	35
Table 5-1: Evaluation Tests for Class 2 components	43
Table 5-2: Screening tests for the Class 2 components	48
Table 5-3: Lot acceptance tests for Class 2 components	52
Table 5-4: Documentation for Class 2 components	58
Table 6-1: Evaluation tests for Class 3 components	63
Table 6-2: Screening tests for Class 3 components	65
Table 6-3: Lot acceptance tests for Class 3 components	68
Table 6-4: Documentation for Class 3 components	73
Table H-1 : Construction analysis and DPA	94
Table H-2 : Construction analysis sequence	95
Table H-3 : Destructive physical analysis sequence	97

## **European foreword**

This document (EN 16602-60-13:2015) has been prepared by Technical Committee CEN/CLC/TC 5 "Space", the secretariat of which is held by DIN.

This standard (EN 16602-60-13:2015) originates from ECSS-Q-ST-60-13C.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2016, and conflicting national standards shall be withdrawn at the latest by February 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

# Introduction

This European Standard is based on and complementary to ECSS-Q-ST-60C (with upward revisions). This standard can only be used in conjunction with ECSS-Q-ST-60C in its current revision. This standard applies only to commercial components - as defined in its scope - which meet defined technical parameters that are on the system application level demonstrated to be unachievable with existing space components or only achievable with qualitative and quantitative penalties. The standard requires that qualitative and quantitative penalties are specified, as applicable, as a minimum in terms of quantifiable parameters such as: functional capability, parts count, power dissipation, frequency of operation, data/signal processing efficiency, interconnect complexity, mass, volume, ...

For traceability to ECSS-Q-ST-60, the modifications or additions are marked in blue. Text in black colour is unmodified text.

The objective of the EEE component selection, control, procurement and use requirements is to ensure that EEE components used in a space project enables the project to meet its mission requirements.

Important elements of EEE component requirements include:

- a. component programme management,
- b. component selection, evaluation and approval,
- c. procurement,
- d. handling and storage,
- e. component quality assurance,
- f. specific components, and
- g. documentation.

The main tools which can be used to reach the objective are:

- a. concurrent engineering,
- b. standardization of component types,
- c. characterization of components,
- d. assessment of component manufacturers including declared competencies and processes,
- e. testing, screening, lot acceptance and periodic testing,
- f. procurement specifications,
- g. control and inspection,
- h. control of nonconforming materials,
- i. assessment and use of existing component data,
- j. application of specific control to mitigate risk for components with limited data or confidence, and

## This is a free page sample. Access the full version online. I.S. EN 16602-60-13:2015

#### EN 16602-60-13:2015 (E)

k. information management.

The basic approach is as follows:

- The customer of a given space project defines the EEE component requirements within the boundaries of this standard. They appear in the appropriate clauses of the project requirements as defined in ECSS-M-ST-10.
- The supplier defines a component control plan to implement those requirements into a system which enables, for instance, to control the selection, approval, procurement, handling in a schedule compatible with his requirements, and in a cost-efficient way.
- The supplier ensures that the applicable parts requirements are passed down to lower level suppliers and ensure that they are compliant to these parts requirements.

# 1 Scope

This standard defines the requirements for selection, control, procurement and usage of EEE commercial components for space projects.

This standard is applicable to commercial encapsulated active monolithic parts (integrated circuits and discrete):

- diodes
- microwave diodes
- integrated circuits
- microwave integrated circuits (MMIC)
- transistors
- microwave transistors

This standard is not applicable to the commercial parts from the following families:

- capacitors
- connectors
- crystals
- filters
- fuses
- heaters
- inductors
- microwave passive parts
- oscillators
- relays
- resistors
- switches
- thermistors
- transformers
- cables & wires
- hybrids
- surface acoustic waves (SAW)
- charge coupled devices (CCD)
- active pixel sensors (APS)

This is a free page sample. Access the full version online I.S. EN 16602-60-13:2015

#### EN 16602-60-13:2015 (E)

In addition, the following families of EEE components are not addressed by the present ECSS standard but it can be used as guideline and revisited on case/case basis:

- photodiodes
- light emitting diodes (LED)
- phototransistors
- opto-couplers
- laser diodes

In line with ECSS-Q-ST-60, this standard differentiates between three classes of components through three different sets of standardization requirements (clauses) to be met.

The three classes provide for three levels of trade-off between assurance and risk. The highest assurance and lowest risk is provided by class 1 and the lowest assurance and highest risk by class 3. Procurement costs are typically highest for class 1 and lowest for class 3. Mitigation and other engineering measures can decrease the total cost of ownership differences between the three classes. The project objectives, definition and constraints determine which class or classes of components are appropriate to be utilised within the system and subsystems.

- a. Class 1 components are described in Clause 4
- b. Class 2 components are described in Clause 5
- c. Class 3 components are described in Clause 6

Annex G includes a diagram that summarizes the difference between these three classes for evaluation, screening and lot acceptance.

The requirements of this document are applicable to all parties involved at all levels in the integration of EEE commercial components into space segment hardware and launchers.

For easy tailoring and implementation of the requirements into a Requirement Management Tool, and for direct traceability to ECSS-Q-ST-60, requirements in this standards have been written in the way of a ECSS Applicability Requirement Matrix (EARM), as defined in Annex A of ECSS-S-ST-00 "ECSS system – Description, implementation and general requirements".

This standard may be tailored for the specific characteristics and constrains of a space project in conformance with ECSS-S-ST-00.



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation