

Irish Standard I.S. EN ISO 13736:2013

Determination of flash point - Abel closedcup method (ISO 13736:2013)

© CEN 2013

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/	corrigenda/National Anne.	xes issued since public	cation:	
The National Standards Authori <sup>.</sup> documents:	ty of Ireland (NSAI) produc	ces the following cate	gories of formal	
I.S. xxx: Irish Standard – n subject to public consultation.	ational specification base	d on the consensus of	an expert panel and	
S.R. xxx: Standard Recomn panel and subject to public cons	nendation - recommendat ultation.	ion based on the cons	ensus of an expert	
SWiFT xxx: A rapidly develope participants of an NSAI worksho	ed recommendatory docui p.	ment based on the cor	nsensus of the	
This document replaces: EN ISO 13736:2008				
This document is based on: EN ISO 13736:2013	<i>Published:</i> 26 April, 2013			
This document was publish under the authority of the N and comes into effect on: 26 April, 2013			ICS number: 75.080	
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	<b>Sales:</b> T +353 1 857 6730 F +353 1 857 6729 W standards.ie		
Údarás um Chaighdeáin Náisiúnta na hÉireann				

# **EUROPEAN STANDARD**

**EN ISO 13736** 

# NORME EUROPÉENNE EUROPÄISCHE NORM

April 2013

ICS 75.080

Supersedes EN ISO 13736:2008

#### **English Version**

# Determination of flash point - Abel closed-cup method (ISO 13736:2013)

Détermination du point d'éclair - Méthode Abel en vase clos (ISO 13736:2013)

Bestimmung des Flammpunktes - Verfahren mit geschlossenem Tiegel nach Abel (ISO 13736:2013)

This European Standard was approved by CEN on 9 February 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

# EN ISO 13736:2013 (E)

Contents	Page
Foreword	3

EN ISO 13736:2013 (E)

#### **Foreword**

This document (EN ISO 13736:2013) has been prepared by Technical Committee ISO/TC 28 "Petroleum products and lubricants" in collaboration Technical Committee CEN/TC 19 "Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2013, and conflicting national standards shall be withdrawn at the latest by October 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 13736:2008.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 13736:2013 has been approved by CEN as EN ISO 13736:2013 without any modification.

This is a free page sample. Access the full version online.

I.S. EN ISO 13736:2013

This page is intentionally left BLANK.

This is a free page sample. Access the full version online.

I.S. EN ISO 13736:2013
INTERNATIONAL
STANDARD

ISO 13736

Third edition 2013-04-15

# Determination of flash point — Abel closed-cup method

Détermination du point d'éclair — Méthode Abel en vase clos



ISO 13736:2013(E)



# COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

# ISO 13736:2013(E)

Foreword	Con	tents	Page
1 Scope	Forev	vord	iv
Normative references  Terms and definitions  Principle  Chemicals and materials  Apparatus  Apparatus preparation  7.1 Location of the apparatus  7.2 Cleaning the test cup  7.3 Apparatus examination  7.4 Heating/cooling  7.5 Apparatus verification  Sampling  Sample handling  9.1 General	Intro	duction	v
Normative references  Terms and definitions  Principle  Chemicals and materials  Apparatus  Apparatus preparation  7.1 Location of the apparatus  7.2 Cleaning the test cup  7.3 Apparatus examination  7.4 Heating/cooling  7.5 Apparatus verification  Sampling  Sample handling  9.1 General	1	Scope	1
3 Terms and definitions 4 Principle 5 Chemicals and materials 6 Apparatus 7 Apparatus preparation 7.1 Location of the apparatus 7.2 Cleaning the test cup 7.3 Apparatus examination 7.4 Heating/cooling 7.5 Apparatus verification  8 Sampling 9 Sample handling 9.1 General	2	•	
4 Principle 1 5 Chemicals and materials 2 6 Apparatus 7 Apparatus preparation 3 7.1 Location of the apparatus 7.2 Cleaning the test cup 7.3 Apparatus examination 7.4 Heating/cooling 7.5 Apparatus verification 7.5 Apparatus verification 7.5 Apparatus verification 7.5 Sampling 7.5 Sample handling 9.1 General 7.5 Genera	3		
5 Chemicals and materials 2 6 Apparatus 7 Apparatus preparation 2 7.1 Location of the apparatus 3 7.2 Cleaning the test cup 3 7.3 Apparatus examination 3 7.4 Heating/cooling 3 7.5 Apparatus verification 3 8 Sampling 9 9 Sample handling 9 9.1 General 3	4		
6 Apparatus 7 Apparatus preparation 7.1 Location of the apparatus 7.2 Cleaning the test cup 7.3 Apparatus examination 7.4 Heating/cooling 7.5 Apparatus verification  8 Sampling 9 Sample handling 9.1 General	5	•	
7 Apparatus preparation 7.1 Location of the apparatus 7.2 Cleaning the test cup 7.3 Apparatus examination 7.4 Heating/cooling 7.5 Apparatus verification  8 Sampling  9 Sample handling 9.1 General			
7.1 Location of the apparatus 7.2 Cleaning the test cup 7.3 Apparatus examination 7.4 Heating/cooling 7.5 Apparatus verification  8 Sampling 9 Sample handling 9.1 General			
7.2 Cleaning the test cup 7.3 Apparatus examination 7.4 Heating/cooling 7.5 Apparatus verification  8 Sampling 9 Sample handling 9.1 General	,		
7.4 Heating/cooling 3 7.5 Apparatus verification 4  8 Sampling 4  9 Sample handling 4  9.1 General 4			
7.5 Apparatus verification 4  8 Sampling 4  9 Sample handling 4  9.1 General 4			
8 Sampling			
9 Sample handling 9.1 General 4		7.5 Apparatus verification	4
9.1 General	8	Sampling	4
	9	Sample handling	4
0.2 Change and a to tooting			
9.2 Storage prior to testing		9.2 Storage prior to testing	4
9.3 Sample preparation		9.3 Sample preparation	4
10 Procedure	10	Procedure	5
11 Calculation 6	11	Calculation	6
12 Expression of results	12	Expression of results	6
13 Precision	13	Precision	6
13.1 General6		13.1 General	6
13.2 Repeatability, <i>r</i>			
13.3 Reproducibility, R		13.3 Reproducibility, R	7
14 Test report	14	Test report	7
Annex A (normative) Abel flash point apparatus	Anne	x A (normative) Abel flash point apparatus	8
Annex B (normative) Positioning and fixing of test cup and heating vessel thermometers into thermometer collar	Anne		
Annex C (normative) Thermometer specifications	Anne		
Annex D (informative) Apparatus verification			
Bibliography 23			

ISO 13736:2013(E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 28, *Petroleum products and lubricants*.

This third edition cancels and replaces the second edition (ISO 13736:2008), which has been technically revised.

ISO 13736:2013(E)

# Introduction

Flash point values can be used in shipping, storage, handling and safety regulations, as a classification property to define "flammable" and "combustible" materials. Precise definition of the classes is given in each particular regulation.

A flash point value can indicate the presence of highly volatile material(s) in a relatively non-volatile or non-flammable material, and flash point testing can be a preliminary step to other investigations into the composition of unknown materials.

Flash point determinations are not appropriate for potentially unstable, decomposable, or explosive materials, unless previously established that heating the specified quantity of such materials in contact with the metallic components of the flash point apparatus, within the temperature range required for the method, does not induce decomposition, explosion or other adverse effects.

Flash point values are not a constant physical-chemical property of materials tested. They are a function of the apparatus design, the condition of the apparatus used, and the operational procedure carried out. Flash point can therefore be defined only in terms of a standard test method, and no general valid correlation can be guaranteed between results obtained by different test methods or with test apparatus different from that specified.

ISO/TR 29662[1] (CEN/TR 15138[2]) gives useful advice on carrying out flash point tests and interpreting results.

This is a free page sample. Access the full version online.

I.S. EN ISO 13736:2013

# **Determination of flash point** — **Abel closed-cup method**

CAUTION — The use of this International Standard can involve hazardous materials and equipment. This International Standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this International Standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

# 1 Scope

This International Standard specifies a method for the determination of the manual and automated closed-cup flash point of combustible liquids having flash points between  $-30.0\,^{\circ}\text{C}$  to  $75.0\,^{\circ}\text{C}$ . However, the precision given for this method is only valid for flash points in the range  $-8.5\,^{\circ}\text{C}$  to  $75.0\,^{\circ}\text{C}$ .

This International Standard is not applicable to water-borne paints.

- NOTE 1 Water-borne paints can be tested using ISO 3679.[3]
- NOTE 2 See <u>9.1</u> for the importance of this test in avoiding loss of volatile materials.
- NOTE 3 Liquids containing halogenated compounds can give anomalous results.
- NOTE 4 The thermometer specified for the manual apparatus limits the upper test temperature to 70,0 °C.

#### 2 Normative references

The following referenced documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3170, Petroleum liquids — Manual sampling

ISO 3171, Petroleum liquids — Automatic pipeline sampling

ISO 15528, Paints, varnishes and raw materials for paints and varnishes — Sampling

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

## 3.1

#### flash point

lowest temperature of the test portion, corrected to a barometric pressure of 101,3 kPa, at which application of an ignition source causes the vapour of the test portion to ignite and the flame to propagate across the surface of the liquid under the specified conditions of test

# 4 Principle

The test portion is placed in the test cup of an Abel apparatus and heated to give a constant temperature increase with continuous stirring. An ignition source is directed through an opening in the test cup cover at regular temperature intervals with simultaneous interruption of stirring. The lowest temperature at which application of the ignition source causes the vapours of the test portion to ignite and propagate over the surface of the liquid is recorded as the flash point at the ambient barometric pressure. The temperature is corrected to standard atmospheric pressure using an equation.



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation