



NSAI
Standards

Irish Standard
I.S. EN 12488:2016

Glass in buildings - Glazing recommendations - Assembly principles for vertical and sloping glazing

I.S. EN 12488:2016

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 12488:2016

Published:

2016-06-29

This document was published under the authority of the NSAI and comes into effect on:

2016-07-17

ICS number:

81.040.20

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 12488:2016 is the adopted Irish version of the European Document EN 12488:2016, Glass in buildings - Glazing recommendations - Assembly principles for vertical and sloping glazing

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 12488

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2016

ICS 81.040.20

English Version

Glass in building - Glazing recommendations - Assembly principles for vertical and sloping glazing

Verre dans la construction - Recommandations pour la mise en oeuvre - Principes de pose pour vitrage vertical et incliné

Glas im Bauwesen - Empfehlungen für die Verglasung - Verglasungsgrundlagen für vertikale und abfallende Verglasung

This European Standard was approved by CEN on 8 April 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Basic requirements	12
4.1 General	12
4.2 Support of glazing	12
4.3 Mechanical stability	12
4.4 Durability	13
4.4.1 Ultraviolet attack on sensitive components	13
4.4.2 Chemical and atmospheric attack on sensitive components	13
4.4.3 Weather tightness	13
4.4.4 Additional considerations for sloping glazing	13
4.5 Special requirements	13
5 Requirements for the components	14
5.1 Frame selection, materials and finishes	14
5.1.1 Design of the frame	14
5.1.2 Selection	14
5.1.3 Frame materials	15
5.2 Sealants	15
5.3 Preformed strip materials	16
5.4 Putty	16
5.5 Glazing blocks	17
5.5.1 General	17
5.5.2 Setting blocks	18
5.5.3 Location block	19
5.5.4 Distance pieces	20
5.5.5 Temporary blocks	21
Annex A (informative) Recommendations for drainage and ventilation	22
A.1 General	22
A.2 Drainage and ventilation per module:	22
A.3 Cascading drainage and ventilation	24
Annex B (informative) Aspects for determining the rebate dimensions	26
B.1 General	26
B.2 Insulating glass unit	27
Annex C (informative) Positioning of glazing blocks as a function of frame type	28
C.1 General	28
C.2 Position of the glazing blocks for vertical windows and doors	29
C.3 Position of the glazing blocks for sloped glazings	35
Annex D (informative) Additional considerations for sloped glazing	37

D.1	Water entrapment.....	37
D.2	Snow and ice entrapment.....	37
	Bibliography	39

EN 12488:2016 (E)

European foreword

This document (EN 12488:2016) has been prepared by Technical Committee CEN/TC 129 “Glass in building”, the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2016, and conflicting national standards shall be withdrawn at the latest by December 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard deals with the glazing system i.e. the glazing, the glazing blocks, the sealants, the gaskets and the components used to assemble the glazing into a frame, as well as the rebate.

It gives the basic principles to avoid damages due to the construction. The observance of these recommendations will ensure a reasonable working life of the glazing. Additional requirements and precisions are to be found in the national regulations and/or national codes of practice, in order to deal with regional particularities due to climate, professional habits, availability of materials, etc. Special requirements can also be specified by manufacturers of components of the glazing system, including glazing.

Mechanical, thermal, chemical and moisture conditions are essential to preserve the functionality and the operability of the glazing in the long term. Information with regards to the durability of a glass product is given in the applicable harmonized European Standard (hEN).

EN 12488:2016 (E)**1 Scope**

This European Standard defines principles of glazing as well as recommendations on the selection of components, e.g. frame sections, beads, drainage holes, etc., for fitting glazing into frames of any material.

This European Standard applies to all basic types of edge supported vertical and sloping glazing systems, in all types of fixed or opening frames used in buildings.

This European standard specifies also the functions, requirements and installation of glazing blocks within a frame during its manufacturing, transportation, installation and operational life. The standard applies to glazing blocks used for all types of flat or curved glass, as well as to derived processed types of glass.

For certain glass products, e.g. fire resistant glazing, security glass, other or additional requirements, rules or recommendations may apply.

The standard is applicable to European climate conditions.

This European Standard does not apply to the following:

- glass blocks and glass pavers (EN 1051-1);
- channel-shaped glass (EN 572-7);
- structural sealant glazing (see EN 13022-1 and EN 13022-2 and ETAG 002);
- adhesively bonded glazing in window;
- point fixed glazing;
- greenhouses (see EN 13031-1).

As this standard gives basic assembly principles only, national requirements, rules or recommendations may also apply.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1279-1, *Glass in Building — Insulating glass units — Part 1: Generalities, dimensional tolerances and rules for the system description*

EN 12365-1, *Building hardware — Gasket and weatherstripping for doors, windows, shutters and curtain walling — Part 1: Performance requirements and classification*

EN 13241-1, *Industrial, commercial and garage doors and gates — Product standard — Part 1: Products without fire resistance or smoke control characteristics*

EN 13830, *Curtain walling — Product standard*

EN 14351-1, *Windows and doors — Product standard, performance characteristics — Part 1: Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage characteristics*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-