



NSAI
Standards

Irish Standard
I.S. EN 4641-101:2015

Aerospace series - Cables, optical 125 μm diameter cladding - Part 101: Tight structure 62,5 μm core GI fibre 0,9 mm outside diameter - Product standard

I.S. EN 4641-101:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 4641-101:2015

Published:

2015-04-01

This document was published under the authority of the NSAI and comes into effect on:

2015-04-18

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 4641-101

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2015

ICS 49.090

English Version

**Aerospace series - Cables, optical 125 µm diameter cladding -
Part 101: Tight structure 62,5 µm core GI fibre 0,9 mm outside
diameter - Product standard**

Série aérospatiale - Câbles, optiques, diamètre extérieur de la gaine optique 125 µm - Partie 101 : Câbles à structure serrée, fibre à gradient d'indice coeur 62,5 µm, diamètre extérieur 0,9 mm - Norme de produit

Luft- und Raumfahrt - Lichtwellenleiterkabel, Mantelaußendurchmesser 125 µm - Teil 101: Vollader, 62,5 µm GI-Faser, Kabelaußendurchmesser 0,9 mm - Produktnorm

This European Standard was approved by CEN on 29 November 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
Foreword.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Required characteristics	4
5 Materials and description	5
6 Test methods and performances in accordance with EN 3745-100	5
7 Quality assurance	12
8 Designation, marking and colours	12
9 Delivery conditions	13
10 Storage	13

Foreword

This document (EN 4641-101:2015) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2015, and conflicting national standards shall be withdrawn at the latest by October 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 4641-101:2015 (E)**1 Scope**

This product standard specifies the general characteristics, conditions for qualification, acceptance and quality assurance for a fibre optic cable with a 62,5/125 µm Graded Index fibre core, 0,9 mm outside diameter and of tight buffer construction, for inside wiring applications.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2812, *Aerospace series — Stripping of electric cables*

EN 3745-100 (all parts), *Aerospace series — Fibres and cables, optical, aircraft use — Test methods — Part 100: General*

EN 3838, *Aerospace series — Requirements and tests on user-applied markings on aircraft electrical cables*

EN 3909, *Aerospace series — Test fluids and test methods for electric components and sub-assemblies*

EN 9133, *Aerospace series — Quality management systems — Qualification procedure for aerospace standard parts*

TIA/EIA-455-30-B, *FOTP-30 — Frequency Domain Measurement of Multimode* ¹⁾

TIA/EIA-455-175-B, *FOTP175 — Chromatic Dispersion Measurement of Single-mode Optical Fibers by the Differential Phase Shift Method* ¹⁾

ANSI/EIA 4920000-A, *Generic Specification for Optical Waveguide Fibers* ¹⁾

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 3745-100 apply.

4 Required characteristics

The characteristics of the cables, tested according to the methods described hereafter shall comply with the values defined in this product standard.

See Table 1.

Table 1

Property	Value
Cable mass	≤ 1 g/m
Operating temperature	−55 °C to 125 °C
Minimum bend radius (20 °C)	Installation: 10 mm (~10 × outside diameter) Long term: 10 mm (~10 × outside diameter) Storage: 20 mm (~20 × cable outside diameter)
Tensile strength	> 20 N

¹⁾ Published by: National (US) American National Standard Institute (www.ansi.org/).

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-