

Irish Standard I.S. EN ISO 17715:2014

Flour from wheat (Triticum aestivum L.) -Amperometric method for starch damage measurement (ISO 17715:2013)

© CEN 2015 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN ISO 17715:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.* 

*This document is based on:* EN ISO 17715:2014 *Published:* 2014-12-17

67.060
TE: If blank see CEN/CENELEC cover page
Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

# EUROPEAN STANDARD

# EN ISO 17715

# NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2014

ICS 67.060

**English Version** 

## Flour from wheat (Triticum aestivum L.) - Amperometric method for starch damage measurement (ISO 17715:2013)

Farine de blé tendre (Triticum aestivum L.) - Méthode ampérométrique pour le mesurage de l'endommagement de l'amidon (ISO 17715:2013) Weizenmehl (Triticum aestivum L.) - Messung der Stärkebeschädigung mittels amperometrischer Methode (ISO 17715:2013)

This European Standard was approved by CEN on 16 December 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Ref. No. EN ISO 17715:2014 E

This is a free page sample. Access the full version online. I.S. EN ISO 17715:2014

EN ISO 17715:2014 (E)

Contents	Page
Foreword	2

## Foreword

The text of ISO 17715:2013 has been prepared by Technical Committee ISO/TC 34 "Food products" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 17715:2014 by Technical Committee CEN/TC 338 "Cereal and cereal products" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2015, and conflicting national standards shall be withdrawn at the latest by June 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 17715:2013 has been approved by CEN as EN ISO 17715:2014 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

# INTERNATIONAL STANDARD

ISO 17715

First edition 2013-02-01

## Flour from wheat (*Triticum aestivum* L.) — Amperometric method for starch damage measurement

*Farine de blé tendre (*Triticum aestivum *L.) — Méthode ampérométrique pour le mesurage de l'endommagement de l'amidon* 



Reference number ISO 17715:2013(E) ISO 17715:2013(E)



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Page

## Contents

Forew	ordi	v
Introd	uction	v
1	Scope	1
2	Terms and definitions	1
3	Principle	1
4	Reagents	1
5	Equipment	2
6	Sampling	2
7	Procedure   7.1 Reagent weighing and dissolution   7.2 Sample weighing   7.3 Test   7.4 Cleaning   7.5 Number of determinations	2 2 2 3 3
8	Expression of results	3
9	Precision   9.1 Interlaboratory tests   9.2 Repeatability limits, r   9.3 Reproducibility limits, R   9.4 Critical difference, dc   9.5 Uncertainty, u	3 3 4 4 5
10	Test report	5
Annex	A (informative) Data from interlaboratory tests on wheat flour	6
Biblio	graphy1	3

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 17715 was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 4, *Cereals and pulses*.

## Introduction

Damaged starch content is an important parameter in flour quality as it directly impacts the flour water absorption capacity and therefore its use in the agri-food industry.

In the past, a number of methods based on various principles were developed to estimate such content, but comparing the results is difficult due to the different principles and units of measurement used.

A laboratory device is dedicated to the determination of damaged starch content using an amperometric method and which offers a choice of units of measurement according to individual references.

This is a free page sample. Access the full version online.  $I.S.\ EN\ ISO\ 17715:2014$ 

# Flour from wheat (*Triticum aestivum* L.) — Amperometric method for starch damage measurement

## 1 Scope

This International Standard specifies the determination of the damage to starch using an amperometric method.

It is applicable to all flour samples from industrial or laboratory milling of wheat (*Triticum aestivum* L.).

NOTE 1 Wheat can be milled in the laboratory according to the methods described in ISO 27971<sup>[2]</sup> or in BIPEA guidance document BY.102.D.9302.<sup>[10]</sup>

NOTE 2 In the absence of validity studies, the results on semi-wholemeal or wholemeal flour, although able to meet the conditions of repeatability given in <u>Clause 9</u>, require careful interpretation.

### 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 2.1

#### damaged starch

starch granules present in wheat flour mechanically damaged during milling, leading to a greater capacity to absorb water and increasing susceptibility to amylolytic enzymes

Note 1 to entry: Too high a damaged starch content has a negative effect on quality of flours.

### **3** Principle

Determination of damaged starch content of a flour sample by measurement of iodine absorption kinetics in an aqueous medium using an amperometric electrode.

The amperometric method is based on the existing proportionality between iodine absorption capacity and starch damage content.

#### 4 Reagents

Use only reagents of recognized analytical grade, unless otherwise specified.

**4.1 Water**, osmosed or demineralized or at least equivalent grade.

**4.2 Boric acid** or **citric acid**, powdered, for testing.

WARNING — The use of boric acid involves hazardous operations. This document does not purport to address all the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure complaince with any national regulatory conditions.

**4.3 Potassium iodide**, powdered, for testing.

**4.4 Sodium thiosulfate**, solution in water at 0,1 mol/l prepared from a ready-to-use vial containing 0,1 mol sodium thiosulfate, to be diluted with water (<u>4.1</u>) in a 1 l flask. Powdered sodium thiosulfate can



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation