



NSAI
Standards

Standard Recommendation
S.R. CEN/TR 16596:2013

Electric-electronic interface between chassis-cab and bodywork of refuse collection vehicles (RCVs)

S.R. CEN/TR 16596:2013

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
CEN/TR 16596:2013

Published:
21 November, 2013

This document was published under the authority of the NSAI and comes into effect on:
21 November, 2013

ICS number:

43.040.15
43.160

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

ICS 43.040.15; 43.160

English Version

Electric-electronic interface between chassis-cab and bodywork of refuse collection vehicles (RCVs)

Interface électrique-électronique entre le châssis-cabine et
la superstructure des bennes de collecte des déchets

CAN-Schnittstelle zwischen Fahrgestellen und Aufbau von
Abfallsammelfahrzeugen

This Technical Report was approved by CEN on 24 September 2013. It has been drawn up by the Technical Committee CEN/TC 183.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Electric interface	5
4.1 Objective	5
4.2 Description	6
4.3 Plugs	6
4.4 Pin-out and defined signals	6
4.5 Video cable	6
4.6 Plugs location	7
5 CAN Interface	7
5.1 Objective	7
5.2 SAE J1939/71 messaging for RCV	7
5.3 Management of the information between bodywork and chassis-cab	7
Annex A (normative) Architecture of the electric-electronic interface	23
Annex B (normative) Plugs	24
Annex C (normative) Pin-out and defined signals	25
Annex D (normative) Characteristics of the engine revolution signal	29
Annex E (normative) Characteristics of the driving speed signal	30
Annex F (normative) Configuration of the information: chassis ready	31
Annex G (normative) Control of the beacon	32
Annex H (normative) CAN messages transmitted by bodywork	33
Annex I (normative) CAN messages received by bodywork	43
Bibliography	73

Foreword

This document (CEN/TR 16596:2013) has been prepared by Technical Committee CEN/TC 183 “Waste management”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Introduction

On September 29, 2009, CEN/TC 183/WG 2 mandated its PWG 5 to work on a proposal for the CAN communication between the chassis-cab and the bodywork of RCVs. Based on an earlier proposal (PWG 5 from 2002 to 2005), the experts of PWG 5 discussed the possibilities and concluded in the results shown in this document.

To comply with the requirements of the relevant safety Directives and Standards, it is unavoidable to use electronic controls on the RCV chassis-cab and on the bodywork of RCVs because the control devices have to communicate to get the RCV working in proper and safe conditions.

This document contains a proposal for an interface between the chassis-cab and the bodywork in terms of electrical wiring including plugs and positions for the plugs as well as an adequate CAN protocol.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-