



NSAI
Standards

Irish Standard
I.S. EN 1539:2015

Dryers and ovens, in which flammable substances are released - Safety requirements

I.S. EN 1539:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 1539:2015

Published:

2015-10-07

*This document was published
under the authority of the NSAI
and comes into effect on:*

2015-10-25

ICS number:

25.180.01

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 1539:2015 is the adopted Irish version of the European Document EN 1539:2015, Dryers and ovens, in which flammable substances are released - Safety requirements

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 1539

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2015

ICS 25.180.01

Supersedes EN 1539:2009

English Version

Dryers and ovens, in which flammable substances are released - Safety requirements

Séchoirs et fours dans lesquels se dégagent des substances inflammables - Prescriptions de sécurité

Trockner und Öfen, in denen brennbare Stoffe freigesetzt werden - Sicherheitsanforderungen

This European Standard was approved by CEN on 27 June 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	5
Introduction	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	10
4 Significant hazards	16
5 Safety requirements and/or protective measures	22
5.1 General	22
5.2 Safety requirements against mechanical hazards	22
5.2.1 Shearing, crushing, drawing-in	22
5.2.2 Means of escape	22
5.2.3 Safety requirements against slip and fall hazards	23
5.3 Safety requirements against electrical hazards.....	23
5.3.1 General	23
5.3.2 Electrical equipment.....	23
5.3.3 External influences on the electrical equipment.....	23
5.4 Safety requirements against thermal hazards	23
5.5 Safety requirements against noise hazards.....	24
5.6 Safety requirements against radiation hazards.....	24
5.7 Safety requirements against health hazardous substances	25
5.8 Fire protection and prevention.....	25
5.8.1 General	25
5.8.2 Materials and construction.....	25
5.8.3 Heating systems.....	26
5.8.4 Prevention of ignition by hot surfaces	26
5.8.5 Prevention of ignition by overheating.....	26
5.8.6 Prevention of auto-ignition	26
5.9 Explosion protection and prevention requirements	27
5.9.1 General	27
5.9.2 Type A-dryers	27
5.9.3 Type B-dryers	33
5.10 Control systems	38
5.10.1 General	38
5.10.2 Requirements for type A-dryers.....	38
5.10.3 Requirements for type B-dryers.....	41
6 Verification of the safety requirements and/or measures	43
7 Information for use	45
7.1 General.....	45
7.2 Instruction handbook.....	46
7.2.1 General.....	46
7.2.2 Information related to installation.....	47
7.2.3 Information related to operation.....	47
7.2.4 Information related to maintenance.....	48
7.3 Marking.....	49

Annex A (normative) Basis for air flow calculation of chamber dryers and continuous flow dryers.....	50
A.1 Calculation basis for chamber dryers	50
A.1.1 General	50
A.1.2 Calculation of chamber dryers in case of rapid evaporation - Method A	50
A.1.3 Determination in case of slow evaporation – Method B.....	54
A.2 Calculation basis for continuous flow dryers	55
Annex B (informative) Examples of calculation	57
B.1 Chamber dryers.....	57
B.1.1 Example 1: Calculation of the required minimum exhaust flow (see 3.20)	57
B.1.2 Example 2: Calculation of the maximum admissible amount of varnish.....	58
B.2 Continuous flow dryers	60
B.2.1 Example 3: Calculation of the minimum exhaust flow rate	60
B.2.2 Example 4: Calculation of the minimum exhaust flow rate	62
B.2.3 Example 5: Calculation of the maximum admissible throughput of flammable substances	63
Annex C (normative) Concentration measurement in dryers	65
C.1 Measurement of flammable substances	65
C.1.1 General	65
C.1.2 Requirements for concentration monitoring systems.....	65
C.2 Monitoring of oxygen concentration	66
C.2.1 General	66
C.2.2 Requirements for oxygen monitoring systems.....	66
Annex D (normative) Calculation of the lower explosion limit at drying temperature	68
D.1 General	68
D.2 Influence of temperature on the indicated value of concentration (physical influence).....	68
D.3 Influence of the temperature of mixture on the kinetics of reaction (chemical influence).....	69
D.4 Consideration of chemical and physical influences	69
Annex E (normative) Explosion reliefs	70
Annex F (informative) Sensors for measurement of the volume flow	71
F.1 Pitot-static tubes.....	71
F.2 Venturi nozzles.....	71
F.3 Wind vanes and plate anemometers	71
F.4 Hot-wire anemometers.....	71
F.5 Ultrasonic anemometers.....	71
F.6 Windmill anemometer.....	72

EN 1539:2015 (E)

Annex G (normative) Requirements for energy-efficiency and reduction of environmental impact.....	73
G.1 General.....	73
G.2 Acquisition.....	73
G.3 Production.....	73
G.4 Use	73
G.4.1 General.....	73
G.4.2 Energy usage.....	73
G.4.3 Minimizing of emissions to air	74
G.4.4 Minimizing of noise emissions	74
G.5 End of Life.....	74
Annex H (informative) Guide for implementation of control system requirements for explosion protection for type A dryers	75
H.1 General.....	75
H.2 Example for chamber dryer	76
H.3 Example for continuous flow dryer	77
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	80
Bibliography.....	81

European foreword

This document (EN 1539:2015) has been prepared by Technical Committee CEN/TC 271 "Surface treatment equipment - Safety", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2016, and conflicting national standards shall be withdrawn at the latest by April 2016.

This document supersedes EN 1539:2009.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of the EU Directive 2006/42/EC.

For relationship with the EU Directive, see informative Annex ZA, which is an integral part of this document.

This European Standard is part of a series of standards in the area of safety for development and construction of machines and plants for the coating of surfaces with organic substances (paints, lacquers and similar products).

This European Standard was prepared with contribution of the following TCs:

- TC 186 "Industrial thermoprocessing - Safety";
- TC 198 "Printing and paper machinery - Safety";
- TC 200 "Tannery machinery - Safety";
- TC 202 "Foundry machinery".

NOTE 1 Although a dryer as a whole is not subject to the ATEX Directive 94/9/EC in a formal way, this document is based on a fundamental risk assessment according to this Directive.

NOTE 2 This European Standard is based on an explosion protection concept which does not define zones for areas with potentially explosive atmosphere.

In relation to the previous version of the standard, the following main modifications have been made

- the scope has been adjusted to meet the fields of application of the standard;
- the requirements for safety related controls have been modified for clarification;
- guidance for implementation of safety related control systems has been included;
- requirements for monitoring of heating system have been implemented;
- requirements for type B dryers have been detailed;
- requirements for minimization of energy usage and environmental impact have been included.

EN 1539:2015 (E)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document is a type C standard as stated in EN ISO 12100.

This document is of relevance in particular for the following stakeholder group representing the market players with regard to machinery safety:

- machinery manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organisations, market surveillance).

The machinery concerned and the extent to which hazards, hazardous situations and hazardous events are covered are indicated in the scope of this European Standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

EN 1539:2015 (E)**1 Scope**

This European Standard deals with all significant hazards, hazardous situations and hazardous events relevant to ovens and dryers in which flammable substances are released by evaporation from and curing of coating materials.

The specific significant risks related to the use of this machinery with foodstuff and pharmaceutical products are not dealt with in this European Standard.

This European Standard is only applicable to machines which are used as intended and under the conditions which are foreseeable as malfunction by the manufacturer (see Clause 4).

For ovens and dryers in which flammable substances are released by evaporation from and curing of coating materials, in which the concentration of these flammable substances shall not, under no circumstances, exceed 3 % of the LEL, EN 746-1 and EN 746-2 may be applied instead of this European Standard.

This European Standard is not applicable to:

- ovens for hardening metals;
- enamelling plants;
- portable heating systems for drying (for instance infrared radiant heaters, hot-air blowers, blow-dryers);
- solvent recovery plants;
- distillation and/or refraction plants;
- textile dry-cleaning systems.

This European Standard is not applicable to machinery manufactured before the date of its publication as EN.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 547-1, *Safety of machinery — Human body measurements — Part 1: Principles for determining the dimensions required for openings for whole body access into machinery*

EN 619, *Continuous handling equipment and systems — Safety and EMC requirements for equipment for mechanical handling of unit loads*

EN 746-1, *Industrial thermoprocessing equipment — Part 1: Common safety requirements for industrial thermoprocessing equipment*

EN 746-2, *Industrial thermoprocessing equipment - Part 2: Safety requirements for combustion and fuel handling systems*

EN 953, *Safety of machinery — Guards — General requirements for the design and construction of fixed and movable guards*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-