



NSAI
Standards

Irish Standard
I.S. EN ISO 3819:2015

Laboratory glassware - Beakers (ISO 3819:2015)

I.S. EN ISO 3819:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 3819:2015

Published:

2015-12-23

*This document was published
under the authority of the NSAI
and comes into effect on:*

2016-01-11

ICS number:

17.060

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 3819:2015 is the adopted Irish version of the European Document EN ISO 3819:2015, Laboratory glassware - Beakers (ISO 3819:2015)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO 3819

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2015

ICS 17.060

English Version

Laboratory glassware - Beakers (ISO 3819:2015)

Verrerie de laboratoire - Béchers (ISO 3819:2015)

Laborgeräte aus Glas - Becher (ISO 3819:2015)

This European Standard was approved by CEN on 5 December 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 3819:2015 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 3819:2015) has been prepared by Technical Committee ISO/TC 48 "Laboratory equipment" in collaboration with Technical Committee CEN/TC 332 "Laboratory equipment" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2016, and conflicting national standards shall be withdrawn at the latest by June 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 3819:2015 has been approved by CEN as EN ISO 3819:2015 without any modification.

This page is intentionally left blank

INTERNATIONAL STANDARD

**ISO
3819**

Second edition
2015-12-15

Laboratory glassware — Beakers

Verrerie de laboratoire — Béchers



Reference number
ISO 3819:2015(E)

© ISO 2015

ISO 3819:2015(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Types of beakers	1
4 Series of beakers	1
5 Capacity	1
6 Material	2
7 Dimensions	2
7.1 General.....	2
7.2 Radius at base.....	2
7.3 Wall thickness.....	2
8 Details of construction	3
8.1 Base.....	3
8.2 Upper edge.....	3
8.3 Spout.....	3
8.4 Scale.....	4
8.5 Thermal shock resistance.....	4
9 Marking	4

ISO 3819:2015(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#).

The committee responsible for this document is ISO/TC 48, *Laboratory equipment* in collaboration with CEN/TC 332, *Laboratory equipment*.

This second edition cancels and replaces the first edition (ISO 3819:1985), which has been technically revised to include the following changes:

- additional series with thick-walled beakers has been added;
- dimensions and tolerances have been adjusted to state of manufacturing;
- beakers with a nominal capacity of 500 ml, 5 000 ml, and 10 000 ml have been added;
- thermal shock resistance has been modified.

Laboratory glassware — Beakers

1 Scope

This International Standard specifies requirements for an internationally acceptable series of glass beakers for laboratory use.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 718, *Laboratory glassware — Thermal shock and thermal shock endurance — Test methods*

ISO 3585, *Borosilicate glass 3.3 — Properties*

3 Types of beakers

The following three types of beakers are specified:

- a) low-form beaker with spout;
- b) low-form beaker with spout, thick-walled;
- c) tall-form beaker with spout.

4 Series of beakers

The series of beakers covered by this International Standard and defined by type and nominal capacity shall be as follows:

- a) low-form beakers: 5 ml – 10 ml – 25 ml – 50 ml – 100 ml – 250 ml – 400 ml – 500 ml – 600 ml – 800 ml – 1 000 ml – 2 000 ml – 3 000 ml – 5 000 ml – 10 000 ml;
- b) thick-walled low-form beakers: 150 ml – 250 ml – 400 ml – 600 ml – 1 000 ml – 2 000 ml – 5 000 ml;
- c) tall-form beakers: 50 ml – 100 ml – 150 ml – 250 ml – 400 ml – 500 ml – 600 ml – 800 ml – 1 000 ml – 2 000 ml – 3 000 ml – 5 000 ml.

5 Capacity

The design of the beaker shall provide for the difference in volume between nominal capacity and overall capacity. The capacity of the beaker shall be determined by either one of the following relationships:

- a) overflow of capacity of a beaker shall exceed the nominal capacity by at least 5 %;
- b) distance between the levels corresponding to the nominal and overflow capacities shall be at least 10 mm.

Whichever of these two relationships produces the greater differential in capacity shall apply.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-