



NSAI
Standards

Irish Standard
I.S. EN ISO 18218-2:2015

Leather - Determination of ethoxylated alkylphenols - Part 2: Indirect method (ISO 18218-2:2015)

I.S. EN ISO 18218-2:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 18218-2:2015

Published:

2015-06-17

This document was published under the authority of the NSAI and comes into effect on:

2015-07-09

ICS number:

59.140.30

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN ISO 18218-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2015

ICS 59.140.30

English Version

Leather - Determination of ethoxylated alkylphenols - Part 2: Indirect method (ISO 18218-2:2015)

Cuir - Détermination chimique des alkylphénols éthoxylés -
Partie 2: Méthode indirecte (ISO 18218-2:2015)

Leder - Bestimmung von ethoxylierten Alkylphenolen - Teil
2: Indirektes Verfahren (ISO 18218-2:2015)

This European Standard was approved by CEN on 28 February 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 18218-2:2015 (E)

| Contents | Page |
|-------------------------------|-------------|
| European foreword..... | 3 |

European foreword

This document (EN ISO 18218-2:2015) has been prepared by Technical Committee CEN/TC 289 “Leather”, the secretariat of which is held by UNI, in collaboration with Technical Committee IULTCS “International Union of Leather Technologists and Chemists Societies”.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2015, and conflicting national standards shall be withdrawn at the latest by December 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 18218-2:2015 has been approved by CEN as EN ISO 18218-2:2015 without any modification.

This page is intentionally left blank

**INTERNATIONAL
STANDARD**

**ISO
18218-2**

IULTCS/IUC 28-2

First edition
2015-06-15

**Leather — Determination of
ethoxylated alkylphenols —**

**Part 2:
Indirect method**

*Cuir — Détermination chimique des alkylphénols éthoxylés —
Partie 2: Méthode indirecte*



Reference numbers
ISO 18218-2:2015(E)
IULTCS/IUC 28-2:2015(E)

ISO 18218-2:2015(E)
IULTCS/IUC 28-2:2015(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

| | |
|---|-----------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Principle | 1 |
| 4 Apparatus and materials | 2 |
| 5 Chemicals | 2 |
| 6 Sampling and sample preparation | 3 |
| 6.1 Preparation of leather samples..... | 3 |
| 6.1.1 Sampling and preparation of samples..... | 3 |
| 6.1.2 Sample extraction..... | 3 |
| 6.2 Preparation of leather process auxiliary samples..... | 3 |
| 6.3 Blank determination..... | 4 |
| 6.4 Determination of OP and NP..... | 4 |
| 6.5 Determination of OPEO and NPEO..... | 4 |
| 6.6 Chromatographic analysis..... | 5 |
| 6.7 Evaluation..... | 5 |
| 7 Calibration | 5 |
| 7.1 Calibration for OP and NP..... | 5 |
| 7.2 Calibration for OPEO and NPEO..... | 5 |
| 8 Calculation | 6 |
| 8.1 Calculation of OP and NP..... | 6 |
| 8.2 Calculation of OPEO and NPEO..... | 6 |
| 9 Test report | 7 |
| Annex A (informative) Preparation of aluminium triiodide | 8 |
| Annex B (informative) Example of HPLC chromatograms | 9 |
| Annex C (informative) Example of GC-MS chromatograms | 11 |
| Bibliography | 13 |

ISO 18218-2:2015(E)
IULTCS/IUC 28-2:2015(E)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

ISO 18218-2 was prepared by the Chemical Test Commission of the International Union of Leather Technologists and Chemists Societies (IUC Commission, IULTCS) in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 289, *Leather*, the secretariat of which is held by UNI, in accordance with the agreement on technical co-operation between ISO and CEN (Vienna Agreement).

IULTCS, originally formed in 1897, is a world-wide organization of professional leather societies to further the advancement of leather science and technology. IULTCS has three Commissions, which are responsible for establishing international methods for the sampling and testing of leather. ISO recognizes IULTCS as an international standardizing body for the preparation of test methods for leather.

ISO 18218 consists of the following parts, under the general title *Leather — Determination of ethoxylated alkylphenols*:

- *Part 1: Direct method*
- *Part 2: Indirect method*

Introduction

Nonylphenol ethoxylate belongs to the non-ionic surfactants. The biodegradation of nonylphenol ethoxylate releases the persistent pollutant branched nonylphenol. Nonylphenol is a hormonal acting substance that is toxic for waterborne organisms and many other organisms. For this reason, the release of nonylphenol ethoxylate into the environment has to be avoided.

In 2003, the European Directive 2003/53/EC restricted the sale and use of nonylphenol and nonylphenol ethoxylate in product preparations for industries with discharges to waste water. Preparations containing concentrations equal or higher than 0,1 % of nonylphenol ethoxylate or nonylphenol were forbidden. This directive is included as part of the EU Regulation 1907/2006 (REACH).

No detailed composition of the chemical substance nonylphenol ethoxylate can be given; it is assigned the general structural formula:



To cover the group of ethoxylates of 4-nonylphenol, branched and linear, the European Chemical Agency (ECHA) has assigned the substance the following definition: *4-nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB and well-defined substances, polymers, and homologues, which include any of the individual isomers and/or combinations thereof].*

In the leather industry, nonylphenol ethoxylate and octylphenol ethoxylate surfactants have been used. However, the water insoluble substances, nonylphenol and octylphenol, have not been used. For this reason, two different analytical procedures have been prepared for analysing leather samples.

ISO 18218-1 is a method that directly determines the ethoxylated alkylphenol. It is an efficient procedure for the analysing of a larger number of leather samples. This procedure requires HPLC with triple quadrupole mass spectrometer (MSMS) to identify the nonylphenol ethoxylate and octylphenol ethoxylate.

This part of ISO 18218 is a procedure for analysing the alkylphenol. The ethoxylated alkylphenol is cleaved to form the alkylphenol, which is identified using high-performance liquid chromatography (HPLC) or gas chromatography-mass spectrometry (GC-MS) equipment. This method can also be used to indirectly determine the alkylphenol ethoxylate content in leather and process auxiliaries.

Leather — Determination of ethoxylated alkylphenols —

Part 2: Indirect method

1 Scope

This part of ISO 18218 is a method for determining alkylphenols (nonylphenol and octylphenol) and alkylphenol ethoxylates (nonylphenol ethoxylate and octylphenol ethoxylate) in leather and process auxiliaries. The analysis is based on high-performance liquid chromatography (HPLC) or gas chromatography-mass spectrometry (GC-MS).

The analysis of the alkylphenol ethoxylate is made by cleaving the alkylphenol ethoxylate and measuring the released alkylphenol.

NOTE ISO 18218-1 and this part of ISO 18218 use different solvents for the extraction of the ethoxylated alkylphenols from leather. Consequently, the two analytical methods are expected to give similar trends but not necessarily the same absolute result for the ethoxylated alkylphenol content in leather.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2418, *Leather — Chemical, physical and mechanical and fastness tests — Sampling location*

ISO 3696:1987, *Water for analytical laboratory use — Specification and test methods*

ISO 4044, *Leather — Chemical tests — Preparation of chemical test samples*

3 Principle

Leather samples are extracted with acetonitrile using an ultrasonic bath and the nonylphenol (NP) and/or octylphenol (OP) in the extract is quantitatively determined by HPLC or GC-MS.

The leather process auxiliaries are dissolved in acetonitrile and the NP and/or OP in the solution is quantitatively determined by HPLC or GC-MS.

The nonylphenol ethoxylate (NPEO) and octylphenol ethoxylate (OPEO) in the extract or solution are first converted into NP and OP, using aluminium triiodide as cleavage agent, and the NP and OP are determined by HPLC or GC-MS. The contents of NPEO and OPEO are then calculated by normalizing to NPEO₉ and OPEO₁₀ respectively. Examples of the four analytes used for the determination are shown in [Table 1](#).

Table 1 — Analytes determinable by this method

| Analyte | Empirical formula | Abbreviation | CAS ^a no. |
|------------------------------------|--|-------------------|----------------------|
| 4-nonylphenol (mixture of isomers) | C ₉ H ₁₉ -C ₆ H ₄ -OH | NP | 84852-15-3 |
| 4-tert-octylphenol | C ₈ H ₁₇ -C ₆ H ₄ -OH | OP | 140-66-9 |
| Nonylphenol ethoxylate | C ₉ H ₁₉ -C ₆ H ₄ -(OC ₂ H ₄) _n OH (n≈9) | NPEO ₉ | 9016-45-9 |

^a CAS = Chemical Abstract Service.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-