



NSAI
Standards

Irish Standard
I.S. EN 50341-2-19:2015

Overhead electrical lines exceeding AC 1 kV -
Part 2-19: National Normative Aspects (NNA)
for CZECH REPUBLIC (based on EN 50341-
1:2012)

I.S. EN 50341-2-19:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 50341-2-19:2015

Published:

2015-04-24

This document was published under the authority of the NSAI and comes into effect on:

2015-05-12

ICS number:

29.240.20

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 50341-2-19

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2015

ICS 29.240.20

English Version

**Overhead electrical lines exceeding AC 1 kV - Part 2-19:
National Normative Aspects (NNA) for CZECH REPUBLIC
(based on EN 50341-1:2012)**

This European Standard was approved by CENELEC on 2015-04-07.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
1	Scope 7
1.1	General 7
1.2	Field of application 7
2	Normative references, definitions and symbols 7
2.1	Normative references 7
2.2	Definitions 10
2.3	Symbols 10
3	Basis of design 12
3.2.2	Reliability requirements 12
3.2.5	Strength coordination 12
3.2.6	Additional considerations 12
4	Actions on lines 13
4.3	Wind loads 13
4.3.1	Field of application and basic wind velocity 13
4.3.2	Mean wind velocity 13
4.3.3	Mean wind pressure 13
4.4	Wind forces on overhead line components 13
4.4.1	Wind forces on conductors 13
4.4.2	Wind forces on insulator sets 14
4.4.3	Wind forces on lattice towers 15
4.4.4	Wind forces on poles 15
4.5	Ice loads 15
4.5.1	General 15
4.6	Combined wind and ice loads 16
4.6.1	Combined probabilities 16
4.6.2	Drag factors and ice densities 17
4.6.5	Wind forces on support for ice covered conductors 17
4.6.6	Combination of wind velocities and ice loads 17
4.7	Temperature effects 18
4.8	Security loads 18
4.8.1	General 18
4.8.2	Torsional loads 18
4.8.3	Longitudinal loads 19
4.9	Safety loads 19
4.9.1	Construction and maintenance loads 19
4.9.2	Loads related to the weight of linesmen 19
4.10	Forces due to short-circuit currents 19
4.11	Other special forces 20
4.11.1	Avalanches, creeping snow 20
4.11.2	Earthquakes 20
4.12	Load cases 20
4.12.1	General 20
4.12.2	Standard load cases 20
4.13	Partial factors for actions 22
5	Electrical requirements 25
5.3	Insulation coordination 25
5.4	Classification of voltages and overvoltages 25
5.4.2	Representative power frequency voltages 25
5.5	Minimum air clearance distances to avoid flashover 26

5.5.2	Application of the theoretical method in Annex E	26
5.5.3	Empirical method based on European experience	26
5.6	Load cases for calculation of clearances	27
5.6.2	Maximum conductor temperature	27
5.6.3	Wind loads for determination of electric clearances	27
5.6.4	Ice loads for determination of electric clearances	28
5.6.5	Combined wind and ice loads	29
5.7	Coordination of conductor positions and electrical stresses	30
5.8	Internal clearances within the span and at the top of support	30
5.9	External clearances	33
5.9.1	General	33
5.9.2	External clearances to ground in areas remote from buildings, roads, etc.	34
5.9.3	External clearances to residential and other buildings	34
5.9.4	External clearances to crossing traffic routes	36
5.9.5	External clearances to adjacent traffic routes	38
5.9.6	External clearances to other power lines or overhead telecommunication lines	38
5.10	Corona effect	40
5.10.1	Radio noise	40
5.11	Electric and magnetic fields	40
5.11.1	Electric and magnetic fields under a line	40
5.11.2	Electric and magnetic field induction	40
5.11.3	Interference with telecommunication circuits	40
6	Earthing systems	41
6.1	Introduction	41
6.1.2	Requirements for dimensioning of earthing systems	41
6.1.3	Earthing measures against lightning effects	41
6.1.4	Transferred potentials	42
6.2	Ratings with regard to corrosion and mechanical strength	43
6.2.1	Earth electrodes	43
6.2.2	Earthing and bonding conductors	43
6.4	Dimensioning with regard to human safety	43
6.4.1	Permissible values for touch voltages	43
6.4.3	Basic design of earthing systems with regard to permissible touch voltage	43
7	Supports	44
7.3	Lattice steel towers	44
7.3.6	Ultimate limit states	44
7.3.7	Serviceability limit states	44
7.3.8	Resistance of connections	44
7.3.9	Design assisted by testing	44
7.4	Steel poles	45
7.4.6	Ultimate limit states (EN 1993-1-1:2005 – Chapter 6)	45
7.4.7	Serviceability limit states (EN 1993-1-1:2005 – Chapter 7)	45
7.4.8	Resistance of connections	45
7.4.9	Design assisted by testing	45
7.5	Wood poles	45
7.5.5	Ultimate limit states	45
7.5.6	Serviceability limit states	45
7.5.7	Resistance of connections	45
7.5.8	Design assisted by testing	46
7.6	Concrete poles	46
7.6.4	Ultimate limit states	46
7.6.5	Serviceability limit states	46

7.6.6	Design assisted by testing	46
7.7	Guyed structures	46
7.7.4	Ultimate limit states	46
7.7.5	Serviceability limit states	47
7.9	Corrosion protection and finishes	47
7.9.1	General	47
7.10	Maintenance facilities	47
7.10.1	Climbing	47
7.10.2	Maintainability	47
7.10.3	Safety requirements	47
8	Foundations	47
8.1	Introduction	47
8.2	Basis of geotechnical design (EN 1997-1:2004 – Section 2)	47
8.2.2	Geotechnical design by calculation	47
8.3	Soil investigation and geotechnical data (EN 1997-1:2004 – Section 3)	47
9	Conductors and earth-wires	48
9.1	Introduction	48
9.2	Aluminium based conductors	48
9.2.2	Electrical requirements	48
9.2.3	Conductor service temperatures and grease characteristics	49
9.2.4	Mechanical requirements	49
9.2.5	Corrosion protection	49
9.2.6	Test requirements	49
9.3	Steel based conductors	50
9.3.1	Characteristics and dimensions	50
9.3.3	Conductor service temperatures and grease characteristics	50
9.3.4	Mechanical requirements	50
9.3.5	Corrosion protection	51
9.3.6	Test requirements	51
9.4	Copper base conductors	51
9.5	Conductors and ground wires containing optical fibre telecommunication circuits	51
9.5.1	Characteristics and dimensions	51
9.5.2	Electrical requirements	51
9.5.3	Conductor service temperatures	51
9.5.4	Mechanical requirements	51
9.6	General requirements	52
9.6.2	Partial factor for conductors	52
9.6.3	Minimum cross-sections	52
9.6.4	Sag – tension calculations	52
10	Insulators	52
10.1	Introduction	52
10.4	Pollution performance requirements	52
10.5	Power arc requirements	53
10.7	Mechanical requirements	53
10.10	Characteristics and dimensions of insulators	53
10.11	Type test requirements	54
10.11.1	Standard type tests	54
10.11.2	Optional type tests	54
11	Hardware	54
11.1	Introduction	54
11.6	Mechanical requirements	54
12	Quality assurance, checks and taking-over	55

Annex H/CZ (informative).....	55
Installation and measurements of earthing systems	55
H.2 Basis for the verification	55
H.2.2 Resistance to earth.....	55
H.3 Installation of earth electrodes and earthing conductors.....	55
H.3.1 Installation of earth conductors.....	55
H.4 Measurements for and on earthing systems	55
H.4.4 Determination of the earth potential rise	55
H.4.5 Reduction factor related to earth wires of overhead lines	56
Annex M/CZ (informative).....	56
Geotechnical and structural design of foundations	56
M.1 Typical values of the geotechnical parameters of soils and rocks	56
M.1.3 Symbols, definitions and units of some ground parameters	56
M.3 Sample semi-empirical models for resistance estimation	62
M.3.1 Geotechnical design by calculation	62
Annex S/CZ (informative).....	63
Map of icing zones in the Czech Republic	63

Foreword

1. The Czech National Committee (NC) is identified by the following address :
CZECH OFFICE FOR STANDARDS, METROLOGY AND TESTING email: unmz@unmz.cz
Gorazdova 24, P.O.Box 49 tel: ++420 224 907 111
128 01 PRAHA 2 fax: ++420 221 802 301
Czech Republic
2. The Czech National Committee has prepared this Part 2–19 (EN 50341-2-19) listing the Czech National Normative Aspects (NNA) under its sole responsibility and duly passed this document through the CENELEC and CLC/TC11 procedures.

NOTE The Czech National Committee also takes sole responsibility for the technically correct co-ordination of this EN 50341-2-19 with EN 50341-1. It has performed the necessary checks in the frame of quality assurance/control. However, it is noted that this quality assurance/control has been made in the framework of the general responsibility of The Czech National Committee under the national laws/regulations.

3. This EN 50341-2-19 is normative in the Czech Republic and informative for other countries.
4. This EN 50341-2-19 has to be read in conjunction with EN 50341-1, hereinafter referred as Part 1. All clause numbers used in Part 2–19 correspond to those of Part 1. Specific subclauses which are prefixed CZ are to be read as amendments to the relevant text in Part 1. Any necessary clarification regarding the application of Part 2–19 in conjunction with Part 1 shall be referred to the Czech Office for Standards, Metrology and Testing that will, in co-operation with CLC/TC11, clarify the requirements. When no reference is made in Part 2–19 to a specific subclause, then Part 1 applies.
5. In the case of “boxed values“ defined in Part 1, amended values (if any) which are defined in Part 2–19 shall be taken into account in the Czech Republic.
However, any “boxed values” whether in Part 1 or Part 2-19, shall not be amended in direction of greater risk in the Project Specification.
6. The national Czech standards/regulations, regarding overhead lines exceeding 1 kV AC, are listed in 2.1/CZ.2 and 2.1/CZ.3.

NOTE All national standards referred to in this Part 2–19 will be replaced by the relevant European Standards as soon as they become available and are declared by the Czech Office for Standards, Metrology and Testing to be applicable and thus reported to the secretary of CLC/TC11.

1 Scope

1.1 General

(ncpt) CZ.1 New overhead line

The new overhead line is considered a brand new electric overhead line with nominal voltage exceeding 1 kV AC, between the points A and B.

The new branch line of the existing overhead line shall be considered a new overhead line except for a junction support for which the specific requirements shall be defined in the Project Specification.

The extent of application of this standard in respect of reconstruction, relaying and extension of existing overhead lines shall be determined in the Project Specification. Simultaneously, the Project Specification shall determine, which of the previous national standards shall be used and to what extent they shall be used for the project in question.

1.2 Field of application

(ncpt) CZ.1 Field of application

The requirements of this standard shall be adopted, where applicable (e.g. requirements on loads, external clearances, etc.), for telecommunication cables as well.

In case of overhead line under the design stage, parties concerned shall agree the extent of the application of this standard.

Overhead line under construction may be completed according to standards valid during the design stage of the line. The parties concerned shall agree any possible application of certain clauses of this standard.

(ncpt) CZ.2 Installation of telecommunication equipment on supports

Provisions of this standard also apply to the telecommunication equipment and devices (aerials, dish antennas, etc.) which are installed on individual supports of overhead power lines, especially in terms of wind and ice loads on such installed equipment. Design and installation has to respect requirements of the utility operating the line in question. The design of such telecommunication equipment has to incorporate such technical solutions and such precautions, which shall allow safe access and maintenance of both a power line and telecommunication equipment, and which shall provide protection of persons performing repairs or maintenance of the power line and/or telecommunication equipment against electric shock and protection of telecommunication equipment and attached installations against the influence of the power line (short-circuits, switching and lightning overvoltages etc.).

2 Normative references, definitions and symbols

2.1 Normative references

(ncpt) CZ.1 General

National laws, Government regulations and other binding regulations are included in following 2.1/CZ.2. International and national standards quoted in EN 50341-2-19 and not included in 2.1 EN 50341-1 are included in 2.1/CZ.3.

The set of standards included in 2.1 EN 50341-1 under a common title of Eurocodes is valid in the Czech Republic including the Czech National Application documents related to relevant standards, unless EN 50341-1 and/or these Czech National Normative Aspects (EN 50341-2-19) specify otherwise.

NOTE Some EN, IEC, ISO and CISPR International Standards and publications implemented as Czech National Standards – ČSN EN, ČSN IEC, ČSN ISO and ČSN CISPR – include informative notes and informative annexes useful in the Czech Republic.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-