



**NSAI**  
Standards

Irish Standard  
I.S. EN 1536:2010+A1:2015

# Execution of special geotechnical work - Bored piles

**I.S. EN 1536:2010+A1:2015**

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN 1536:2010+A1:2015

*Published:*

2015-06-10

*This document was published under the authority of the NSAI and comes into effect on:*

2015-07-02

ICS number:

93.020

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

**EN 1536:2010+A1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2015

ICS 93.020

Supersedes EN 1536:2010

English Version

## Execution of special geotechnical work - Bored piles

Exécution des travaux géotechniques spéciaux - Pieux  
forés

Ausführung von Arbeiten im Spezialtiefbau - Bohrfähle

This European Standard was approved by CEN on 2 July 2010 and includes Amendment 1 approved by CEN on 17 April 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## EN 1536:2010+A1:2015 (E)

## Contents

Page

Foreword.....	4
1 Scope .....	5
2 Normative references .....	10
3 Terms and definitions .....	11
4 Information needed for the execution of the work .....	16
4.1 General.....	16
4.2 Special features .....	17
5 Geotechnical investigation .....	18
5.1 General.....	18
5.2 Specific requirements .....	18
6 Materials and products .....	19
6.1 Constituents .....	19
6.1.1 General.....	19
6.1.2 Bentonite .....	19
6.1.3 Polymers.....	20
6.1.4 Cement.....	20
6.1.5 Aggregates .....	20
6.1.6 Water .....	20
6.1.7 Additions .....	20
6.1.8 Admixtures .....	20
6.2 Support fluids.....	20
6.2.1 Bentonite suspensions .....	20
6.2.2 Polymer solutions .....	22
6.3 Concrete .....	22
6.3.1 General.....	22
6.3.2 Aggregates .....	23
6.3.3 Cement contents.....	23
6.3.4 Water/cement ratio.....	23
6.3.5 Admixtures .....	23
6.3.6 Fresh concrete .....	23
6.3.7 Sampling and testing on site .....	24
6.4 Grout .....	24
6.5 Reinforcement.....	25
6.6 Additional inserted products.....	25
7 Considerations related to design.....	25
7.1 General.....	25
7.2 Piles forming a wall .....	26
7.3 Excavation .....	27
7.4 Precast concrete elements .....	27
7.5 Reinforcement.....	27
7.5.1 General.....	27
7.5.2 Longitudinal reinforcement .....	28
7.5.3 Transverse reinforcement.....	28
7.6 Steel tubes and profile elements.....	29
7.7 Minimum and nominal cover .....	29
8 Execution .....	30
8.1 Construction tolerances .....	30

8.1.1	Geometrical tolerances.....	30
8.1.2	Installation tolerances for reinforcement cage .....	31
8.1.3	Tolerances for trimming .....	32
8.2	Excavation.....	32
8.2.1	General .....	32
8.2.2	Methods and tools.....	34
8.2.3	Excavations supported by casings .....	34
8.2.4	Excavations supported by fluids .....	36
8.2.5	Boring with continuous flight augers.....	36
8.2.6	Unsupported excavation.....	37
8.2.7	Enlargements .....	38
8.3	Reinforcement .....	38
8.3.1	General .....	38
8.3.2	Joints .....	38
8.3.3	Bending of reinforcement.....	38
8.3.4	Assembly of cages .....	39
8.3.5	Spacers.....	39
8.3.6	Installation.....	40
8.4	Concreting and trimming.....	40
8.4.1	General .....	40
8.4.2	Concreting in dry conditions .....	41
8.4.3	Concreting in submerged conditions.....	42
8.4.4	Extraction of casings .....	43
8.4.5	Permanent casings or linings .....	44
8.4.6	Concreting of continuous flight auger piles.....	44
8.4.7	Prepacked piles .....	45
8.4.8	Loss of immersion of tremie pipe or casing.....	45
8.4.9	Precast concrete elements and steel tubes or profiles.....	46
8.4.10	External grouting of bored piles .....	46
8.4.11	Trimming .....	47
8.5	Pile walls .....	47
9	Supervision, testing and monitoring.....	48
9.1	Construction controls.....	48
9.2	Bored pile testing .....	49
9.2.1	General .....	49
9.2.2	Pile load tests .....	49
9.2.3	Integrity tests .....	50
10	Records .....	50
11	Special Requirements.....	53
Annex A (informative) Glossary .....		55
Annex B (informative) Examples for details and frequencies for monitoring and testing.....		64
Annex C (informative) Sample records.....		69
Annex D (informative) Obligation of the provisions .....		76
Bibliography.....		82

## EN 1536:2010+A1:2015 (E)

### Foreword

This document (EN 1536:2010+A1:2015) has been prepared by Technical Committee CEN/TC 288 "Execution of special geotechnical works", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2015, and conflicting national standards shall be withdrawn at the latest by December 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes  $\boxed{A_1}$  EN 1536:2010  $\boxed{A_1}$ .

This document includes Amendment 1 approved by CEN on 2015-04-17.

The start and finish of text introduced or altered by amendment is indicated in the text by tags  $\boxed{A_1}$   $\boxed{A_1}$ .

The general scope of TC 288 is the standardisation of the execution procedures for geotechnical works (including testing and control methods) and of the required material properties. WG15 has been charged to revise EN 1536:1999, with the subject area of bored piles, including barrettes, but not "micro piles" of diameter less than 0,3 m.

The design, planning and execution of bored piles call for experience and knowledge in this specialised field. The execution phase requires skilled and qualified personnel and the present standard cannot replace the expertise of specialist contractor.

The document has been prepared to complement EN 1997-1, *Eurocode 7: Geotechnical design — Part 1: General rules* and EN 1997-2, *Eurocode 7 — Geotechnical design — Part 2: Ground investigation and testing*. Clause 7 "Considerations related to design" of this European Standard expands on design only where necessary (e.g. the detailing of reinforcement), but provides full coverage of the construction and supervision requirements.

$\boxed{A_1}$  The amendment became necessary to accord the Standard EN 1536:2010 with EN 206:2013, Concrete – Specification, performance, production and conformity. EN 206:2013 has been revised to contain also the specific requirements for concrete for applications for special geotechnical works, making redundant respective provisions in EN 1536 (e.g. 6.1, 6.3 and 8.8).

Full according with EN 13670, Execution of concrete structures is however still pending. EN 1536:2010+A1:2015 therefore still contains specific requirements for bored piles as a concrete structure, such as the detailing of the reinforcement, the concrete placement and the supervision of concreting process which are complementing the provisions of EN 13670.

In addition, some editorial corrections were made in this amended Standard.  $\boxed{A_1}$

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.


## 1 Scope

**1.1** This European Standard establishes general principles for the execution of bored piles (see 3.2).

**NOTE 1** This standard covers piles or barrettes which are formed in the ground by excavation and are structural members used to transfer actions and/or limit deformations.

**NOTE 2** This standard covers piles with circular cross-section (see Figures 1 and A.1a)) and barrettes (see 3.3) with rectangular, T or L or any other similar cross-section (see Figure 2) concreted in a single operation.

**NOTE 3** In the standard the term pile is used for circular cross-section structure and the term barrette for other shapes. Both are bored piles.



### Key

*D* Shaft diameter

### Key

*L* Barrette length

*W* Barrette thickness

*A* Cross-sectional area of the shaft

**Figure 1 — Bored pile with circular cross-section**

**Figure 2 — Bored pile with non circular cross-section (barrettes)**


**1.2** This European Standard applies to bored piles (see Figure 3) with:

- uniform cross-section (straight shaft);
- telescopically changing shaft dimensions;
- excavated base enlargements; or
- excavated shaft enlargements.

**NOTE** The shape of a pile base and of an enlargement depends on the tool used for the excavation.

## EN 1536:2010+A1:2015 (E)

A1




## Key

- $D$  Shaft diameter  
 $D_B$  Base enlargement diameter  
 $D_E$  Shaft enlargement diameter

Figure 3 — Examples for straight shaft piles and piles with shaft and base enlargement

A1



## Key

- $n$  Rake

Figure 4 — Definition of the rake

1.3 This European Standard applies (see Note) to:

- bored piles with a depth to width ratio  $\geq 5$ ;
- piles (see Figures 1 and 3) with a shaft diameter  $0,3 \text{ m} \leq D \leq 3,0 \text{ m}$ ;
- barrettes (see Figure 2) with the least dimension  $W_i \geq 0,4 \text{ m}$ , a ratio  $L_i / W_i$  between its largest and its least dimensions  $\leq 6$  and a cross-sectional area  $A \leq 15 \text{ m}^2$ ;
- piles with circular precast elements used as structural member (see Figure 7) with a least dimension  $D_p \geq 0,3 \text{ m}$ ;
- barrettes with rectangular precast elements used as structural member with a least dimension  $W_p \geq 0,3 \text{ m}$ .

NOTE The standard covers a large range of diameters. For small diameter bored piles less than 450 mm, the general specification can be adapted to cater for the lack of space (e.g. minimum bars number and spacing).

1.4 This European Standard applies to piles with the following rake (see Figure 4):

- $n \geq 4$  ( $\Theta \geq 76^\circ$ );
- $n \geq 3$  ( $\Theta \geq 72^\circ$ ) for permanently cased piles.

1.5 This European Standard applies to bored piles with the following dimensions of the shaft or base enlargements (see Figure 3):

- a) base enlargements:
- 1) in non-cohesive ground:  $D_B / D \leq 2$ ;
  - 2) in cohesive ground:  $D_B / D \leq 3$ ;




- b) shaft enlargements in any ground:  $D_E / D \leq 2$ ;
- c) slope of the enlargement in non-cohesive ground  $m \geq 3$ ;
  - 1) in non-cohesive ground:  $m \geq 3$ ;
  - 2) in cohesive ground:  $m \geq 1,5$ ;
- d) base enlargements area of barrettes:  $A \leq 15 \text{ m}^2$ ;

**1.6** The provisions of this European Standard apply to:

- single bored piles;
- bored pile groups (see Figure 5);
- walls formed by piles (see Figure 6).

**A1**




**Key**

- $D$  Shaft diameter
- $a_i$  Centre to centre spacing of the piles

**Figure 5 — Examples of pile groups**

**EN 1536:2010+A1:2015 (E)**

A1




$a < D$   
 p primary piles  
 s secondary piles

A1

**a) Secant pile wall**

A1




$a \cong D$

A1

**b) Contiguous pile wall**

A1



$a > D$

A1

**c) Widely spaced pile wall**

**Key**

- a Centre to centre spacing of the piles
- D Shaft diameter
- 1 Lagging


**Figure 6 — Examples of pile walls**

**1.7** The bored piles which are the subject of this European Standard can be excavated by continuous or discontinuous methods using support methods for stabilizing the excavation walls where required.

**1.8** This European Standard applies only to construction methods that allow the designed cross-sections to be produced.

**1.9** The provisions apply to bored piles (see Figure 7) constructed of:

- unreinforced (plain) concrete;
- reinforced concrete;
- concrete reinforced by means of special reinforcement such as steel tubes, steel sections or steel fibres;
- precast concrete (including prestressed concrete) elements or steel tubes where the annular gap between the element or tube and the ground is filled by concrete, cement or cement-bentonite grout.



**Key**

- 1 Precast concrete element
- 2 Grout
- 3 Temporary casing (extracted)
- 4 Uncased excavation
- 5 Unreinforced or reinforced concrete or cement grout
- D* Shaft diameter

**Figure 7 — Examples of bored piles with circular cross-section**

**1.10** Micropiles, mixed-in-place columns, columns constructed by jet grouting, ground improvement for piling, mixed-in-place pile bases and diaphragm walls are not covered by this European Standard.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-