

Irish Standard I.S. EN 13121-3:2016

GRP tanks and vessels for use above ground - Part 3: Design and workmanship

© CEN 2016 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN 13121-3:2016

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

EN 13121-3:2016

2016-04-13

This document was published under the authority of the NSAI and comes into effect on:

ICS number:

23.020.10

2016-05-01

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800

1 Swift Square, F +353 1 807 3838
Northwood, Santry E standards@nsai.ie
Dublin 9 W NSAl.ie

Sales: T +353 1 857 6730 F +353 1 857 6729

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

## National Foreword

I.S. EN 13121-3:2016 is the adopted Irish version of the European Document EN 13121-3:2016, GRP tanks and vessels for use above ground - Part 3: Design and workmanship

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

**EUROPEAN STANDARD** 

EN 13121-3

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

April 2016

ICS 23.020.10

Supersedes EN 13121-3:2008+A1:2010

## **English Version**

# GRP tanks and vessels for use above ground - Part 3: Design and workmanship

Réservoirs et récipients en PRV pour applications hors sol - Partie 3: Conception et fabrication

Oberirdische GFK-Tanks und -Behälter - Teil 3: Auslegung und Herstellung

This European Standard was approved by CEN on 10 January 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

| Cont           | Contents   |    |
|----------------|--|----|
| Europ          | oean foreword  | 8  |
| Intro          | duction  | 9  |
| 1              | Scope  | 10 |
| 2              | Normative references   |    |
|                | Terms and definitions  |    |
| 3              |  |    |
| 4              | Symbols and abbreviations  |    |
| 5              | Information and requirements to be supplied and documented                                   |    |
| 5.1<br>5.2     | GeneralInformation to be obtained by the manufacturer  |    |
| 5.2<br>5.3     | Information to be obtained by the manufacturerInformation to be prepared by the manufacturer |    |
| 5.4            | Final documentation  |    |
|                |  |    |
| 6<br>6.1       | MaterialGeneral  |    |
| 6.2            | Chemical protective barrier  | _  |
| 6.2.1          | General  |    |
| 6.2.2          | Thermoplastics linings   | _  |
| 6.2.3          | Resin based linings  |    |
| 6.3            | Flammability   |    |
| 6.4            | Electrical resistivity   |    |
| 7              | Mechanical properties  | 10 |
| ,<br>7.1       | General  |    |
| 7.2            | Heat deflection temperature  |    |
| 7.3            | Laminate construction  |    |
| 7.4            | Laminate thickness   | 21 |
| 7.5            | Laminate properties  | 21 |
| 7.6            | Inter-laminar shear strength   | 21 |
| 7.6.1          | Laminate   |    |
| 7.6.2          | Thermoplastics linings   |    |
| 7.7            | Peel strength of laminates   |    |
| 7.8            | Pull-off strength of laminates and thermoplastic liner                                       |    |
| 7.9<br>7.9.1   | Selection of physical properties of materials and allowable design factors  General          |    |
| 7.9.1<br>7.9.2 | Basic design   |    |
| 7.9.2          | Advanced design  |    |
| 7.9.4          | Design factors   |    |
| 7.9.5          | Overall design factors K and F   |    |
| 8              | Determination of design strain and loadings  | 27 |
| 8.1            | General  |    |
| 8.2            | Limit design strains   |    |
| 8.2.1          | General  |    |
| 8.2.2          | Limit resin strain $\varepsilon_{ar}$  |    |
| 8.2.3          | Limit strain for laminate or lamina $\varepsilon_{\rm lim}$                                  |    |
| 8.2.4          | Limit test strain $\varepsilon_{test}$   |    |
| 8.3            | Limit design laminate loadings   |    |
| 8.4            | Determination of the mechanical values from laminates  | 29 |

| 8.4.1  | General  |     |
|--------|--|-----|
| 8.4.2  | Calculation of laminate values without experimental test data                              | .29 |
| 8.4.3  | Laminate with experimental data  | .30 |
| 8.5    | Laminate thickness   | .30 |
| 9      | Design   | .30 |
| 9.1    | Introduction   |     |
| 9.2    | Determination of external loads  |     |
| 9.2.1  | Snow loads   |     |
| 9.2.2  | Wind loads   |     |
| 9.2.3  | Seismic loads  |     |
| 9.2.4  | Insulation loads   |     |
| 9.2.5  | Loads resulting from connections   |     |
| 9.2.6  | Agitation  |     |
| 9.2.7  | Pressure due to inadequate venting   |     |
| 9.2.8  | Personnel loading  |     |
| 9.2.9  | Internal stresses in vessels and tanks due temperatures                                    |     |
| 9.3    | Verification by the partial factor method  |     |
| 9.3.1  | General  |     |
| 9.3.2  | Dimensioning by using $(A_5 \cdot \gamma)$ -factored loads                                 | .40 |
| 9.4    | Drawings and design calculations   |     |
| 9.5    | Design details   |     |
| 9.5.1  | Design temperature TS  |     |
| 9.5.2  | Pressure   |     |
| 10     | Design analysis  | 42  |
| 10.1   | Symbols and units  |     |
| 10.2   | Vertical vessels or tanks, cylinders under loads ( $t < 0.01 \cdot D$ )                    |     |
| _      | Circumferential loadings   |     |
|        | Combined axial loading   |     |
| 10.3   | Cylindrical shells subject to compressive loadings — critical buckling criteria            |     |
|        | General  |     |
|        | Critical axial buckling load   |     |
|        | Critical circumferential buckling pressure   |     |
|        | Combined axial and radial compressive loadings   |     |
|        | Critical buckling pressure for cylindrical shell stiffened with external or internal rings |     |
| 10.4   | Conical shells   | .50 |
| 10.4.1 | General requirements   | .50 |
| 10.4.2 | Shallow conical ends   | .52 |
| 10.4.3 | Conical ends subject to internal pressure  | .52 |
| 10.4.4 | Conical ends subject to external pressure  | .54 |
| 10.4.5 | Shell conical covers   | .56 |
| 10.5   | Dished end   | .57 |
| 10.5.1 | General requirements   | .57 |
| 10.5.2 | Dished ends subject to internal pressure   | .58 |
| 10.5.3 | Stability for dished ends subject to external pressure                                     | .59 |
| 10.6   | Design of flat bottoms and skirts for vertical tanks and vessels                           | .60 |
| 10.6.1 | Definitions  | .60 |
|        | Fully supported, flat bottom tanks   |     |
|        | Vessels with flat bases subjected to pressure  |     |
| 10.6.4 | Dished bottom and conical bottom configurations  | .67 |
| 10.7   | Circumferential seams for cylindrical joints   |     |
| 10.7.1 | General  |     |
| 10.7.2 | Construction without thermoplastics liner  | .79 |
| 10.7.3 | Construction with thermoplastics liner   | .79 |

| 10.8    | Openings, branches and compensating laminate                           | 79  |
|---------|--|-----|
|         | General  |     |
|         | Symbols  |     |
|         | Compensation requirements for openings                                 |     |
|         | Pull out load from nozzles   |     |
|         | Prevention of failure in peel  |     |
|         | Pad connections  |     |
|         | Screwed connections  |     |
|         | Access and inspecting openings   |     |
|         | Gusset on branches   |     |
|         | Flat Panels or Blind flanges   |     |
|         | General  |     |
|         | Symbols  |     |
|         | Circular panels  |     |
|         | Horizontal tanks and vessels   |     |
| 10.10.1 |  |     |
| 10.10.2 | VI II  |     |
| 10.10.3 |  |     |
| 10.10.4 | · · · · · · · · · · · · · · · · · · ·                                  |     |
| 10.10.5 | 4  |     |
|         | Large diameter pipes and pipe fittings                                 |     |
| 10.11   |  |     |
| 10.11.2 |  |     |
| 10.11.3 | · · · · · · · · · · · · · · · · · · ·                                  |     |
| 10.11.4 |  |     |
| 10.11.4 | · ·  |     |
| 11      | Bolted flange connections  | 115 |
| 11.1    | General  | 115 |
| 11.2    | Full face flanges design   | 121 |
| 11.2.1  | General  | 121 |
| 11.2.2  | Symbols  | 122 |
| 11.2.3  | Pipe loads on flanges  | 124 |
| 11.2.4  | Gasket load and bolt torque  | 124 |
| 11.2.5  | Summary of loads   | 125 |
| 11.2.6  | Total bending moment   | 125 |
| 11.2.7  | Flange design  | 125 |
| 11.2.8  | Flange slope   | 127 |
|         | 0 1  |     |
|         | General  |     |
|         | Loads, bending moment and design for backing ring made of steel or GRP |     |
|         | Stub flange loadings   |     |
|         | Stub shear interface design  |     |
|         | Stub end or flange design  |     |
|         | Seating stress   |     |
|         | Butt and strap jointed flanges at vessels or tanks                     |     |
|         | 1,   |     |
| 12      | Supports for vessels and tanks   |     |
| 12.1    | General  |     |
| 12.2    | Supports and mountings for tanks and vessels                           |     |
|         | General considerations for supports                                    |     |
| 12.2.2  | Supports for vertical vessels  | 139 |
| 13      | Seismic loading  | 145 |
|         | 5  |     |
| 14      | Design calculation for tank and vessel anchorage                       |     |
| 14.1    | General  |     |
| 14.2    | Design for uplift  | 145 |

| 14.3                   | Design for anchor bolts  | 145 |
|------------------------|--|-----|
| 15                     | Structures and fittings  | 149 |
| 15.1                   | General  |     |
| <b>15.2</b>            | Internal structures and fittings   | 149 |
| <b>15.3</b>            | External structures and fittings   | 149 |
| 15.4                   | Lifting devices  |     |
| 16                     | Local load analysis  | 154 |
| <b>17</b>              | Quality Control  | 154 |
| 17.1                   | General  |     |
| 17.2                   | Works requirements   |     |
| 17.2.1                 | General  | 154 |
| 17.2.2                 | Raw materials storage  | 154 |
| 17.2.3                 | Manufacturing area   | 154 |
| 17.2.4                 | Conditions for laminating  | 154 |
| <b>17.3</b>            | Documentation to be prepared by the manufacturer                           | 155 |
| 17.3.1                 | Technical documentation  | 155 |
| 17.3.2                 | Records and documentation requirements for raw materials                   | 155 |
| 17.3.3                 | Manufacturing documentation requirements                                   | 156 |
| 17.3.4                 | Quality control documentation requirements                                 | 156 |
| 17.4                   | Manufacture  | 161 |
| 17.4.1                 | General  | 161 |
| 17.4.2                 | Fabrication of thermoplastics liners                                       | 162 |
| 17.4.3                 | Fabrication of laminates   | 162 |
| 17.4.4                 | Imperfections in laminates   | 163 |
| 17.4.5                 | Curing   | 163 |
| 17.5                   | Inspection and testing after completion of fabrication                     | 163 |
| 17.5.1                 | Visual and dimensional inspection  | 163 |
| 17.5.2                 | Physical test to be carried out  | 164 |
| 17.5.3                 | Coupon testing   |     |
| 17.6                   | Experimental Design Verification Method for pressure vessel                | 165 |
| 17.6.1                 | General  | 165 |
| 17.6.2                 | Manufacture of the prototype vessel  | 165 |
| 17.6.3                 | Tests to be applied to prototype vessels                                   | 166 |
| 18                     | Marking  | 166 |
| Annex                  | A (informative) Product testing for serial or batch production process     | 168 |
| A.1                    | Initial type testing (ITT)   |     |
| A.2                    | Testing of samples   |     |
| A.2.1                  | General  |     |
| A.2.2                  | Batch release tests (BRT)  |     |
| A.2.3                  | Process control tests  |     |
| A.3                    | Inspection and test records  |     |
| A.3.1                  | General  |     |
| A.3.2                  | Marking  |     |
| A.3.3                  | Delivery, installation, maintenance  |     |
| Annov                  | B (informative) Derivation of laminate properties from laminate properties | 171 |
| B.1                    | General  |     |
| B.2                    | Lamina/laminate thickness  |     |
| B.3                    | Laminate modulus   |     |
| в.э<br>В.4             | Determination of laminate flexural stiffness                               |     |
| в. <del>4</del><br>В.5 | Determination of laminate nexural stiffless                                |     |
|                        |  |     |
| Annex                  | C (normative) Pressure and leak testing                                    | 175 |

| <b>C.1</b>     | General   | . 175         |
|----------------|---|---------------|
| <b>C.2</b>     | Open top tanks  |               |
| <b>C.3</b>     | Static head test of closed tanks and vessels  |               |
| C.3.1          | Contents having a specific gravity up to 1,0  | . 176         |
| C.3.2          | Contents having a specific gravity greater than 1,0   |               |
| <b>C.4</b>     | Hydraulic pressure test   |               |
| C.4.1          | Test done in the working attitude   |               |
| C.4.2          | Tests done in other than the working attitudes  |               |
| C.4.3          | Pneumatic testing   |               |
| C.4.4          | Vacuum test   |               |
|                |   |               |
| Annex          | D (normative) Methods of tests  |               |
| D.1            | General   |               |
| D.1.1          | Tests   |               |
| D.1.2          | Accuracy of test equipment  |               |
| <b>D.2</b>     | Loss on ignition  | . <b>17</b> 9 |
| <b>D.3</b>     | Tensile strength of thermoplastics welds  | . 179         |
| <b>D.4</b>     | Bend test for thermoplastics welds  | . 179         |
| D.4.1          | Introduction  | . 179         |
| D.4.2          | Test arrangement  | . 179         |
| D.4.3          | Test pieces   | . 180         |
| D.4.4          | Method of test  |               |
| D.4.5          | Requirements from flexural test   |               |
| D.4.6          | Test report   |               |
| D.5            | Ultimate tensile unit strength of laminates   |               |
| D.5.1          | Test pieces and procedure   |               |
| D.5.2          | Simple laminates  |               |
| D.5.3          | Combined laminates  |               |
| D.6            | Unit tensile modulus of laminates   |               |
| D.7            | Inter laminar shear strength of laminates   |               |
| D.7.1          | Form of test specimen   |               |
| D.7.1<br>D.7.2 | Number of test specimens  |               |
| D.7.2<br>D.7.3 | Procedure   |               |
| D.7.3<br>D.7.4 | Results   | _             |
| D.7.4<br>D.7.5 | Report  |               |
| D.7.3<br>D.8   | Lap shear strength of bond between thermoplastics lining and laminate or between            | . 104         |
| D.0            | laminates   | 105           |
| D.8.1          | Form of the test specimen   |               |
| D.8.2          | •   |               |
| D.8.3          | Number of test specimens  Procedure   |               |
|                |   |               |
| D.8.4          | Report  |               |
| D.9            | Peel strength of bond between laminate layers   |               |
| D.9.1          | Form of the specimen  |               |
| D.9.2          | Number of specimens   |               |
| D.9.3          | Procedure   |               |
| D.9.4          | Report  |               |
| D.10           | Flexural short-term creep test (flexural modulus E <sub>1h</sub> and E <sub>24h</sub> test) |               |
|                | General   |               |
|                | Definitions   |               |
|                | Test device   |               |
|                | Test pieces   |               |
|                | Procedure   |               |
|                | Calculation   |               |
| D.11           | Barcol hardness   |               |
| D.12           | Determination of electrical resistivity   | . 191         |

| D.13   | Glass transition temperature by DSC of cured resin  | 191 |
|--------|---|-----|
| D.14   | Spark testing of thermoplastics welds   | 191 |
| D.14.1 | General   | 191 |
| D.14.2 | Apparatus   | 192 |
| D.14.3 | Procedure   | 192 |
| D.15   | Long term flexural creep test   | 192 |
| D.15.1 | General   | 192 |
| D.15.2 | Definitions   | 192 |
| D.15.3 | Test device   | 192 |
| D.15.4 | Test pieces   | 193 |
| D.15.5 | Procedure   | 193 |
| D.15.6 | Calculation   | 193 |
| D.16   | Hardness of rubber  | 194 |
| D.17   | Flash point test  |     |
| D.18   | Heat deflection temperature test  |     |
| D.19   | Flexural strength of laminate   |     |
| D.20   | Pull-off strength from laminates  |     |
|        | 5   |     |
|        | E (normative) Approval testing of laminators  |     |
| E.1    | General   |     |
| E.2    | Assessment of the laminator   |     |
| E.3    | Procedure   |     |
| E.4    | Theory exam   |     |
| E.5    | Test pieces   |     |
| E.6    | Evaluation of test pieces   |     |
| E.6.1  | General   |     |
| E.6.2  | Test procedure 1  |     |
| E.6.3  | Test procedure 2  |     |
| E.6.4  | Test procedure 3  |     |
| E.7    | Minimum requirements for acceptance   |     |
| E.8    | Test certificate  |     |
| E.9    | Validity and renewal  |     |
| E.10   | Range of approval   | 199 |
| Annex  | F (informative) Design by stress analysis   | 201 |
|        | General   |     |
| F.2    | Typical methods   |     |
| F.3    | General requirements  |     |
| F.4    | Important determination results   |     |
| F.5    | Design factors  |     |
|        |   |     |
|        | G (normative) Environmental aspects   |     |
| G.1    | Principle   |     |
| G.2    | Design and Manufacturing  |     |
| G.3    | Effects of materials on water   |     |
| G.4    | Effects of materials on food  |     |
| G.5    | Recycling   |     |
| G.6    | Storage of substances hazardous to water  | 203 |
| Annex  | ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/68/EU aimed to be covered | 204 |
| D:L!   | • •   |     |
| Riplio | graphygraphy  | 206 |

## **European foreword**

This document (EN 13121-3:2016) has been prepared by Technical Committee CEN/TC 210 "GRP tanks and vessels", the secretariat of which is held by SFS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2016, and conflicting national standards shall be withdrawn at the latest by October 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13121-3:2008+A1:2010.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

The following changes were made in this new edition of EN 13121-3:

- the standard was totally revised so as to make it comply with EN 1990; and
- sections covering "Flat panels" and "Loading from local loads" removed from the standard.

EN 13121, GRP tanks and vessels for use above ground, is currently composed of the following parts:

- Part 1: Raw materials Specification conditions and acceptance conditions;
- Part 2: Composite materials Chemical resistance;
- Part 3: Design and workmanship;
- Part 4: Delivery, installation and maintenance;
- *Part 5: Example of calculation* (CEN/TR 13121-5; in preparation).

A European Standard does not purport to include all the necessary provisions of a contract. Users of European Standards are responsible for their correct application.

Compliance with a European Standard does not of itself confer immunity from legal obligations.

It has been assumed in the drafting of this European Standard that the execution of its provisions is entrusted to appropriately qualified and experienced people.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

The five parts of EN 13121 together define the responsibilities of the tank or vessel manufacturer and the materials to be used in their manufacture.

EN 13121-1 specifies the requirements and acceptance conditions for the raw materials - resins, curing agents, thermoplastics linings, reinforcing materials and additives. These requirements are necessary in order to establish the chemical resistance properties determined in EN 13121-2 and the mechanical, thermal and design properties determined in this part of EN 13121. Together with the workmanship principles determined in this Part 3, requirements and acceptance conditions for raw materials ensure that the tank or vessel will be able to meet its design requirements. EN 13121-4 of this standard specifies recommendations for delivery, handling, installation and maintenance of GRP tanks and vessels

The design and manufacture of GRP tanks and vessels involve a number of different materials such as resins, thermoplastics and reinforcing fibres and a number of different manufacturing methods. It is implicit that vessels and tanks covered by this standard are made only by manufacturers who are competent and suitably equipped to comply with all the requirements of this standard, using materials manufactured by competent and experienced material manufacturers.

Metallic vessels, and those manufactured from other isotropic, homogeneous materials, are conveniently designed by calculating permissible loads based on measured tensile and ductility properties. GRP, on the other hand, is a laminar material, manufactured through the successive application of individual layers of reinforcement. As a result there are many possible combinations of reinforcement type that will meet the structural requirement of any one-design case. This allows the designer to select the laminate construction best suited to the available manufacturing facilities and hence be most cost effective.

In considering a layered GRP structure it is assumed that it is the glass reinforcement that provides the stiffness and strength required to resist mechanical loadings. Also, since the quantity of glass reinforcement is most readily assessed by weight, the weight of glass per unit area (m) is used instead of thickness in determining mechanical properties, thus the concepts of load and modulus are replaced by unit strength (u) and unit modulus (X), these being defined in Table 1.

It is possible that future advances in resin technology would allow tanks and vessels to be considered for operating temperatures above 120 °C. Should such a situation arise and a manufacturer wish to take advantage of such developments then all other requirements of this standard will be maintained and such tanks and vessels will only be designed in accordance with the advanced design method given in 7.9.3.

NOTE To convert a unit load, or a unit modulus to a load and a modulus respectively, U and X may be simply divided by t, where t is the thickness per weight of glass per unit area of the lamina, or laminate under consideration.

## 1 Scope

This European Standard gives requirements for the design, fabrication, inspection, testing and verification of GRP tanks and vessels with or without thermoplastics lining for storage or processing of fluids, factory made or site built, non-pressurized or pressurized up to 10 bar, for use above ground. Further requirements are presented in normative Annex G.

The terms vessels and tanks as used in this part of EN 13121 include branches up to the point of connection to pipe work or other equipment by bolting and supports, brackets or other attachments bonded directly to the shell.

This part of EN 13121 covers vessels and tanks subject to temperatures between – 40 °C and 120 °C.

Excluded from this part of EN 13121 are:

- tanks and vessels for the transport of fluids;
- underground storage tanks;
- spherical vessels;
- vessels and tanks of irregular shape;
- tanks and vessels with double containment where the double wall is considered structural;
- tanks and vessels which are subject to the risk of explosion, or failure of which may cause an emission of radioactivity;
- specification for fibre reinforced cisterns of one piece and sectional construction for the storage, above ground, of cold water (see EN 13280).

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 59, Glass reinforced plastics — Determination of indentation hardness by means of a Barcol hardness tester

EN 1092-1, Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 1: Steel flanges

EN 1990, Eurocode — Basis of structural design

EN 1991–1-1, Eurocode 1: Actions on structures — Part 1-1: General actions — Densities, self-weight, imposed loads for buildings

EN 1991-1-3, Eurocode 1 — Actions on structures — Part 1-3: General actions - Snow loads

EN 1991-1-4, Eurocode 1: Actions on structures — Part 1-4: General actions - Wind actions

EN 1991-1-5, Eurocode 1: Actions on structures — Part 1-5: General actions - Thermal actions

EN 1991-4, Eurocode 1 — Actions on structures — Part 4: Silos and tanks

EN 1993 (all parts), Eurocode 3: Design of steel structures



| The is a new provider i arenade and chare publication at the limit below | This is a free preview. | Purchase the | entire publication | at the link below: |
|--|-------------------------|--------------|--------------------|--------------------|
|--|-------------------------|--------------|--------------------|--------------------|

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation