



**NSAI**  
Standards

Standard Recommendation  
S.R. CEN ISO/TS 18234-11:2013

Intelligent transport systems - Traffic and Travel Information (TTI) via transport protocol experts group, generation 1 (TPEG1) binary data format - Part 11: Location Referencing Container (TPEG1-LRC) (ISO/TS 18234-11:2013)

## S.R. CEN ISO/TS 18234-11:2013

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces:*

*This document is based on:*  
CEN ISO/TS 18234-11:2013

*Published:*  
22 February, 2013

This document was published  
under the authority of the NSAI  
and comes into effect on:  
22 February, 2013

**ICS number:**

03.220.01

35.240.60

**NSAI**  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

**Sales:**  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

ICS 03.220.01; 35.240.60

English Version

**Intelligent transport systems - Traffic and Travel Information  
(TTI) via transport protocol experts group, generation 1 (TPEG1)  
binary data format - Part 11: Location Referencing Container  
(TPEG1-LRC) (ISO/TS 18234-11:2013)**

Systèmes intelligents de transport - Informations sur le  
trafic et le tourisme via les données de format binaire du  
groupe d'experts du protocole de transport, génération 1  
(TPEG1) - Partie 11: Conteneur de référencement  
d'emplacement (ISO/TS 18234-11:2013)

Intelligente Transportsysteme - Reise- und  
Verkehrsinformation (TTI) über Datenströme der  
Transportprotokoll Expertengruppe, Generation 1 (TPEG1)  
binäres Datenformat - Teil 11:  
Lokalisierungsreferenzcontainer (TPEG1-LRC) (ISO/TS  
18234-11:2013)

This Technical Specification (CEN/TS) was approved by CEN on 14 January 2013 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

## **Contents**

Page

<b>Foreword.....</b>	<b>3</b>
----------------------	----------

## **Foreword**

This document (CEN ISO/TS 18234-11:2013) has been prepared by Technical Committee CEN/TC 278 "Road transport and traffic telematics", the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 204 "Intelligent transport systems".

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

*This page is intentionally left BLANK.*

---

---

**Intelligent transport systems — Traffic  
and Travel Information (TTI) via transport  
protocol experts group, generation 1  
(TPEG1) binary data format —**

**Part 11:  
Location Referencing Container  
(TPEG1-LRC)**

*Systèmes intelligents de transport — Informations sur le trafic et le  
tourisme via les données de format binaire du groupe d'experts du  
protocole de transport, génération 1 (TPEG1) —*

*Partie 11: Conteneur de référencement d'emplacement*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland



# Contents

Page

Foreword .....	iv
Introduction.....	vi
1 Scope .....	1
2 Normative references .....	1
3 Terms and definitions .....	2
3.1 dynamic location reference .....	2
3.2 location referencing .....	2
3.3 location referencing container .....	2
3.4 message .....	3
3.5 pre-coded location reference .....	3
3.6 TPEG-LOC, TPEG Location .....	3
4 Abbreviations.....	3
5 Location Referencing Container .....	4
5.1 TPEG-LRC Introduction .....	4
5.2 TPEG-LRC Methods .....	5
5.2.1 DLR1 Location .....	5
5.2.2 Korean Node Link Location.....	5
5.2.3 TMC Location .....	5
5.2.4 TPEG Location .....	6
5.2.5 VICS Link Location .....	6
5.2.6 ETL Location .....	6
5.2.7 GLR Location .....	6
6 Message components .....	6
6.1 List of Generic Component IDs.....	6
6.2 LocationReferencingContainer .....	7
6.3 TPEGLocationReference .....	7
6.4 DLR1LocationReference .....	8
6.5 TMCLocationReference .....	8
6.6 KoreanNodeLinkLocationReference .....	8
6.7 VICSLinkReference .....	9
6.8 ETLLocationReference .....	9
6.9 GLRLocationReference.....	9
Annex A (normative) Binary SSF and Data Types.....	10
Bibliography.....	50

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 18234-11 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 278, *Road transport and traffic telematics*, in collaboration with ISO Technical Committee TC 204, *Intelligent transport systems* in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO/TS 18234 consists of the following parts, under the general title *Intelligent transport systems — Traffic and Travel Information (TTI) — TTI via Transport Protocol Expert Group (TPEG) data-streams*:

- *Part 1: Introduction, numbering and versions (TPEG1-INV)*
- *Part 2: Syntax, Semantics and Framing Structure (SSF)*
- *Part 3: Service and network information (TPEG1-SNI)*
- *Part 4: Road Traffic Message (RTM) application*
- *Part 5: Public Transport Information (PTI) application*
- *Part 6: Location referencing applications*

- *Part 7: Parking Information (TPEG-PKI)*<sup>1</sup>
- *Part 8: Congestion and travel-time application (TPEG1-CTT)*<sup>2</sup>
- *Part 9: Traffic event compact (TPEG1-TEC)*<sup>3</sup>
- *Part 10: Conditional access information (TPEG1-CAI)*<sup>4</sup>
- *Part 11: Location Referencing Container (TPEG1-LRC)*

---

<sup>1</sup> To be published.

<sup>2</sup> To be published.

<sup>3</sup> To be published.

<sup>4</sup> To be published.

## Introduction

TPEG technology uses a byte-oriented data stream format, which may be carried on almost any digital bearer with an appropriate adaptation layer. TPEG messages are delivered from service providers to end-users and used to transfer information from the database of a service provider to an end-user's equipment.

The brief history of TPEG technology development dates back to the European Broadcasting Union (EBU) Broadcast Management Committee establishing the B/TPEG project group in autumn 1997 with the mandate to develop, as soon as possible, a new protocol for broadcasting traffic and travel-related information in the multimedia environment. TPEG technology, its applications and service features are designed to enable travel-related messages to be coded, decoded, filtered and understood by humans (visually and/or audibly in the user's language) and by agent systems.

One year later in December 1998, the B/TPEG group produced its first EBU specifications. Two documents were released. Part 2 (TPEG1-SSF, which became ISO/TS 18234-2) described the Syntax, Semantics and Framing structure, which is used for all TPEG applications. Part 4 (TPEG1-RTM, which became ISO/TS 18234-4) described the first application, for Road Traffic Messages.

Subsequently, CEN/TC 278/WG 4, in conjunction with ISO/TC 204/WG 10, established a project group comprising the members of B/TPEG and they continued the work concurrently since March 1999. Since then two further parts were developed to make the initial complete set of four parts, enabling the implementation of a consistent service. Part 3 (TPEG1-SNI, ISO/TS 18234-3) describes the Service and Network Information Application, which should be used by all service implementations to ensure appropriate referencing from one service source to another. Part 1 (TPEG1-INV, ISO/TS 18234-1), completes the series, by describing the other parts and their relationship; it also contains the application IDs used within the other parts. Additionally, Part 5, the Public Transport Information Application (TPEG1-PTI, ISO/TS 18234-5) and TPEG1-LRC, ISO/TS 18234-6), were developed.

This Technical Specification adds a powerful mechanism for the ISO/TS 18234 series, allowing detailed road event information to be encoded and transmitted to the user; it was developed specifically to satisfy the need for a number of location referencing methods for Navigation Systems for worldwide markets. This Technical Specification includes new datatypes as specified in Annex A.

TPEG applications are now developed using UML modelling and a software tool is used to automatically select content which then populates this Technical Specification. Diagrammatic extracts from the model are used to show the capability of the binary coding in place of lengthy text descriptions; the diagrams do not necessarily include all relevant content possible.

During the development of the TPEG technology a number of versions have been documented and various trials implemented using various versions of the specifications. At the time of the publication of this Technical Specification, the original parts are fully inter-workable and no specific dependencies exist. Now, however, at least for TPEG1-TEC, profiles are used to define which Applications should be used together. For example TPEG1-TEC is used only with TPEG1-LRC containing DLR1 and never with TPEG1-LOC.

# Intelligent transport systems — Traffic and Travel Information (TTI) via transport protocol experts group, generation 1 (TPEG1) binary data format —

## Part 11:

## Location Referencing Container (TPEG1-LRC)

### 1 Scope

This Technical Specification establishes the method of signalling the specific location referencing used by all TPEG1 applications that require detailed location information to be delivered to client devices such as TPEG1-RTM, TPEG1-PTI, TPEG1-TEC or TPEG1-PKI. The TPEG1-Location Referencing Container (TPEG1-LRC) is described, as well as how it is used to signal which specific location referencing method is in use for a particular TPEG Message. It is able to handle Location Referencing methods that are external to ISO/TS 18234 (all parts) and the internal location referencing method (TPEG1-LOC) defined in ISO/TS 18234-6.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 639-1:2002, *Codes for the representation of names of languages — Part 1: Alpha-2 code*

ISO 3166-1:2006, *Codes for the representation of names of countries and their subdivisions — Part 1: Country codes*

ISO 4217:2008, *Codes for the representation of currencies and funds*

ISO 17572-2:2008, *Intelligent transport systems (ITS) — Location referencing for geographic databases — Part 2: Pre-coded location references (pre-coded profile)*

ISO 17572-3:2008, *Intelligent transport systems (ITS) — Location referencing for geographic databases — Part 3: Dynamic location references (dynamic profile)*

ISO/TS 18234-2:2006, *Traffic and Travel Information (TTI) — TTI via Transport Protocol Expert Group (TPEG) data-streams — Part 2: Syntax, Semantics and Framing Structure (SSF)*

ISO/TS 18234-3:2006, *Traffic and Travel Information (TTI) — TTI via Transport Protocol Expert Group (TPEG) data-streams — Part 3: Service and Network Information (SNI) application*

ISO/TS 18234-6:2006, *Traffic and Travel Information (TTI) — TTI via Transport Protocol Expert Group (TPEG) data-streams — Part 6: Location referencing applications*

IEC 60559:1989, *Binary floating-point arithmetic for microprocessor systems*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-