



**NSAI**  
Standards

Irish Standard  
I.S. EN 61788-4:2016

# Superconductivity - Part 4: Residual resistance ratio measurement - Residual resistance ratio of Nb-Ti and Nb<sub>3</sub>Sn composite superconductors

**I.S. EN 61788-4:2016**

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN 61788-4:2016

*Published:*

2016-04-08

*This document was published under the authority of the NSAI and comes into effect on:*

2016-04-26

ICS number:

17.200.20

29.050

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## National Foreword

I.S. EN 61788-4:2016 is the adopted Irish version of the European Document EN 61788-4:2016, Superconductivity - Part 4: Residual resistance ratio measurement - Residual resistance ratio of Nb-Ti and Nb<sub>3</sub>Sn composite superconductors

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with this document does not of itself confer immunity from legal obligations.**

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.*

This page is intentionally left blank

EUROPEAN STANDARD

**EN 61788-4**

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2016

ICS 17.200.20; 29.050

Supersedes EN 61788-4:2011

English Version

**Superconductivity - Part 4: Residual resistance ratio  
measurement - Residual resistance ratio of Nb-Ti and Nb<sub>3</sub>Sn  
composite superconductors  
(IEC 61788-4:2016)**

Supraconductivité - Partie 4: Mesurage du rapport de  
résistance résiduelle - Rapport de résistance résiduelle des  
composites supraconducteurs de Nb-Ti et de Nb<sub>3</sub>Sn  
(IEC 61788-4:2016)

Supraleitfähigkeit - Teil 4: Messung des  
Restwiderstandsverhältnisses - Restwiderstandsverhältnis  
von Nb-Ti und Nb<sub>3</sub>Sn Verbundsupraleitern  
(IEC 61788-4:2016)

This European Standard was approved by CENELEC on 2016-02-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**EN 61788-4:2016**

**European foreword**

The text of document 90/359/FDIS, future edition 4 of IEC 61788-4, prepared by IEC/TC 90 "Superconductivity" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61788-4:2016.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-11-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-02-23

This document supersedes EN 61788-4:2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

**Endorsement notice**

The text of the International Standard IEC 61788-4:2016 was approved by CENELEC as a European Standard without any modification.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-815	-	International Electrotechnical Vocabulary- (IEV) -- Part 815: Superconductivity		-

This page is intentionally left blank





**IEC 61788-4**

Edition 4.0 2016-01

# **INTERNATIONAL STANDARD**

# **NORME INTERNATIONALE**



---

**Superconductivity –  
Part 4: Residual resistance ratio measurement – Residual resistance ratio of  
Nb-Ti and Nb<sub>3</sub>Sn composite superconductors**

**Supraconductivité –  
Partie 4: Mesurage du rapport de résistance résiduelle – Rapport de résistance  
résiduelle des composites supraconducteurs de Nb-Ti et de Nb<sub>3</sub>Sn**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2016 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
 3, rue de Varembe  
 CH-1211 Geneva 20  
 Switzerland

Tel.: +41 22 919 02 11  
 Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).



**IEC 61788-4**

Edition 4.0 2016-01

# **INTERNATIONAL STANDARD**

# **NORME INTERNATIONALE**



---

## **Superconductivity –**

### **Part 4: Residual resistance ratio measurement – Residual resistance ratio of Nb-Ti and Nb<sub>3</sub>Sn composite superconductors**

## **Supraconductivité –**

### **Partie 4: Mesurage du rapport de résistance résiduelle – Rapport de résistance résiduelle des composites supraconducteurs de Nb-Ti et de Nb<sub>3</sub>Sn**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 17.220.20; 29.050

ISBN 978-2-8322-3129-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	4
INTRODUCTION .....	6
1 Scope .....	7
2 Normative references .....	7
3 Terms and definitions .....	7
4 Principle .....	8
5 Apparatus .....	8
5.1 Material of measurement mandrel or of measurement base plate .....	8
5.2 Diameter of the measurement mandrel and length of the measurement base plate .....	8
5.3 Cryostat for the resistance ( $R_2$ ) measurement .....	9
6 Specimen preparation .....	9
7 Data acquisition and analysis .....	9
7.1 Resistance ( $R_1$ ) at room temperature .....	9
7.2 Resistance ( $R_2$ or $R_2^*$ ) just above the superconducting transition .....	9
7.2.1 Correction of strain effect .....	9
7.2.2 Data acquisition of cryogenic resistance .....	10
7.2.3 Optional acquisition methods .....	12
7.3 Correction on measured $R_2^*$ of Nb-Ti composite superconductor for bending strain .....	12
7.4 Residual resistance ratio (RRR) .....	12
8 Uncertainty and stability of the test method .....	12
8.1 Temperature .....	12
8.2 Voltage measurement .....	12
8.3 Current .....	13
8.4 Dimension .....	13
9 Test report .....	13
9.1 RRR value .....	13
9.2 Specimen .....	13
9.3 Test conditions .....	14
9.3.1 Measurements of $R_1$ and $R_2$ .....	14
9.3.2 Measurement of $R_1$ .....	14
9.3.3 Measurement of $R_2$ .....	14
Annex A (informative) Additional information relating to the measurement of RRR .....	15
A.1 Recommendation on specimen mounting orientation .....	15
A.2 Alternative methods for increasing temperature of specimen above superconducting transition temperature .....	15
A.3 Alternative measurement methods of $R_2$ or $R_2^*$ .....	15
A.4 Bending strain dependency of RRR for Nb-Ti composite superconductor .....	18
A.5 Procedure of correction of bending strain effect .....	21
Annex B (informative) Uncertainty considerations .....	23
B.1 Overview .....	23
B.2 Definitions .....	23
B.3 Consideration of the uncertainty concept .....	23

B.4	Uncertainty evaluation example for TC 90 standards.....	25
Annex C (informative) Uncertainty evaluation in test method of RRR for Nb-Ti and Nb <sub>3</sub> Sn composite superconductors .....		27
C.1	Evaluation of uncertainty.....	27
C.2	Summary of round robin test of RRR of a Nb-Ti composite superconductor.....	30
C.3	Reason for large COV value in the intercomparison test on Nb <sub>3</sub> Sn composite superconductor .....	31
Bibliography.....		32
Figure 1	– Relationship between temperature and resistance.....	8
Figure 2	– Voltage versus temperature curves and definitions of each voltage .....	10
Figure A.1	– Definition of voltages .....	17
Figure A.2	– Bending strain dependency of RRR value for pure Cu matrix of Nb-Ti composite superconductors (comparison between measured values and calculated values).....	19
Figure A.3	– Bending strain dependency of RRR value for round Cu wires.....	19
Figure A.4	– Bending strain dependency of normalized RRR value for round Cu wires.....	20
Figure A.5	– Bending strain dependency of RRR value for rectangular Cu wires .....	20
Figure A.6	– Bending strain dependency of normalized RRR value for rectangular Cu wires.....	21
Figure C.1	– Distribution of observed $r_{RRR}$ of Cu/Nb-Ti composite superconductor .....	31
Table A.1	– Minimum diameter of the measurement mandrel for round wires .....	21
Table A.2	– Minimum diameter of the measurement mandrel for rectangular wires.....	21
Table B.1	– Output signals from two nominally identical extensometers .....	24
Table B.2	– Mean values of two output signals .....	24
Table B.3	– Experimental standard deviations of two output signals.....	24
Table B.4	– Standard uncertainties of two output signals .....	25
Table B.5	– COV values of two output signals.....	25
Table C.1	– Uncertainty of each measurement.....	30
Table C.2	– Obtained values of $R_1$ , $R_2$ and $r_{RRR}$ for three Nb <sub>3</sub> Sn samples .....	31

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**SUPERCONDUCTIVITY –****Part 4: Residual resistance ratio measurement –  
Residual resistance ratio of Nb-Ti and Nb<sub>3</sub>Sn  
composite superconductors****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61788-4 has been prepared by IEC technical committee 90: Superconductivity.

This fourth edition cancels and replaces the third edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the unification of similar test methods for residual resistance ratio (RRR) of Nb-Ti and Nb<sub>3</sub>Sn composite superconductors, the latter of which is described in IEC 61788-11.

The text of this standard is based on the following documents:

FDIS	Report on voting
90/359/FDIS	90/360/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61788 series, published under the general title *Superconductivity*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Copper, Cu/Cu-Ni or aluminium is used as matrix material in Nb-Ti and Nb<sub>3</sub>Sn composite superconductors and works as an electrical shunt when the superconductivity is interrupted. It also contributes to recovery of the superconductivity by conducting heat generated in the superconductor to the surrounding coolant. The cryogenic-temperature resistivity of copper is an important quantity, which influences the stability and AC losses of the superconductor. The residual resistance ratio is defined as a ratio of the resistance of the superconductor at room temperature to that just above the superconducting transition.

This part of IEC 61788 specifies the test method for residual resistance ratio of Nb-Ti and Nb<sub>3</sub>Sn composite superconductors. The curve method is employed for the measurement of the resistance just above the superconducting transition. Other methods are described in A.3.



## **SUPERCONDUCTIVITY –**

### **Part 4: Residual resistance ratio measurement – Residual resistance ratio of Nb-Ti and Nb<sub>3</sub>Sn composite superconductors**

#### **1 Scope**

This part of IEC 61788 specifies a test method for the determination of the residual resistance ratio (RRR) of Nb-Ti and Nb<sub>3</sub>Sn composite superconductors with Cu, Cu-Ni, Cu/Cu-Ni and Al matrix. This method is intended for use with superconductor specimens that have a monolithic structure with rectangular or round cross-section, RRR value less than 350, and cross-sectional area less than 3 mm<sup>2</sup>. In the case of Nb<sub>3</sub>Sn, the specimens have received a reaction heat-treatment.

#### **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-815, *International Electrotechnical Vocabulary – Part 815: Superconductivity* (available at: [www.electropedia.org](http://www.electropedia.org))

#### **3 Terms and definitions**

For the purposes of this document, the terms and definitions given in IEC 60050-815 and the following apply.

##### **3.1 residual resistance ratio RRR**

ratio of resistance at room temperature to the resistance just above the superconducting transition

Note 1 to entry: This note applies to the French language only.

Note 2 to entry: In this part of IEC 61788 for Nb-Ti and Nb<sub>3</sub>Sn composite superconductors, the room temperature is defined as 293 K (20 °C), and the residual resistance ratio is obtained in Formula (1), where the resistance ( $R_1$ ) at 293 K is divided by the resistance ( $R_2$ ) just above the superconducting transition.

$$r_{\text{RRR}} = \frac{R_1}{R_2} \quad (1)$$

Here  $r_{\text{RRR}}$  is a value of the residual resistance ratio,  $R_2$  is a value of the resistance measured in a strain-free condition and zero external magnetic field.

Figure 1 shows schematically a resistance versus temperature curve acquired on a specimen while measuring the cryogenic resistance.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-