

Irish Standard I.S. EN 15153-2:2013

Railway applications - External visible and audible warning devices for trains - Part 2: Warning horns

© CEN 2013

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda/National Annexes issued since public	cation:	
The National Standards Authority of Ireland (NSAI) produces the following cated documents:	gories of formal	
I.S. xxx: Irish Standard – national specification based on the consensus of subject to public consultation.	an expert panel and	
S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.		
SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.		
This document replaces: EN 15153-2:2007		
This document is based on: Published: EN 15153-2:2013 31 January, 2013		
This document was published under the authority of the NSAI and comes into effect on: 31 January, 2013	ICS number: 45.060.10	

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W standards.ie

W NSAl.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 15153-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2013

ICS 45.060.10

Supersedes EN 15153-2:2007

English Version

Railway applications - External visible and audible warning devices for trains - Part 2: Warning horns

Applications ferroviaires - Dispositifs externes d'avertissement optiques et acoustiques pour les trains -Partie 2: Avertisseurs sonores Bahnanwendungen - Optische und akustische Warneinrichtungen für Schienenfahrzeuge - Teil 2: Signalhörner

This European Standard was approved by CEN on 10 November 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 15153-2:2013 (E)

Cont	tents	Page
Forew	ord	3
Introd	uction	4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Symbols and abbreviations	6
5	Requirements	6
5.1	General	
5.2 5.3	Acoustic requirements Operation	
5.4	Energy supply	
5.5	Impact protection	7
6	Test requirements	
6.1 6.2	Environmental test conditions	
6.3	Test procedure	
6.4	Data processing	
6.5	Test report	
Annex	A (informative) Summary of testing requirements	11
	B (informative) Test of the horn under snow conditions	
B.1 B.2	Test conditions Test procedure	
B.3	Acceptance criteria	
Annex	C (informative) Lateral sound pressure tests	13
Annex	D (informative) A-deviation	14
Annex	ZA (informative) Relationship between this European Standard and the Essential	
	Requirements of EU Directive 2008/57/EC	
Biblio	graphy	19
Figure	1 — Open site for warning horn measurements	8
Table .	A.1 — Interoperability constituent and sub-system testing requirements	11
Figure	C.1 – Lateral measurement positions	13
Table 2	ZA.1 — Correspondence between this European Standard, the Union Rail System, Subsystem Rolling Stock, TSI Locomotives and Passenger RST (Preliminary draft; Ref. IU-LOC_ PAS_TSI_draft; Version 0.5; Date 11/05/2012) and Directive 2008/57/EC	16
Table	ZA.2 – Correspondence between this European Standard, the HS TSI Operations (published in the Official Journal L 84 on 26 March 2008) and the CR TSI Operations (published in the Official Journal L 144 on 31 May 2011) and Directive 2008/57/EC	17
Table 2	ZA.3 — Correspondence between this European Standard, the Conventional Rail - Rolling Stock - Noise TSI (published in the Official Journal L 99 on 13 April 2011) and Directive 2008/57/FC	18

Foreword

This document (EN 15153-2:2013) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2013, and conflicting national standards shall be withdrawn at the latest by July 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15153-2:2007.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2008/57/EC.

For relationship with EU Directive 2008/57/EC, see informative Annex ZA, which is an integral part of this document.

The main changes with respect to the previous edition are:

- technical requirements have been brought in line with the conventional TSIs;
- UIC frequencies (660 Hz; 370 Hz) have been included;
- clarification of the measurement height for the sound pressure level requirement.

This series of documents Railway applications — External visible and audible warning devices for trains consists of the following parts:

- Part 1: Head, marker and tail lamps;
- Part 2: Warning horns.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 15153-2:2013 (E)

Introduction

This European Standard was produced following a review of EN 15153-2:2007 to incorporate the requirements of rolling stock TSIs.

1 Scope

This European standard defines warning horn requirements which deliver the required audibility of approaching trains, including high speed and conventional rail and excluding road, metro and self-contained systems. For this purpose, the following requirements are included:

- functional and technical requirements of the warning horn as a component,
- functional and technical requirements of the integration of warning horns into the vehicle, and
- test requirements.

Operational requirements for warning horns have been excluded.

NOTE The requirements for the control of warning horns can be found in prEN 16186-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

prEN 16186-1, Railway applications — Driver's Cab — Part 1: Visibility, layout, access

EN 61672-1, Electroacoustics — Sound level meters — Part 1: Specifications (IEC 61672-1)

EN 61672-2, Electroacoustics — Sound level meters— Part 2: Pattern evaluation tests (IEC 61672-2)

EN 60942, Electroacoustics — Sound calibrators (IEC 60942)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3 1

warning horn

device or assembly capable of producing the specified audible warning tones

3.2

vehicle front

leading edge of the train in its operational condition

Note 1 to entry: This would be the extreme front edge of any of the following - couplers, buffers, structures and vehicle profile.

3.3

C-weighted sound pressure level

$L_{\mathsf{pCeq.T}}$

sound pressure level obtained using the frequency weighting C, given by the following formula:

$$L_{pCeq,T} = 10 \lg \left(\frac{1}{T} \int_{0}^{T} \frac{p_{C}^{2}(t)}{p_{0}^{2}} dt \right)$$



Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation