

Irish Standard I.S. EN ISO 11357-3:2013

Plastics - Differential scanning calorimetry (DSC) - Part 3: Determination of temperature and enthalpy of melting and crystallization (ISO 11357-3:2011)

© CEN 2013

No copying without NSAI permission except as permitted by copyright law.

| Incorporating amendments. | /corrigenda/National Anne. | xes issued since public | cation: |
|---|--|--|--------------------------|
| The National Standards Author documents: | ity of Ireland (NSAI) produc | es the following cate | gories of formal |
| I.S. xxx: Irish Standard – subject to public consultation. | national specification base | d on the consensus of | an expert panel and |
| S.R. xxx: Standard Recompanel and subject to public cons | mendation - recommendat sultation. | ion based on the cons | ensus of an expert |
| SWiFT xxx: A rapidly develop participants of an NSAI worksho | ped recommendatory docur op. | ment based on the cor | nsensus of the |
| This document replaces: | | | |
| This document is based on: EN ISO 11357-3:2013 | Published: 11 February, 2013 | | |
| This document was publish under the authority of the and comes into effect on: 11 February, 2013 | | | ICS number: 83.080.01 |
| NSAI 1 Swift Square, Northwood, Santry Dublin 9 | T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie | Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie | |
| Údarás um Chaighdeáin Náisiúnta na hÉireann | | | |

EUROPEAN STANDARD

EN ISO 11357-3

NORME EUROPÉENNE EUROPÄISCHE NORM

January 2013

ICS 83.080.01

English Version

Plastics - Differential scanning calorimetry (DSC) - Part 3: Determination of temperature and enthalpy of melting and crystallization (ISO 11357-3:2011)

Plastiques - Analyse calorimétrique différentielle (DSC) -Partie 3: Détermination de la température et de l'enthalpie de fusion et de cristallisation (ISO 11357-3:2011) Kunststoffe - Dynamische Differenz-Thermoanalyse (DSC)
- Teil 3: Bestimmung der Schmelz- und
Kristallisationstemperatur und der Schmelz- und
Kristallisationsenthalpie (ISO 11357-3:2011)

This European Standard was approved by CEN on 22 December 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 11357-3:2013 (E)

| Contents | Page |
|----------|------|
| | |
| Foreword | 3 |

EN ISO 11357-3:2013 (E)

Foreword

The text of ISO 11357-3:2011 has been prepared by Technical Committee ISO/TC 61 "Plastics" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 11357-3:2013 by Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2013, and conflicting national standards shall be withdrawn at the latest by July 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11357-3:2011 has been approved by CEN as a EN ISO 11357-3:2013 without any modification.

This is a free page sample. Access the full version online.

I.S. EN ISO 11357-3:2013

This page is intentionally left BLANK.

This is a free page sample. Access the full version online.

I.S. EN ISO 11357-3:2013 INTERNATIONAL STANDARD

ISO 11357-3

> Second edition 2011-05-01

Plastics — Differential scanning calorimetry (DSC) —

Part 3:

Determination of temperature and enthalpy of melting and crystallization

Plastiques — Analyse calorimétrique différentielle (DSC) —

Partie 3: Détermination de la température et de l'enthalpie de fusion et de cristallisation



ISO 11357-3:2011(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 11357-3 was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 5, *Physical-chemical properties*.

This second edition cancels and replaces the first edition (ISO 11357-3:1999), which has been technically revised. It also incorporates the Amendment, ISO 11357-3:1999/Amd 1:2005. The most important changes are the following:

- a specification of the preferred scanning rates of 10 K/min or 20 K/min has been given;
- Figure 1 has been updated to better reflect the profile of a real melting peak and y-axis directions specified in ISO 11357-1.

ISO 11357 consists of the following parts, under the general title *Plastics* — *Differential scanning calorimetry* (DSC):

- Part 1: General principles
- Part 2: Determination of glass transition temperature
- Part 3: Determination of temperature and enthalpy of melting and crystallization
- Part 4: Determination of specific heat capacity
- Part 5: Determination of characteristic reaction-curve temperatures and times, enthalpy of reaction and degree of conversion
- Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT)
- Part 7: Determination of crystallization kinetics

This is a free page sample. Access the full version online.

I.S. EN ISO 11357-3:2013

Plastics — Differential scanning calorimetry (DSC) —

Part 3:

Determination of temperature and enthalpy of melting and crystallization

WARNING — The use of this part of ISO 11357 may involve hazardous materials, operations or equipment. This part of ISO 11357 does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this part of ISO 11357 to establish appropriate health and safety practices and to determine the applicability of regulatory limitations prior to use.

1 Scope

This part of ISO 11357 specifies a method for the determination of the temperatures and enthalpies of melting and crystallization of crystalline or partially crystalline plastics.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 472, Plastics — Vocabulary

ISO 11357-1:2009, Plastics — Differential scanning calorimetry (DSC) — Part 1: General principles

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 472 and ISO 11357-1 and the following apply.

3.1

melting

transition stage between a fully crystalline or partially crystalline solid state and an amorphous liquid of variable viscosity

NOTE The transition, also referred to as "fusion", is characterised by an endothermic peak in the DSC curve.

3.2

crystallization

transition stage between an amorphous liquid state and a fully crystalline or partially crystalline solid state

NOTE The transition is characterised by an exothermic peak in the DSC curve. An exception to this definition is the case of liquid crystals, where the term "amorphous liquid" should be replaced by "ordered liquid".



| This is a free preview | Purchase the entire | e publication at the link below: |
|------------------------|---|----------------------------------|
|------------------------|---|----------------------------------|

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation