



NSAI
Standards

Irish Standard
I.S. EN 61643-312:2013

Components for low-voltage surge protective devices -- Part 312: Selection and application principles for gas discharge tubes (IEC 61643-312:2013 (EQV) + corrigendum Jul. 2013 (EQV))

I.S. EN 61643-312:2013

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 61643-311:2001 (partially)	<i>This document is based on:</i> EN 61643-312:2013	<i>Published:</i> 9 August, 2013
This document was published under the authority of the NSAI and comes into effect on: 15 August, 2013		ICS number: 31.100 33.040.99
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61643-312

August 2013

ICS 31.100; 33.040.99

Supersedes EN 61643-311:2001 (partially)

English version

**Components for low-voltage surge protective devices -
Part 312: Selection and application principles for gas discharge tubes
(IEC 61643-312:2013 + corrigendum Jul. 2013)**

Composants pour parafoudres basse
tension -
Partie 312: Principes de choix et
d'application pour les tubes à décharge de
gaz
(CEI 61643-312:2013
+ corrigendum Jul. 2013)

Bauelemente für
Überspannungsschutzgeräte für
Niederspannung -
Teil 312: Auswahl- und
Anwendungsprinzipien für
Gasentladungsableiter
(IEC 61643-312:2013
+ corrigendum Jul. 2013)

This European Standard was approved by CENELEC on 2013-05-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 37B/114/FDIS, future edition 1 of IEC 61643-312, prepared by SC 37B, "Specific components for surge arresters and surge protective devices", of IEC/TC 37, "Surge arresters" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61643-312:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-02-27
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-05-27

This document partially supersedes EN 61643-311:2001.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61643-312:2013 + corrigendum July 2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60364-5-51:2001	NOTE	Harmonised as HD 60364-5-51:2006 (modified).
IEC 60068-2-1	NOTE	Harmonised as EN 60068-2-1.
IEC 60068-2-20	NOTE	Harmonised as EN 60068-2-20.
IEC 60068-2-21	NOTE	Harmonised as EN 60068-2-21.
IEC 60721-3-3	NOTE	Harmonised as EN 60721-3-3.
IEC 61643-11	NOTE	Harmonised as EN 61643-11.
IEC 61643-21	NOTE	Harmonised as EN 61643-21.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-20	-	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	-
IEC 60068-2-21	-	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	-
IEC 61643-311	-	Components for low-voltage surge protective devices - Part 311: Performance requirements and test circuits and methods for gas discharge tubes (GDT)	EN 61643-311	-

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and symbols	6
3.1 Terms and definitions	6
3.2 Symbols	10
4 Service conditions	10
4.1 General	10
4.2 Low temperature	10
4.3 Air pressure and altitude	10
4.4 Ambient temperature	10
4.5 Relative humidity	11
5 Mechanical requirements and materials	11
5.1 General	11
5.2 Robustness of terminations	11
5.3 Solderability	11
5.4 Radiation.....	11
5.5 Marking	11
6 General	11
7 Construction	12
7.1 Design.....	12
7.2 Description	12
7.3 Fail-short (failsafe)	13
8 Function	14
8.1 Protection principle.....	14
8.2 Operating mode.....	14
8.3 Response behaviour.....	14
8.3.1 Static response behavior	14
8.3.2 Dynamic response behavior.....	14
8.4 Fail-short (failsafe)	15
9 Applications.....	16
9.1 Protective circuits	16
9.1.1 General	16
9.1.2 2-point (signal line) protection	16
9.1.3 3-point protection	17
9.1.4 5-point protection	18
9.2 Telephone/fax/modem protection.....	19
9.3 Cable TV/coaxial cable protection	19
9.4 AC line protection.....	20
Bibliography.....	21
Figure 1 – Voltage and current characteristics of a GDT	8
Figure 2 – Symbol for a two-electrode GDT	10
Figure 3 – Symbol for a three-electrode GDT	10
Figure 4 – Example of a two-electrode GDT.....	12

Figure 5 – Example of a three-electrode GDT	12
Figure 6 – Failsafe construction of a three-electrode GDT using a solder pill as sensitive spacer	13
Figure 7 – Failsafe construction of a three-electrode GDT, using a plastic foil as sensitive spacer	13
Figure 8 – Typical response behaviour of a 230 V GDT	15
Figure 9 – Spark-over voltages versus response time	15
Figure 10 – Current through the GDT versus response time of fail-short (failsafe).....	16
Figure 11 – 2-point (Signal line) protection	17
Figure 12 – 3-point protection using two-electrode GDTs	17
Figure 13 – 3-point protection using three-electrode GDTs	17
Figure 14 – 3-point protection using two-electrode GDTs with fail-short	18
Figure 15 – 3-point protection using three-electrode GDTs with fail-short.....	18
Figure 16 – 5-point protection using two-electrode GDTs	18
Figure 17 – 5-point protection using three-electrode GDTs	18
Figure 18 – 5-point protection using two-electrode GDTs with fail-short	19
Figure 19 – 5-point protection using three-electrode GDTs with fail-short.....	19
Figure 20 – Telephone/fax/modem protection using two-electrode GDTs	19
Figure 21 – Telephone/fax/modem protection using three-electrode GDTs.....	19
Figure 22 – Cable TV/ coaxial cable protection	20
Figure 23 – AC line protection.....	20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTIVE DEVICES –**Part 312: Selection and application principles for gas discharge tubes**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61643-312 has been prepared by subcommittee 37B: Specific components for surge arresters and surge protective devices, of IEC technical committee 37: Surge arresters.

The text of this standard is based on the following documents:

FDIS	Report on voting
37B/114/FDIS	37B/120/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above Table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61643 series, under the general title *Components for low-voltage surge protective devices* can be found on the IEC website.

I.S. EN 61643-312:2013

61643-312 © IEC:2013

– 5 –

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of July 2013 have been included in this copy.

COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTIVE DEVICES –

Part 312: Selection and application principles for gas discharge tubes

1 Scope

This part of IEC 61643 is applicable to gas discharge tubes (GDT) used for overvoltage protection in telecommunications, signalling and low-voltage power distribution networks with nominal system voltages up to 1 000 V (r.m.s.) a.c. and 1 500 V d.c. They are defined as a gap, or several gaps with two or three metal electrodes hermetically sealed so that gas mixture and pressure are under control. They are designed to protect apparatus or personnel, or both, from high transient voltages. This standard provides information about the characteristics and circuit applications of GDTs having two or three electrodes. This standard does not specify requirements applicable to complete surge protective devices, nor does it specify total requirements for GDTs employed within electronic devices, where precise coordination between GDT performance and surge protective device withstand capability is highly critical.

This part of IEC 61643

- does not deal with mountings and their effect on GDT characteristics. Characteristics given apply solely to GDTs mounted in the ways described for the tests;
- does not deal with mechanical dimensions;
- does not deal with quality assurance requirements;
- may not be sufficient for GDTs used on high-frequency (>30 MHz);
- does not deal with electrostatic voltages;
- does not deal with hybrid overvoltage protection components or composite GDT devices.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-20, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 61643-311, *Components for low-voltage surge protective devices – Part 311: Specification for gas discharge tubes (GDT)*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply:

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-