



NSAI
Standards

Irish Standard
I.S. EN 1366-12:2014

Fire resistance tests for service installations - Part 12: Non-mechanical fire barrier for ventilation ductwork

I.S. EN 1366-12:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 1366-12:2014

Published:

2014-10-01

*This document was published
under the authority of the NSAI
and comes into effect on:*

2014-10-18

ICS number:

13.220.50

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 1366-12

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2014

ICS 13.220.50

English Version

Fire resistance tests for service installations - Part 12: Non-mechanical fire barrier for ventilation ductwork

Essais de résistance au feu des installations techniques -
Partie 12: Barrière résistante au feu non mécanique pour
les conduits de ventilation

Feuerwiderstandsprüfungen für Installationen - Teil 12:
Nichtmechanische Brandschutzverschlüsse für
Lüftungsleitungen

This European Standard was approved by CEN on 13 June 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Test equipment	7
4.1 General.....	7
4.2 Connecting duct.....	7
4.3 Volume flow measuring station.....	7
4.4 Condensing unit.....	7
4.5 Gas temperature measuring devices.....	8
4.6 Exhaust fan system	8
5 Test conditions	8
6 Test specimen	8
6.1 Size.....	8
6.2 Number of tests.....	8
6.2.1 General.....	8
6.2.2 Supporting construction	9
6.2.3 Method of installation in the supporting construction	9
6.2.4 Method of installation on to the supporting construction.....	9
6.2.5 Method of installation away from the supporting construction	9
6.3 Design	10
6.3.1 General.....	10
6.3.2 Orientation to be tested	10
6.3.3 Non-mechanical fire barriers installed within a wall or floor opening	10
6.3.4 Non-mechanical fire barriers mounted on to the face of a wall or floor	10
6.3.5 Non-mechanical fire barriers mounted remote from a wall or floor	10
7 Installation of test specimen	11
7.1 General.....	11
7.2 Supporting construction	11
7.3 Minimum separation	11
8 Conditioning	12
8.1 General.....	12
8.2 Water-based sealing materials	12
9 Application of instrumentation.....	12
9.1 Thermocouples	12
9.1.1 Furnace thermocouples (plate thermometers)	12
9.1.2 Unexposed surface temperature	12
9.2 Furnace pressure.....	12
9.2.1 General.....	12
9.2.2 Pressure differential measurement, furnace and connecting duct	12
10 Test procedure	13
10.1 Determination of leakage of connecting duct and measuring station	13
10.2 Fire test procedure	13

11	Performance criteria.....	14
12	Test report.....	15
13	Field of direct application of test results	16
13.1	Size of non-mechanical fire barrier	16
13.2	Non-mechanical fire barriers installed within structural openings.....	16
13.3	Non-mechanical fire barriers installed onto the face of a wall or a floor	16
13.4	Non-mechanical fire barriers remote from a wall or floor	16
13.5	Fire from above.....	17
13.6	Separation between non-mechanical fire barriers and between non-mechanical fire barriers and construction elements	17
13.7	Supporting constructions	17
Annex A	(normative) EOTA TR026 - Characterization, Aspects of Durability and Factory Production Control for Reactive Materials, Components and Products	30
Bibliography	31

EN 1366-12:2014 (E)**Foreword**

This document (EN 1366-12:2014) has been prepared by Technical Committee CEN/TC 127 “Fire safety in buildings”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2015 and conflicting national standards shall be withdrawn at the latest by April 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directives.

EN 1366, *Fire resistance tests for service installations*, consists of the following parts:

- *Part 1: Ventilation ducts;*
- *Part 2: Fire dampers;*
- *Part 3: Penetration seals;*
- *Part 4: Linear joint seals;*
- *Part 5: Service ducts and shafts;*
- *Part 6: Raised access and hollow core floors;*
- *Part 7: Conveyor systems and their closures;*
- *Part 8: Smoke extraction ducts;*
- *Part 9: Single compartment smoke extraction ducts;*
- *Part 10: Smoke control dampers;*
- *Part 11: Fire protective systems for cable systems and associated components (in preparation);*
- *Part 12: Non-mechanical fire barrier for ventilation ductwork (this document);*
- *Part 13: 1-, 2-, 3- sided ducts (in preparation);*
- *Part 14: Kitchen extract ducts;*
- *Part 15: Mixed penetrations including pipes cables, ducts and dampers.*

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The purpose of the test is to evaluate the ability of a non-mechanical (no moving parts) fire barrier (see Annex A) to prevent fire and smoke spreading from one fire compartment to another through the air ductwork system which may penetrate fire separating walls and floors.

Non-mechanical fire barriers are unable to achieve an “S” classification, which requires a known limited ambient leakage, as they are unable to be closed except under fire conditions.

The non-mechanical fire barrier is attached (directly or remotely via a section of ducting), to a fire separating element in a manner representative of practice.

Tests are performed starting with the non-mechanical fire barrier in its cold standard state to expose it to furnace conditions.

Temperature and integrity measurements are carried out in various parts of the test construction during the test. The leakage of the non-mechanical fire barrier system is measured (continuously during the test) by direct flow measurements while maintaining a constant pressure differential across the closed non-mechanical fire barrier of 300 Pa.

Caution:

The attention of all persons concerned with managing and carrying out this fire resistance test is drawn to the fact that fire testing may be hazardous and that there is a possibility that toxic and/or harmful smoke and gases may be evolved during the test. Mechanical and operational hazards may also arise during the construction of the test elements or structures, their testing and disposal of test residues.

An assessment of all potential hazards and risks to health should be made and safety precautions should be identified and provided. Written safety instructions should be issued. Appropriate training should be given to relevant personnel. Laboratory personnel should ensure that they follow written safety instructions at all times.

EN 1366-12:2014 (E)**1 Scope**

This part of EN 1366 specifies a method for determining the fire resistance of non-mechanical fire barriers installed in fire separating elements designed to withstand heat and the passage of smoke and gases at high temperature. This European Standard is used in conjunction with EN 1363-1 and EN 1366-2.

This European Standard is not suitable for testing non-mechanical fire barriers in suspended ceilings without modification.

This European Standard is not suitable for testing fire dampers, see EN 1366-2.

This European Standard is not suitable for testing such products as air transfer grilles, as the pressures and flows involved are different and may cause differing behaviour.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1363-1, *Fire resistance tests - Part 1: General Requirements*

EN 1363-2, *Fire resistance tests - Part 2: Alternative and additional procedures*

EN 1366-2, *Fire resistance tests for service installations - Part 2: Fire dampers*

EN ISO 5167-1, *Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full - Part 1: General principles and requirements (ISO 5167-1)*

EN ISO 5167-2, *Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full - Part 2: Orifice plates (ISO 5167-2)*

EN ISO 5167-3, *Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full - Part 3: Nozzles and Venturi nozzles (ISO 5167-3)*

EN ISO 13943, *Fire safety - Vocabulary (ISO 13943)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1363-1, EN 1366-2 and EN ISO 13943, together with the following, apply.

3.1**non-mechanical fire barrier**

open device with no moving parts for use in HVAC ventilation systems at fire boundaries that only closes to maintain compartmentation in the event of a fire

3.2**test specimen**

non-mechanical fire barrier, connecting frame and (if applicable) the perimeter penetration sealing system

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-