



NSAI
Standards

Irish Standard
I.S. EN 16421:2014

Influence of materials on water for human consumption - Enhancement of microbial growth (EMG)

I.S. EN 16421:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 16421:2014

Published:

2014-12-10

*This document was published
under the authority of the NSAI
and comes into effect on:*

2014-12-27

ICS number:

07.100.20

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann



Correction Notice

Reference: EN 16421:2014

Title: Influence of materials on water for human consumption - Enhancement of microbial growth (EMG)

Work Item: 00164505

Brussels, 2015-02-03

please include the following minor editorial correction(s) in the document related to:

the following language version(s) :

- ☒ English
- ☐ French
- ☐ German

for the following procedure :

- ☐ PQ/UQ
- ☐ Enquiry
- ☐ 2nd Enquiry
- ☐ Parallel Enquiry
- ☐ 2nd Parallel Enquiry
- ☐ Formal Vote
- ☐ 2nd Formal Vote
- ☐ Parallel Formal Vote
- ☐ 2nd Parallel Formal Vote
- ☐ UAP
- ☐ TC Approval
- ☐ 2nd TC Approval
- ☒ Publication
- ☐ Parallel Publication

It has been brought to our attention that this document, issued on 2014-12-10, requires modification.

1) In 5.5.2.2, replace the 2nd sentence with the following: "The preparation shall comply with the current procedure in EN 14944-1".

2) In 5.6.9, 1st paragraph, 1st sentence, replace twice "m/s²" with "g" to read: "Treat the collected biofilm in the centrifuge for 10 min at an acceleration of gravity *g* of at least 3000 *g* or for 5 min at an acceleration of gravity *g* = 4000 *g*".

Please find enclosed the updated English version.

We apologise for any inconvenience this may cause.

This page is intentionally left BLANK.

EUROPEAN STANDARD

EN 16421

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2014

ICS 07.100.20

English Version

Influence of materials on water for human consumption - Enhancement of microbial growth (EMG)

Influence des matériaux sur l'eau destinée à la
consommation humaine - Stimulation de la croissance
microbienne (SCM)

Einfluss von Materialien auf Wasser für den menschlichen
Gebrauch - Förderung des mikrobiellen Wachstums

This European Standard was approved by CEN on 25 October 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	6
Introduction	7
1 Scope	9
2 Normative references	9
3 Terms and definitions	10
4 Influence of materials on water for human consumption – Enhancement of microbial growth (EMG) – Method 1: Measured by Biomass Production Potential (BPP) measured by ATP	11
4.1 General.....	11
4.2 Principle.....	12
4.3 Apparatus	12
4.3.1 Requirements	12
4.3.2 Vessels, containers, stoppers and connectors and general laboratory apparatus.....	12
4.3.3 Cleaning.....	12
4.3.4 Gloves	12
4.3.5 Plates	12
4.3.6 Test containers	13
4.3.7 Test tubes	13
4.3.8 Incubator (or hot room).....	13
4.3.9 Sterilisation ovens	13
4.3.10 Membrane filters	13
4.3.11 Autoclave.....	13
4.4 Reagents	13
4.4.1 Test water	13
4.4.2 Dilution water	14
4.4.3 Potassium dihydrogen orthophosphate solution	14
4.4.4 Potassium-nitrate solution	14
4.4.5 Sodium acetate solution	15
4.4.6 Inoculum	15
4.4.7 Specifications for controls	15
4.5 Test samples and controls	16
4.5.1 Sampling, transport and storage of test samples	16
4.5.2 Test piece preparation	16
4.6 Pre-treatment of test pieces	17
4.6.1 General.....	17
4.6.2 Flushing	17
4.6.3 Stagnation	17
4.6.4 Prewashing.....	17
4.7 Test procedure	17
4.7.1 Overview	17
4.7.2 ATP contamination	18
4.7.3 Preparation of the test container	18
4.7.4 Test pieces	18
4.7.5 Incubation.....	18
4.7.6 Positive and negative controls.....	18
4.7.7 Changing of test water	19
4.7.8 Measurement of ATP concentrations	19
4.8 Calculation of test results	19
4.8.1 Biomass Production (BP)	19
4.9 Reproducibility and repeatability	22

4.10	Test report.....	22
4.10.1	General	22
4.10.2	Material/Product information.....	22
4.10.3	Information on the test procedure	23
4.10.4	Test results	23
5	Influence of materials on water for human consumption – Enhancement of microbial growth (EMG) – Method 2: Measured by biofilm volume	23
5.1	General	23
5.2	Principle.....	24
5.3	Basic requirements	24
5.4	Apparatus and reagents	24
5.4.1	Disinfectant	24
5.4.2	Test water.....	24
5.4.3	Specifications for controls	25
5.4.4	Test container and test module for pipes and hoses	25
5.4.5	Scraper	25
5.4.6	Centrifuge.....	25
5.4.7	Glassware for centrifugation.....	25
5.4.8	Flowmeter.....	25
5.5	Test samples and test pieces.....	25
5.5.1	Sampling, transport and storage	25
5.5.2	Preparation of test pieces.....	26
5.6	Test procedure.....	27
5.6.1	General	27
5.6.2	Test procedure in test container.....	27
5.6.3	Test procedure in test module for pipes and hoses	27
5.6.4	Preparation of the test container or test module for pipes and hoses	28
5.6.5	Pre-treatment of test pieces	28
5.6.6	Removal of test pieces.....	28
5.6.7	Examination of test pieces	28
5.6.8	Re-exposure after harvesting.....	28
5.6.9	Centrifugation and determination of biofilm	28
5.6.10	Examination of biofilm	29
5.6.11	Test periods	29
5.7	Calculation of test results.....	30
5.8	Evaluation of satisfactory test performance	31
5.9	Test report.....	32
5.9.1	General	32
5.9.2	Material/Product information.....	32
5.9.3	Information on the test procedure	33
5.9.4	Test results	33
6	Influence of materials on water for human consumption – Enhancement of microbial growth (EMG) – Method 3: Measured by mean dissolved oxygen depletion	34
6.1	General	34
6.2	Principle.....	34
6.3	Test premises	34
6.3.1	General	34
6.3.2	Safety	34
6.4	Apparatus and reagents	34
6.4.1	General	34
6.4.2	Inoculum water	34
6.4.3	Test water.....	35
6.4.4	Test containers	36
6.4.5	Dissolved oxygen meter	37
6.4.6	30 °C Incubator/chamber	37
6.4.7	Polyethylene bags	37
6.4.8	Glass plates	37

EN 16421:2014 (E)

6.4.9	Brass couplings	37
6.4.10	Special glass plates	37
6.5	Preparation of test pieces	37
6.5.1	General.....	37
6.5.2	Nature of test pieces	37
6.6	Test piece and test container size	37
6.6.1	General.....	37
6.6.2	Test sample storage	38
6.6.3	Special requirements	38
6.6.4	Specifications for controls	42
6.6.5	Test water control	42
6.7	Test procedures	42
6.7.1	Preparation of the test container	42
6.7.2	Incubation.....	43
6.7.3	Changing the test water	43
6.7.4	Measurement of dissolved oxygen	43
6.8	Calculation of results	44
6.8.1	Calculation of the mean dissolved oxygen difference (MDOD)	44
6.8.2	Validation of results.....	44
6.8.3	Repeatability and reproducibility	45
6.9	Test report	45
6.9.1	General.....	45
6.9.2	Material/Product information	45
6.9.3	Information on the test procedure	47
6.9.4	Results	47
Annex A (normative) Method 1: Measured by Biomass Production Potential (BPP) measured by		
ATP – Assessment of the suitability of test water for its use in the BPP test (biological stability and the need for addition of trace elements)		48
Annex B (normative) Method 1: Measured by Biomass Production Potential (BPP) measured by		
ATP – Protocol of ATP analysis		50
B.1	Introduction	50
B.2	Apparatus and glassware	50
B.3	Reagents and auxiliary substances	50
B.3.1	General.....	50
B.3.2	Sterile water.....	50
B.3.3	ATP solutions for standard dilutions and calibration curves	50
B.3.4	Luciferin/luciferase (enzyme) solution	51
B.3.5	ATP extraction reagent	52
B.4	Sampling	52
B.5	Procedure	52
B.5.1	General.....	52
B.5.2	Blank water	52
B.5.3	Control dilutions	52
B.5.4	Samples	52
B.6	Expression of results	52
B.6.1	Water samples.....	52
B.6.2	Material samples	53
B.7	Test record	53

B.8	Quality control of calibration curves	53
Annex C	(informative) Method 1: Measured by Biomass Production Potential (BPP) measured by ATP - ATP and its measurement.....	55
Annex D	(informative) Method 1: Measured by Biomass Production Potential (BPP) measured by ATP – Evaluating procedures for removal of attached biomass.....	56
D.1	Introduction.....	56
D.2	Procedures for removal of Attached Biomass	56
D.2.1	General	56
D.2.2	Swabbing.....	56
D.2.3	Low energy sonication (LES)	56
D.2.4	High energy sonication (HES).....	56
D.3	Effectiveness of removal procedure	57
Annex E	(informative) Method 1: Measured by Biomass Production Potential (BPP) measured by ATP.....	58
Annex F	(informative) Method 2: Measured by biofilm volume.....	59
Annex G	(informative) Method 2: Measured by biofilm volume	60
Annex H	(informative) Method 3: Measured by mean dissolved oxygen depletion.....	63
Bibliography	65

EN 16421:2014 (E)

Foreword

This document (EN 16421:2014) has been prepared by Technical Committee CEN/TC 164 “Water supply”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2015, and conflicting national standards shall be withdrawn at the latest by June 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Water intended for human consumption comes into contact with construction products during storage, transportation and distribution, including water systems inside buildings. The materials used in these products are selected on the basis of technical requirements and criteria regarding their influence on the water quality, e.g. release of substances and effects on odour, flavour or colour of the water. However, water quality problems may also arise when such materials enhance the multiplication of micro-organisms.

A test method to determine the enhancement of microbial growth is required as organic substances present in non-metallic materials (either as ingredients, contaminants or process by-products) are capable of being utilized by micro-organisms and can give rise to a noticeable deterioration in the organoleptic, physical or microbiological quality of the water with which they are in contact. Microbial growth may occur in the water itself or at the material/water interface.

Materials with the potential of supporting microbial growth do not necessarily lead to a deterioration in water quality in every situation due to the influence of various environmental factors, e.g. microbial quality of the water, temperature, presence of residual disinfectant or other growth limiting factors.

The purpose of this standard is to describe three European test methods that can be applied to determine the ability of non-metallic materials to enhance microbial growth in drinking water.

- a) Method 1 determines the Biomass Production Potential (BPP) by using changes in ATP concentrations as a surrogate measure for active biomass. This method, developed by the Dutch, has been further enhanced as part of the CPDW project 2003 and 2006.
- b) Method 2 uses a volumetric measurement of the biofilm. This, German method, was first published as DVGW W 270 in 1984 and is used for certification purposes with limit values established for many years.
- c) Method 3 uses dissolved oxygen depletion in water as a surrogate measure of microbial activity (Mean Dissolved Oxygen Difference – MDOD). This British method, first issued as BS DD82 in 1982 and published as BS 6920 Section 2.4 (1988 and 2000), is used for materials approval with limit values.

Each method thus uses different performance characteristics, which allows its use for specific materials or product types but also has limitations. For example, multi-layer pipes cannot currently be tested with the BPP (Method 1) and the MDOD-method (Method 3), and greases or lubricants cannot currently be tested with the BPP (Method 1) and Volumetric-method (Method 2). Harmonised product standards will provide the specific methodology to be followed; this will take into account material of construction and type of components.

All three methods use natural mixtures of aquatic organisms to assess the enhancement of growth by the sample of material. The natural flora comprises many strains that are adapted to living in a relatively hostile environment like drinking water and the results of tests using natural floras have been shown to correlate well with growth on materials in practice. The numbers, types and growth requirements of harmless micro-organisms present in drinking water vary considerably and no single cultural technique exists to enumerate all the aquatic micro-organisms that may be present in a sample of water. Therefore, overall numbers of micro-organisms are generally assessed by using simple indirect measurements of their activity.

The technique for assessing enhanced microbial growth is different in each of the test methods described in this European Standard. In the BPP method described in Method 1 surface and planktonic microbial growth is determined using adenosine triphosphate (ATP) as a surrogate method for active biomass determination. In the Volumetric method (DVGW) described in Method 2, the sum of both active and non-active biofilm on the surface of the test material (living and dead micro-organisms as well as extracellular polymeric substances) is determined volumetrically. In the MDOD method described in Method 3 the measurement of dissolved oxygen uptake is used as a surrogate measure of the growth of both biofilm and planktonic aquatic micro-organisms (most of the organisms which give rise to appreciable microbial growth respire aerobically and exert an influence on the concentration of oxygen dissolved in the water in the test systems).

EN 16421:2014 (E)

A variety of factors may influence the capacity of living organisms to respond in a predictable manner and thus validation procedures are an essential part of any biological assay. In all three methods validation is achieved through the use of reference materials.

It is important to note that none of the three methods allows conclusions to be made on the physical (including surface roughness), chemical or toxicological behaviour of materials nor on their resistance to detergents or disinfectants. Additionally, none of the methods provides information on the pathogenicity of any micro-organisms whose numbers may be increased by nutrients leaching from the test material.

WARNING – The tests described in this document should only be carried out in laboratories with suitable facilities and by suitably qualified persons with an appropriate level of chemical and microbiological expertise. Standard microbiological procedures should be followed throughout.

1 Scope

This European Standard specifies three methods for determining the ability of non-metallic materials to enhance the growth of micro-organisms.

This European Standard is applicable to those materials destined to be used under various conditions for the transport and storage of water intended for human consumption.

The standard allows for the testing of a single type of material, or a product in which only one material is in contact with water. It is unsuitable for use with assembled products where more than one material is exposed to water.

NOTE The results given by each method are not directly comparable.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 901, *Chemicals used for treatment of water intended for human consumption — Sodium hypochlorite*

prEN 1254-1:2007, *Copper and copper alloys — Plumbing fittings — Part 1: Fittings with ends for capillary soldering or capillary brazing to copper tubes*

EN 1484, *Water analysis — Guidelines for the determination of total organic carbon (TOC) and dissolved organic carbon (DOC)*

EN 10088-1, *Stainless steels — Part 1: List of stainless steels*

EN 14944-1, *Influence of cementitious products on water intended for human consumption — Test methods — Part 1: Influence of factory made cementitious products on organoleptic parameters*

EN ISO 3696:1995, *Water for analytical laboratory use — Specification and test methods (ISO 3696:1987)*

EN ISO 5814, *Water quality — Determination of dissolved oxygen — Electrochemical probe method (ISO 5814)*

EN ISO 7393-2, *Water quality — Determination of free chlorine and total chlorine — Part 2: Colorimetric method using N, N-diethyl-1, 4-phenylenediamine, for routine control purposes (ISO 7393-2)*

EN ISO 9308-1, *Water quality — Enumeration of Escherichia coli and coliform bacteria — Part 1: Membrane filtration method for waters with low bacterial background flora (ISO 9308-1)*

EN ISO 10012, *Measurement management systems — Requirements for measurement processes and measuring equipment (ISO 10012)*

EN ISO 10523, *Water quality — Determination of pH (ISO 10523)*

EN ISO 13385-1, *Geometrical product specifications (GPS) — Dimensional measuring equipment — Part 1: Callipers; Design and metrological characteristics (ISO 13385-1)*

EN ISO 13385-2, *Geometrical product specifications (GPS) — Dimensional measuring equipment — Part 2: Calliper depth gauges; Design and metrological characteristics (ISO 13385-2)*

EN ISO 16266, *Water quality — Detection and enumeration of Pseudomonas aeruginosa — Method by membrane filtration (ISO 16266)*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-