

Irish Standard I.S. EN ISO 4126-6:2014

Safety devices for protection against excessive pressure - Part 6: Application, selection and installation of bursting disc safety devices (ISO 4126-6:2014)

© CEN 2014 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN ISO 4126-6:2014

2014-07-05

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: Published:

EN ISO 4126-6:2014 2014-06-18

This document was published ICS number:

under the authority of the NSAI and comes into effect on: 13.240

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

**EUROPEAN STANDARD** 

**EN ISO 4126-6** 

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

June 2014

ICS 13.240

Supersedes EN ISO 4126-6:2003

#### **English Version**

Safety devices for protection against excessive pressure - Part 6: Application, selection and installation of bursting disc safety devices (ISO 4126-6:2014)

Dispositifs de sécurité pour protection contre les pressions excessives - Partie 6: Application, sélection et installation des dispositifs de sûreté à disque de rupture (ISO 4126-6:2014)

Sicherheitseinrichtungen gegen unzulässigen Überdruck -Teil 6: Berstscheibeneinrichtungen; Anwendung, Auswahl und Einbau (ISO 4126-6:2014)

This European Standard was approved by CEN on 22 May 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## EN ISO 4126-6:2014 (E)

Contents	Page
Foreword	3

EN ISO 4126-6:2014 (E)

#### **Foreword**

This document (EN ISO 4126-6:2014) has been prepared by Technical Committee ISO/TC 185 "Safety devices for protection against excessive pressure" in collaboration with Technical Committee CEN/TC 69 "Industrial valves" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2014, and conflicting national standards shall be withdrawn at the latest by December 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 4126-6:2003.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 4126-6:2014 has been approved by CEN as EN ISO 4126-6:2014 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. I.S. EN ISO 4126-6:2014

# INTERNATIONAL STANDARD

ISO 4126-6

Second edition 2014-06-15

# Safety devices for protection against excessive pressure —

### Part 6:

# Application, selection and installation of bursting disc safety devices

Dispositifs de sécurité pour protection contre les pressions excessives —

Partie 6: Application, sélection et installation des dispositifs de sûreté à disque de rupture





#### COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Con	ents	Page
Forew	rd	iv
Introd	ıction	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols and units	5
5	Application	
6	Selection 5.1 Selection of bursting disc safety devices 6.2 Selection of the performance tolerance	8
7	nstallation 7.1 General 7.2 Location of bursting disc safety devices 7.3 Installation of bursting disc safety devices	12 12
Annex	A (informative) Information to be supplied by the purchaser	14
	B (informative) Guidelines for determining the replacement period of a bursting dis	
Annex	C (informative) Pressure relief system discharge capacity	18
Annex	D (informative) Flow testing of bursting disc safety devices	21
Annex	E (informative) Type testing of non-reclosing bursting disc safety devices	35
	F (informative) Performance characteristics of bursting disc safety devices	
	raphy	

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 185, *Safety devices for protection against excessive pressure.* 

This second edition cancels and replaces the first edition (ISO 4126-6:2003), which has been technically revised.

The main technical modifications are:

- a) Revision to Annex C to refer to Part 7 for capacity calculations;
- b) Annex D was deleted as this information is found in Part 7;
- c) Annex E was revised to include methodology for establishing flow resistance values for bursting discs opened in incompressible fluid;
- d) Annex F was added to include existing and additional guidelines for type testing;
- e) Annex G was added to provide a place for informative information relative to bursting disc tolerances and operating parameters.

ISO 4126 consists of the following parts, under the general title *Safety devices for protection against excessive pressure*:

- Part 1: Safety valves
- Part 2: Bursting disc safety devices
- Part 3: Safety valves and bursting disc safety devices in combination
- Part 4: Pilot operated safety valves
- Part 5: Controlled safety pressure relief systems (CSPRS)
- Part 6: Application, selection and installation of bursting disc safety devices

- Part 7: Common data
- Part 9: Application and installation of safety devices excluding stand-alone bursting disc safety devices
- Part 10: Sizing of safety valves for gas/liquid two-phase flow
- Part 11: Performance testing<sup>1)</sup>

Part 7 contains data, which is common to more than one of the parts of ISO 4126 to avoid unnecessary repetition.

<sup>1)</sup> In development.

#### Introduction

Safety devices for the protection of pressure equipment against excessive pressure include pressure relief devices such as safety valves and bursting disc safety devices which, dependent upon the application, may be used either as the sole pressure relieving devices or in conjunction with each other.

Operating problems frequently arise due to the use of pressure relieving devices not having been properly selected for the intended service or properly selected but whose performance is adversely affected by improper handling, wrong installation or lack of maintenance, any of which may affect the safety of the pressure equipment being protected.

It is important to consider not only the pressure relief devices but also the whole of the pressure relief system so as not to reduce the relieving capacity below that required or adversely affect the proper operation of the pressure relieving devices.

A bursting disc safety device is a non-reclosing pressure relief device which typically comprises a bursting disc, which is a pressure-containing and pressure-sensitive part designed to open by bursting at a predetermined pressure, and a bursting disc holder. There are many different types of bursting disc safety devices manufactured in corrosion resistant materials, both metallic and non-metallic, to cover a wide range of nominal sizes, burst pressures and temperatures. They are used to protect pressure equipment such as vessels, piping, gas cylinders or other enclosures from excessive pressure and/or excessive vacuum.

This standard covers the important considerations necessary in the application, selection and installation of bursting disc safety devices to give the required protection against excessive pressure and/or excessive vacuum.

# Safety devices for protection against excessive pressure —

### Part 6:

# Application, selection and installation of bursting disc safety devices

### 1 Scope

This International standard gives guidance on the application, selection and installation of bursting disc safety devices used to protect pressure equipment from excessive pressure and/or excessive vacuum.

Annex A provides a checklist for the information to be supplied by the purchaser to the manufacturer.

Annex B gives guidance on the replacement period of a bursting disc.

Annex C provides guidance for determining the discharge capacity, for single phase fluids, of a pressure relief system that contains a bursting disc safety device.

 $\underline{\text{Annex D}}$  is a non-mandatory procedure for establishing the flow resistance of a burst bursting disc assembly.

Annex E is a non-mandatory procedure for type testing of bursting disc safety devices.

<u>Annex F</u> provides typical performance characteristics for various bursting disc safety device types.

The requirements for the manufacture, inspection, testing, marking, certification and packaging of bursting disc safety devices are given in ISO 4126-2.

#### 2 Normative references

The following referenced documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4126-2, Safety devices for protection against excessive pressure — Part 2: Bursting disc safety devices

ISO 4126-3, Safety devices for protection against excessive pressure — Part 3: Safety valves and bursting disc safety devices in combination

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4126-2 and the following apply.

#### 3.1

#### bursting disc safety device

non-reclosing pressure relief device actuated by differential pressure and designed to function by the bursting of the bursting disc(s), and which is the complete assembly of installed components including, where appropriate, the bursting disc holder

#### 3.2

#### bursting disc assembly

complete assembly of components, which are installed in the bursting disc holder to perform the desired function



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation