

Irish Standard I.S. EN ISO 16641:2016

Measurement of radioactivity in the environment - Air - Radon 220: Integrated measurement methods for the determination of the average activity concentration using passive solid-state nuclear track detectors (ISO 16641:2014)

 $\ensuremath{\mathbb C}$ CEN 2016 $\hfill No copying without NSAI permission except as permitted by copyright law.$

I.S. EN ISO 16641:2016

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN ISO 16641:2016 *Published:* 2016-04-20

This document was published under the authority of the NSAI and comes into effect on: 2016-05-08 ICS number:

17.240

NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 16641:2016 is the adopted Irish version of the European Document EN ISO 16641:2016, Measurement of radioactivity in the environment - Air - Radon 220: Integrated measurement methods for the determination of the average activity concentration using passive solid-state nuclear track detectors (ISO 16641:2014)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD NORME EUROPÉENNE

EN ISO 16641

EUROPÄISCHE NORM

April 2016

ICS 17.240

English Version

Measurement of radioactivity in the environment - Air -Radon 220: Integrated measurement methods for the determination of the average activity concentration using passive solid-state nuclear track detectors (ISO 16641:2014)

Mesurage de la radioactivité dans l'environnement -Air - Radon 220: Méthode de mesure intégrée pour la détermination de l'activité volumique moyenne avec des détecteurs passifs solides de traces nucléaires (ISO 16641:2014) Ermittlung der Radioaktivität in der Umwelt - Luft -Radon-220: Integrierende Messmethoden für die Bestimmung der mittleren Aktivitätskonzentration mit passiven Festkörperspurdetektoren (ISO 16641:2014)

This European Standard was approved by CEN on 21 February 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2016 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 16641:2016 E

This is a free page sample. Access the full version online. I.S. EN ISO 16641:2016

EN ISO 16641:2016 (E)

Contents	Page
European foreword	

European foreword

The text of ISO 16641:2014 has been prepared by Technical Committee ISO/TC 85 "Nuclear energy, nuclear technologies, and radiological protection" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 16641:2016 by Technical Committee CEN/TC 430 "Nuclear energy, nuclear technologies, and radiological protection" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2016, and conflicting national standards shall be withdrawn at the latest by October 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 16641:2014 has been approved by CEN as EN ISO 16641:2016 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

INTERNATIONAL STANDARD

ISO 16641

First edition 2014-10-01

Measurement of radioactivity in the environment — Air — Radon 220: Integrated measurement methods for the determination of the average activity concentration using passive solid-state nuclear track detectors

Mesurage de la radioactivité dans l'environnement — Air — Radon 220: Méthode de mesure intégrée pour la détermination de l'activité volumique moyenne avec des détecteurs passifs solides de traces nucléaires



Reference number ISO 16641:2014(E) ISO 16641:2014(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Page

Contents

Fore	eword	iv
Intro	roduction	V
1	Scope	
2	Normative references	
3	Terms, definitions, and symbols3.1Terms and definitions3.2Symbols	
4	Principle of the measurement method	4
5	Equipment	5
6	Sampling6.1Sampling objective6.2Sampling characteristics6.3Sampling conditions	6
7	Detection method with solid-state nuclear track detectors (S	SNTD)7
8	Measurement procedure8.1General8.2Influencing variables8.3Calibration	
9	Expression of results9.1Average thoron activity concentration9.2Standard uncertainty9.3Decision threshold9.4Detection limit9.5Confidence limits9.6Example	9 9 9 10 10 11 11
10	Test report	
Anno	nex A (informative) Radon-220 and its decay products	
Bibli	liography	

This is a free page sample. Access the full version online. I.S. EN ISO 16641:2016

ISO 16641:2014(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 85, *Nuclear energy, nuclear technologies, and radiological protection*, Subcommittee SC 2, *Radiological protection*.

Introduction

Radon isotopes 222, 220, and 219 are radioactive gases produced by the disintegration of radium isotopes 226, 224, and 223, which are decay products of uranium-238, thorium-232, and uranium-235, respectively, are all found in the earth's crust. Solid elements, also radioactive, followed by stable lead are produced by radon disintegration.^[1]

Radon is considered to be the main source of human exposure to natural radiation. The UNSCEAR (2006) report^[2] suggests that, at the international level, radon accounts for around 52 % of the global average exposure to natural radiation. Isotope 222 (48 %) is far more significant than isotope 220 (4 %), while isotope 219 is considered negligible.

Recent studies on indoor radon-222 and lung cancer in Europe, North America, and Asia provide strong evidence that radon-222 causes a substantial number of lung cancers in the general population. Current estimates of the proportion of lung cancers attributable to radon-222 range from 3 % to 14 %, depending on the average radon-222 concentration in the country concerned and the calculation methods.^[3]

Indoor radon-222 concentration is mainly measured by passive detectors that can measure both radon-222 and radon-220 signals.^[4] If the readings are overestimated, the lung cancer risk is given as a biased estimate when epidemiological studies are carried out. Radon-222 and radon-220 parallel measurements have been carried out in several countries^{[4]-[11]} (See <u>Table A.1</u>). Experiences from field work indicate that there is no correlation among radon-222 and radon-220 and its decay products' concentrations. This implies that one parameter cannot be estimated from the other. Unless radon-220 activity concentration is measured, a correct radon-222 concentration cannot be given with a single use of radon-222 measuring device. Therefore, a specific measurement of radon-220 is justified.

Due to its short half-life, radon-220 disappears very rapidly in the atmosphere. An activity concentration gradient is observed from the walls or grounds to the inner space of the room. Depending on the objective of the measurement (building characteristics, construction material characterization, etc.), the sampling location is to be chosen after taking into account this gradient.

Due to a highest level of radon-222 in air, radon-220 is very difficult to measure alone. This International Standard proposes a measuring method of radon-220 activity concentration using a dual system considering radon-222 and radon-220.

There are many ways of measuring the activity concentration of radon-220 and its decay products. The measuring technique proposed is an integrated measurement method for radon-220 only.

This is a free page sample. Access the full version online. I.S. EN ISO 16641:2016 $\,$

Measurement of radioactivity in the environment — Air — Radon 220: Integrated measurement methods for the determination of the average activity concentration using passive solid-state nuclear track detectors

1 Scope

This International Standard covers integrated measurement techniques for radon-220 with passive sampling only. It provides information on measuring the average activity concentration of radon-220 in the air, based on easy-to-use and low-cost passive sampling, and the conditions of use for the measuring devices.

This International Standard covers samples taken without interruption over periods varying from a few months to one year.

This type of measurement is also applicable for determination of radon-222 activity concentration.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11665-1:2012, Measurement of radioactivity in the environment — Air: radon-222 — Part 1: Origins of radon and its short-lived decay products and associated measurement methods

ISO 11929, Determination of the characteristic limits (decision threshold, detection limit and limits of the confidence interval) for measurements of ionizing radiation — Fundamentals and application

ISO/IEC 17025:2005, General requirements for the competence of testing and calibration laboratories

IEC 61577-1, Radiation protection instrumentation — Radon and radon decay product measuring instruments — Part 1: General principles

3 Terms, definitions, and symbols

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

```
activity
```

number of spontaneous nuclear disintegrations occurring in a given quantity of material over a reasonably short time interval, divided by this time interval

[SOURCE: ISO 921:1997, 23]

Note 1 to entry: Activity is expressed by the relationship:

 $A = \lambda \times N$

The decay constant is linked to the radioactive half-life (T) by the relationship:



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation