

Australian Standard®

Methods of testing concrete

Method 2: Preparation of concrete mixes in the laboratory

PREFACE

This edition of this Standard was prepared by the Standards Australia Committee on Methods of Testing Concrete as part of its ongoing program to revise the AS 1012 series of Standards on the testing of concrete. It supersedes AS 1012.2—1983.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

CONTENTS

| | <i>Page</i> |
|--|-------------|
| 1 SCOPE | 2 |
| 2 REFERENCED DOCUMENTS | 2 |
| 3 DEFINITIONS | 2 |
| 4 APPARATUS | 3 |
| 5 BATCH MASSES | 3 |
| 6 STORAGE OF SAMPLES | 3 |
| 7 REPRESENTATIVE SAMPLES | 3 |
| 8 PREPARATION OF MATERIALS | 4 |
| 9 MEASUREMENT OF MATERIALS | 4 |
| 10 MIXING CONCRETE | 4 |
| 11 SAMPLING | 6 |
| 12 USE OF FRESHLY-MIXED CONCRETE | 7 |
| 13 RECORDS | 7 |
| 14 REPORT | 8 |

APPENDICES

| | |
|--|----|
| A UNIFORMITY TEST FOR LABORATORY MIXERS | 10 |
| B SUGGESTED METHOD OF SETTING OUT TRIAL BATCH PROPORTIONS | 13 |
| C VOLUMES OF CONCRETE REQUIRED FOR TESTS COVERED BY AS 1012 | 14 |

METHOD

1 SCOPE This Standard sets out a method for the preparation of concrete mixes in the laboratory.

2 REFERENCED DOCUMENTS The following documents are referred to in this Standard:

AS

- 1012 Methods of testing concrete
- 1012.1 Method 1: Method for sampling fresh concrete
- 1012.3 Method 3: Methods for the determination of properties related to the consistence of concrete
- 1012.4 Method 4: Methods for the determination of air content of freshly mixed concrete
- 1012.5 Method 5: Method for determination of mass per unit volume of freshly mixed concrete
- 1012.6 Method 6: Method for the determination of bleeding of concrete
- 1012.8 Method 8: Method for making and curing concrete compression, indirect tensile and flexure test specimens, in the laboratory or in the field
- 1012.13 Method 13: Determination of the drying shrinkage of concrete for samples prepared in the field or in the laboratory
- 1012.16 Method 16: Method for the determination of creep of concrete cylinders in compression (metric units)
- 1012.17 Method 17: Methods for the determination of the static chord modulus of elasticity and Poisson's ratio of concrete specimens
- 1012.18 Method 18: Method for the determination of setting time of fresh concrete, mortar and grout by penetration resistance (metric units)
- 1141 Methods for sampling and testing aggregates
- 1141.3 Method 3: Sampling of aggregates and rock
- 1141.6 Method 6: Bulk density and water absorption of coarse aggregate
- 1478 Chemical admixtures for concrete
- 2758 Aggregates and rock for engineering purposes
- 2758.1 Part 1: Concrete aggregates
- 3582 Supplementary cementitious materials for use with portland cement
- 3582.1 Part 1: Fly ash
- 3582.2 Part 2: Slag—Ground granulated iron blast-furnace
- 3972 Portland and blended cements

3 DEFINITIONS For the purpose of this Standard, the definitions below apply.

3.1 Absorption—as follows:

- (a) *Fine aggregates*—in accordance with the requirements for bulk density and water absorption of fine aggregate of AS 1141.
- (b) *Coarse aggregates*—in accordance with the requirements for bulk density and water absorption of coarse aggregate of AS 1141.

3.2 Cement Portland or blended cement complying with AS 3972 or a mixture of either or both of these with fly ash complying with AS 3582.1, or with ground slag complying with AS 3582.2, or both. Other cementitious material may also be incorporated.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-